

Summary of Features

Products listed in alphabetical order by category

List price (tested configuration)

Dimensions (HWD, in inches)

Weight (pounds)

PHYSICAL CHARACTERISTICS

Engine type

Print technology

Printhead design

Print orientation

Paper paths supported

Interfaces supported

Maximum speed claimed

Maximum resolution (dpi)

Fonts supported (excluding bar code fonts):

Courier

Helvetica

Times Roman

Total fonts

LABEL PRINTER FEATURES

Maximum label capacity
(inches)

Automatically formats and positions
labels

Maximum characters per line on a label

Maximum number of lines per label

ENVELOPE PRINTER FEATURES

Maximum envelope capacity

Maximum postcard capacity

Rated envelope or postcard sizes:

Width (inches)

Length (inches)

SOFTWARE FEATURES

Software

PLP 1.01

TSR for reading addresses off-screen
from other programs

Reads addresses from data files

Allows manual entry of addresses

Maintains its own database of names
and addresses

Supports Postnet bar codes

Supports bar codes other than Postnet

Mixes fonts

Includes scalable typefaces

Supports graphics

WYSIWYG display

Creates and saves label and envelope
formats

Simultaneous access to document
printer and label or envelope printer

Software available for other
operating systems

LABEL PRINTERS

Avery Personal
Label Printer
\$279.95
6.3 x 3.9 x 7.8

CoStar
LabelWriter II
\$249.95
6.3 x 3.9 x 7.8

1.3

1.3

CoStar
Thermal
Full-line
Horizontal

Back-feed

Serial
1 inch per second

137 x 137

CoStar
Thermal
Full-line
Horizontal
vertical
Back-feed
straight-through
Serial
1 inch per second
second
137 x 137

n
y
y

n
y
y

20

9

350 (1.1 x 3.5
inches)
y

350 (1.1 x 3.5
inches)
y

65
7

40
5

N/A
N/A

N/A
N/A

N/A

N/A

N/A

N/A

LabelPro 1.51,

LabelWriter II

1

y

y

y

y

y

y

y

y

y

y

y

y

y

n

y

n

y

n

n

n

y

n

y

y

y (Macintosh System
Software 6.x or later)

n

Eltron LP-2042	Seiko Smart Label Printer Plus		
\$1392.95	\$199.95		
5.9 x 7.6 x 9.1	6.2 x 3.6 x 6.3		
	3.4		1.1
Eltron Thermal Full-line Horizontal or	Seiko Thermal Serial Horizontal		
Back-feed,	Back-feed		
Parallel, serial	straight-through		
2 inches per second	Serial		
203 x 203	0.4 inch per minute		
	150 x 200		
n	n		
y	n		
y	n		
	10		45
1,138 (1.3 x 2.5 inches)	130 (1.1 x 3.5		
n	y		
	44		50
	7		8
N/A	N/A		
N/A	N/A		
N/A	N/A		

N/A

N/A

Create-A-Label 3.0
Printer Plus

Smart Label

1.01

2.02

n

y

y

y

y

y

n

y

n

y

y

y

y

y

n

n

y

n

y

y

y

y

n

y

n

y (Macintosh System
Software 6.0.3 or later)

ENVELOPE PRINTERS

CoStar AddressWriter \$595 9 x 8 x 14	Tidemark Address Express \$1195 7.5 x 16 x 16	
	9	17
CoStar Dot matrix Serial Horizontal vertical Back-feed,	Tidemark Ink jet Serial Horizontal or C-path	
Serial 5 envelopes per minute 144 x 144	Serial 4 envelopes per 192 x 192	
y y y	y y y	
	8	81
N/A	N/A	
N/A	N/A	
N/A N/A	N/A N/A	
	100 200	100 100
5-10.5	5-10.4	

3.5-4.3

3-6.3

AddressWriter

Address Express

1.1

y

y

y

y

y

y

y

n

y

y

n

n

n

y

n

n

n

y

n

y

n

y

y

n

y (Macintosh System
Software 6.x or later)

y (Macintosh System
Software 6.0.5 or later)