

Contents

InfView

Version 1.60

Copyright (C)1994-1995 NeoSoft Corp.

Overview

IntelliLib (tm)

IntelliLib Setup

Loading InfView

Loading from the Command Line

Loading using Drag and Drop

Loading as a File Manager Extension

Saved Configuration (INFORMER.INI)

Closing InfView

The Viewing Window

View a Single Line in Hex

Choosing a Different Viewing Mode

Ascii View

Raw Ascii View

Hex View

Text Only View

Viewing Images

Listing Contents of Zip,Lzh Compressed Files

Minimizing and Maximizing the Viewer

Exposing Editing Characters

Replacing Non-Visible Characters

Showing/Hiding the Status Line

Changing the Font

File Compatability

Microsoft Write

Preferences

Changing the Line Length

Changing the Colors

Using the Ascii Table

Changing the Print Director

Multiple Open File Options

Using the Optional Button Bar

Using the Optional Help Line

Opening a Different File

Opening Previously Viewed Files

Reloading the Current File

Saving Viewer Contents to a File

Searching in the Viewer

Repeat Search

Searching All Viewed Files

Comparing Files Being Viewed for Differences

Continuing the Comparison

Searching the Disk for Files

Searching the Disk for Words/Characters

Searching the Current Directory

The Search List

 Loading the next file from the Search List

 Loading the previous file from the Search List

Going to Line Number

Printing a File

 Printing Selected Text

 Print Options

 Selecting a Printer

 Selecting a Communications Port

 Printing Directly to a Port

The Hex Editor

 Saving a Modified File

Executing a File

Identifying a File

 Modifying the Identification List

Keyboard Hot Keys

Memory Considerations for Large Files

InfView's DLLs

Hex Translation Table

Registering InfView

InfView Overview

InfView is a general purpose Windows file Viewer that works with Windows 3.1, Windows for Workgroups, Windows NT and the OS/2 Windows environment.

InfView allows you to view up to 25 files at once in either formatted "Ascii" mode, in true "Ascii" mode, in a "Hex/Ascii" format similar to Dos Debug, in a mode that attempts to extract only the "text" out of a file and Image viewing that will display any 16/256 color Bitmap or PCX image.

Unlike other file viewers, InfView has NO practical file size limit; the only limit is set by Windows providing memory to InfView to read and hold the file. InfView reads the entire file into its Window so that displaying, searching and scrolling are instantaneous. The only time a file is re-read is when you switch viewing modes (hex / ascii).

InfView will do string searches in Ascii View or string, hex or offset searches in the Hex View. There is a one step Repeat Search menu item and keystroke to ease repeated searches through files.

InfView can do file or character searches across your disk or network and then build a **Search List** that you can traverse and examine.

Since Infview can view multiple files at once, there are a host of multiple-file commands and keystrokes, including file comparison routines that will look for differences in the files that you are viewing.

The Hex Editor option will allow you to modify files in their Hex mode. This is especially useful for poking or modifying unreadable Binary files and this option will allow you to modify executable files as well!

InfView has a utility that will attempt to identify files based on either internal identifiers or on the file's extension. Currently 50 different file types can be identified.

There is a menu option to execute the file that is being viewed. If the file being viewed is a Dos or Windows program or Library, InfView will load and run that file, otherwise InfView will attempt to identify the file and then will attempt to load the application that uses that file. In other words, if you are viewing ABC.WRD the Execute command will load Word for Windows with ABC.WRD already loaded.

Though InfView was written for "Informer" - The Windows Personal Information Manager, it can be easily be used with Windows File Manager and other Windows utilities to ease file viewing operations.

IntelliLib (tm)

This program utilizes IntelliLib (tm) Library management technology.

IntelliLib enables this program to selectively use Windows Dynamic Link Libraries (DLLs) to perform non-standard tasks. The user has the ability to choose which Libraries are loaded, thereby allowing him to tailor this program to his specific needs.

IntelliLib also allows this program to fully operate without DLL modules that were expected. Functionality for a missing Library is disabled from the main program.

Additional Topics:

[InfView's DLLs](#)

[IntelliLib Setup](#)

IntelliLib Setup

IntelliLib allows you to select which non-standard functions of a program are loaded at run-time. You may modify your selections once they are made though the program will have to be restarted.

From the **Options** menu select the **IntelliLib** option. The Window that appears has several fields:

Load Bmp/Pcx Viewing Library - If you select this option you will be able to view all Bmp and Pcx images.

Load File Compression Library - If you select this option you will be able to view list of files within Zip and Lzh compressed data sets.

UnZip Path - Enter the path and program name (including extension) of your Unzip program. You can use the **Browse** button to select the UnZip program from your local or network disk.

UnLzh Path - Enter the path and program name (including extension) of your UnLzh program. You can use the **Browse** button to select the UnLzh program from your local or network disk.

Note: InfView uses the following command formats to extract programs from compressed data sets:

Zip - ProgramName.Ext FILENAM1.EXT FILENAM2.EXT

Lzh - ProgramName.Ext E FILENAM1.EXT FILENAM2.EXT

Where FILENAM1 is the file containing the compressed files and FILENAM2 is the selected file to extract.

Loading InfView

InfView can be loaded:

- As an Icon from a Program Manager group.
- From the RUN feature of Program Manager or other Windows Shell programs.
- From Windows File Manager or other File Management utilities using the Windows association table.
- Using Drag and Drop from any windows program with that capability.

If you have added InfView to a group within Program Manager (or other shells) you can load InfView by Clicking on the Icon. This will cause InfView to load and to request a file selection from an **"Open File"** dialog.

If you use the RUN facility within Program Manager (or other shells) you can load InfView with no files in its buffer by simply typing **"INFVIEW"** and pressing ENTER. This will cause InfView to load and to request a file selection from an **"Open File"** dialog.

Note: The **"Open File"** dialog loads with the directory path of the file that was most recently loaded. This allows you to progressively view files within a directory without having to locate the Directory each time. If you select the **"Cancel"** button on the Open File Dialog, InfView will automatically load the last file that you viewed.

Your final option for loading InfView is to have it automatically load with a file that is selected by Windows File Manager or other File Management utilities. Windows File Manager maintains a table of file extensions and programs in the WIN.INI file under the "Extensions" heading. If you want InfView to load every time a file with the extension of "TXT" is selected by File Manager, you would add a line to WIN.INI - Extensions showing: "txt=INFVIEW.EXE ^.txt". For more information see the section on File Manager in your Windows manuals.

Other File Management utilities have similar options to load file viewers - however you should consult the documentation in order to determine the steps required in order to have InfView load automatically.

Additional Topics:

[Loading from the Command Line](#)

[Loading using Drag and Drop](#)

Loading from the Command Line

InfView can be loaded from any program that offers program execution from a Windows command line, such as the **RUN** option within PROGRAM MANAGER.

InfView can accept up to 9 file names from the command line, each separated by at least 1 space, ie: "INFVIEW AUTOEXEC.BAT CONFIG.SYS TEMP.TXT". Each file name must be fully qualified with its path.

You can invoke some InfView functions from the Command line as well:

Compare - To invoke a compare of all loaded files, insert the "**\c**" command anywhere within the command line, ie: "INFVIEW WIN.INI WIN.BAK \C". Note: both \c and \C are accepted. As soon as ALL files on the command line are loaded, InfView will start comparing ALL files being viewed.

File Find - To invoke the Disk File Find feature of InfView immediately upon startup, insert the "**\ff**" command within the command line, ie: "INFVIEW \FF".

Word Search - To invoke the Disk Word Search feature of InfView immediately upon startup, insert the "**\wf**" command within the command line, ie: "INFVIEW \WF".

Loading using Drag and Drop

InfView will accept files that are dragged from other Windows programs (such as File Manager) and then dropped onto InfView. InfView must already be active as either an Icon or a Window in order for drag and drop to work.

You can drag and drop any number of files into InfView. If the number of files exceeds InfView's maximum number of files to be viewed at once, you will be asked whether you want to temporarily extend the number of files to be viewed.

If a Zipcompressed file is dropped on InfView and you have the Compressed File Viewing DLL loaded you will be shown a list of all files in the Zip where you can choose to either load the entire Zipfile into a viewing window or selectively decompress a file from within the Zip into a viewing Window.

Loading as a File Manager Extension

If you installed InfView with the File Manager extension option you will be able to take advantage of InfView's viewing capabilities every time File Manager is used.

As File Manager loads you will see InfView load and reduce to an Icon on your screen. On the File Manager main menu there will be a new option labeled **InfView**. The InfView menu currently only has 1 option: **About InfView** which explains how to use InfView in conjunction with File Manager.

When File Manager is closed it will automatically close InfView.

To view any file or series of files drag them from File Manager and drop them onto the InfView icon. This will maximize InfView and cause it to load the specified files (up to the maximize number of files that InfView will load at once as specified under **Preferences**).

Saved Configuration (INFORMER.INI)

Each time you run InfView it automatically saves several options that will be used when you next invoke InfView. They are:

Position: If you move or resize the InfView Window, the last position before you close InfView is stored. When InfView is next invoked it will set itself to that last position. This option allows you ensure that InfView loads to a particular area on your screen.

View Type: Whether the file you are viewing will be loaded initially in Ascii or Hex view type. (Menu option **View** - sub-menu options **Ascii View** or **Hex View**).

Editing Characters: Whether editing characters will be shown in an expanded way, including Tabs,CR, etc..(Menu option **View** - sub-menu options **Do Not Expose** or **Expose**).

Replace Non-Visible Characters: Whether non-visible characters will be replaced in the viewer with '~' (Menu option **View** - sub-menu option **Replace Non-Visible**).

Print Margins: The Margins you last set-up for printing from InfView. (Menu option **Print**)

Print Line Numbers: Whether or not your printed output has line numbers. (Menu option **Print**).

Print Page Numbers: Whether or not your printed output has page numbers. (Menu option **Print**).

Previously Viewed Files: InfView remembers the last 3 files that were viewed. They are listed under the **Files** menu option and can be retrieved by selecting them directly from the menu.

Current Font: The currently selected font.

Current Font Size: The size of the currently selected font.

All of these options are saved in the **INFORMER.INI** file in your current or windows directory under the heading of **[InfView]**.

The configuration options that are saved in **INFORMER.INI** can be localized so that they can be dependant on a particular calling program or they can be generalized for all applications by placing the **INFORMER.INI** in different directories.

To configure InfView specifically to a calling application, create (or copy) the **INFORMER.INI** file to the Current directory from which InfView will be called. InfView searches for **INFORMER.INI** in the current directory before looking in the Windows directory. If the file exists in the current directory it is used.

To configure InfView generally for all calling applications use the default **INFORMER.INI** file in the Windows directory.

InfView will automatically create the **INFORMER.INI** file in the default Windows directory if it does not exist and will insert the **[InfView]** heading and the options automatically.

A typical INFORMER.INI file will look like:

```
[Print]
MargLeft=0.00
MargTop=0.00
MargRight=0.00
MargBottom=0.00
```

PageNumbers=False
LineNumbers=False
FontType=0

[InfView]

ViewType=Ascii
LastDir=C:\WINDOWS
ShowEdit=False
Replace=False
DrivePrompt=True
HexEdit=True
StatusLine=True
Font=MS Serif,-11,400,0,0
PointSize=80
LineLength=512
BackColor=6
TextColor=16
SelColor=16
SelText=16
PrintType=Direct
File1=c:\windows\win.ini
File2=c:\dos\append.exe
File3=c:\windows\myapp.exe
WinLeft=208
WinTop=168
WinRight=784
WinBottom=496
AutoTile=2
Recycle=True
MaxViews=2

Closing InfView

You can close InfView by selecting the **"Close"** option from the System Menu or you can double click your mouse on the System Menu indicator at the top left corner of the InfView Window.

When you execute a file using the **"Execute"** menu option, InfView automatically shuts down after the file is loaded.

The Viewing Window

When InfView is first loaded it will appear as a Window on your screen. This window has several areas to which you have access:

- The Menu
- The Status Line
- The File Viewer

The Menu

File - This option is used to Open New Files, Print, Save Viewer contents to a file and to Close InfView.

Edit - Save selected text to the clipboard and other files.

Search - This option is used to invoke character or word searches within the Viewer area and then to repeat a subsequent search.

View - Used to toggle the Viewer contents between Ascii, Raw Ascii, Hex and Text Only views.

Options - These options help configure InfView.

Execute - Will attempt to execute the File being Viewed.

Window - Contains options to Tile/Cascade/Arrange and Close multiple windows.

Help - Access the InfView On-Line Help and the InfView Informational Windows.

Minimize and Maximize Buttons - Used to Minimize or Maximize the InfView Window. See the section on Minimizing and Maximizing the Viewer

The Status Line

The Status line appears directly below the Menu options and provides accurate information to aid you in using other InfView utility functions.

In Ascii, Raw Ascii and Text Only Modes the Status line contains:

- The currently selected line number.
- The Offset from the beginning of the file of the first character in the currently selected line.
- The file size in characters.

In Hex mode the Status line contains:

- The currently selected line number.
- The Offset from the beginning of the file of the first character in the currently selected line. In Hex mode each line reflects an offset of 16 bytes from the previous line.
- The file size in characters and Hex bytes.

Note- Currently selected line number indicates the line number in the Viewer, not necessarily the line number of the file you are viewing.

The File Viewer

The File Viewer portion of the Window contains the contents of the file you are viewing in ASCII or HEX. The size of the Window will determine how much of the file (lines or columns) is actually shown at any given time.

Additional Topics:

[View a Single Line in Hex](#)

[View the entire file in Hex](#)

[Minimizing and Maximizing the Viewer](#)

[Exposing Edit Characters](#)

[Replacing Non-Visible Characters](#)

[Changing the Font](#)

View a Single Line in Hex

Rather than view an entire file in Hex, you have the ability to view any line from your Ascii/Raw Ascii/Text Only modes in Hex, regardless of the actual length of the line. This tool is invaluable for determining whether there are any hidden or non-visible characters imbedded in your text.

To view a line in Hex, Double click your mouse on the particular line.

A Window will appear: **InfView Hex Conversion** followed by the number of characters on the line you selected.

The window will contain lines of Hex values. Each Hex value represents 1 character (byte) on the line and is seperated by a space from the next one. Each line has 16 bytes translated on it.

When you are done viewing the line in Hex, click on the **Ok** button to return to the viewing window.

Choosing a Different Viewing Mode

In order to toggle InfView between the different viewing options available, select the **View** menu option and then the appropriate Sub-Menu option:

InfView will completely re-read the current file when you toggle between View modes. Reading a file for Hex view will take considerably longer than reading a file for Ascii/Raw/Text view.

When you Choosing a Different Viewing modes, Infview will position the viewer at the offset of the line you had selected in the previous mode, thus enabling you to locate the exact position of text between modes.

Additional Topics:

[Ascii View](#)

[Raw Ascii View](#)

[Hex View](#)

[Text Only View](#)

Ascii View

In order to set all open InfView viewing windows to Ascii View, select the **View** menu option and then the **Ascii View** sub-menu option or press **Ctrl-A** on your keyboard.

The Ascii Viewing option reads a file and then formats the characters of a file by expanding most utilizing the editing characters within the file.

The mode will display all non-ascii characters except for Hex 0-Nul which is replaced with a space.

Raw Ascii View

In order to set all open InfView viewing windows to Raw Ascii View, select the **View** menu option and then the **Raw Ascii View** sub-menu option or press **Ctrl-R** on your keyboard.

The Raw Ascii Viewing option reads a file verbatim without using any editing characters within the file. This is useful for examining binary, executable or system type files.

Each line in the viewer will be filled to the maximum line length.

The mode will display all non-ascii characters except for Hex 0-Nul which is replaced with a space.

Hex View

In order to set all open InfView viewing windows to Hex View, select the **View** menu option and then the **Hex View** sub-menu option or press **Ctrl-H** on your keyboard.

The Hex Viewing option reads a file and then translates each character into its Hexidecimal equivalent and then formats lines containing groups of 16 Hex characters with their Ascii translation and the file offset.

Example: 0000:0080 6D 00 A5 34 7D 00 55 10 55 00 71 24 69 00 59 28 | m..4..U.U.q\$i.Y(

In the ascii translation of each Hex character on a line, only Ascii characters are displayed, all non visible characters are translated to '.'

Additional Topics:

[Hex Translation Table](#)

Text Only View

In order to set all open InfView viewing windows to Text Only View, select the **View** menu option and then the **Extract Text Only View** sub-menu option or press **Ctrl-E** on your keyboard.

The Text Only Viewing option reads a file and extracts only the visible Ascii characters out of the file.

Editing characters within the file are expanded as well.

This mode is useful for displaying word processing, spreadsheet and other types of files that contain text, such as:

- Microsoft Write
- Microsoft Word
- Ami Pro
- Word Perfect
- Microsoft Excel
- Quattro Pro

The mode will NOT display any non-ascii characters, however many word processors and spreadsheet use regular ascii characters for their formatting so do not be suprised if you do still have what appears to be garbage throughout the file.

Viewing Images

InfView will let you view any 16 or 256 color BMP or PCX image. In order to view an image, first load the file using any Ascii/Hex mode. Once loaded, select the **View** menu then the "**Display Image**" sub-menu option or press Ctrl-D on your keyboard.

If the file you are viewing is not a valid image or is of an image format not yet supported, then InfView will be unable to create an image window.

Loading most images will only take a second or so. Once the image has been loaded InfView will create a new MDI window with the image displayed. (if you have the maximum windows open then InfView will close the oldest prior to displaying the image window).

When you have an image window active most of the menu options are disabled except for the **Close** and **Exit** options.

Additional Topics:

[InfView's DLLa](#)

Listing Contents of Zip,Lzh Compressed Files

InfView can list the contents of Zip and LZH compressed files. After loading the compressed file into the viewer, select the **List Contents of Compressed Files** option from the 'View' menu option.

InfView has build in routines to list the contents of Zip and Lzh compressed files, however in order for you to load a selected file from a compressed set of files you must have an appropriate decompression routine available, ie:

- PKZIP for Zip type compression.
- LHARC for Lzh type compression.

Various other vendors provide lookalikes for these compression types. Be sure to register the routines you select for decompression! See the section on [IntelliLib Setup](#) for instructions of how to make InfView aware of the location of your decompression programs.

Additional Topics:

[InfView's DLLs](#)

[IntelliLib Setup](#)

Minimizing and Maximizing the Viewer

Minimizing InfView will reduce the viewing Window to an ICON at the bottom of your screen. Double click your mouse on the ICON (or select it and press <Enter>) to restore it to its original size.

Maximizing InfView will enlarge the current viewing window to use the entire screen. You should maximize when you are viewing files with more than 80 characters on a line.

Both the Infview application window as well as each individual file view window can be sized using the **Size** option on the system menu of InfView or you can use standard Windows drag techniques to change the size.

Exposing Edit Characters

Edit characters include Carriage Returns, Line Feeds, Tabs, Back space, Form Feed, etc. This option will allow to see these editing characters in an expanded form rather than in their non-visible form. You can use this option to inspect text for extra Editing characters.

To invoke this option, select the **Option** menu option followed by the **Expose Editing Characters** sub-menu option. A Checkmark will appear next to this sub-menu option.

To turn this option off, select the **Option** menu option followed by the **Do Not Expose Editing Characters** sub-menu option. A Checkmark will appear next to this sub-menu option.

When this option is on, non-visible editing characters will be replace by:

- Carriage Return - [CR]
- Line Feed - [LF]
- Back Space - [BS]
- Tab - [TB]
- Form Feed - [FF]
- Vertical Tab - [VT]

The file is re-read and reformatted in the Viewing Window each time this option is turned on or off.

This option does not work in **Hex View** mode.

Changing the Font

InfView can be configured to display files in any available Windows Font, including TrueType. When you change fonts InfView automatically remembers the change and uses the new font in subsequent viewing sessions.

To change the Font select the **Options** menu option and then select the **Change Font** sub-menu option.

After selecting a font and size from those available to you, select the **Ok** button to save the change and to cause InfView to repaint all open file views using the new font.

File Compatability

InfView provides some direct compatability with files created under specific text editors or word processors. When InfView detects a compatible file format it will translate it when it is viewed so that formatting characters do not appear.

InfView only translates files when in the **Ascii** viewing mode.

Each compatible file format is explained the following additional topics.

Additional Topics:

[Microsoft Write](#)

Microsoft Write files

InfView will translate files created with Microsoft Write. InfView displays all text from the beginning of the text page of the write document until the end of the text blocks as calculated using the **text size** word in the Write Document header.

InfView will not display any Images or OLE information.

Button Bar

InfView has the ability to display an optional Button Bar containing your choice of over 19 different buttons representing most of InfView's menu options.

To show or hide the button bar select the **Show Button Bar** menu option. When the button bar is visible there will be a checkmark next to this menu option.

Use the **Setup Button Bar** option to select which menu options will be represented on the Button Bar.

When InfView is first started (or upgraded) all of the Buttons will be displayed, which may cause several buttons to overrun the size of the InfView window. However the Button Bar will automatically redraw once you make selections from the Button Bar Setup.

Help Line

InfView can optionally display a menu help line at the bottom of the InfView main window. The help line is used to provide real-time information on menu and button bar selections. To get help on a menu or button bar selection simply click on the menu or button. Text will appear in the help line until you release the mouse button.

To show or hide the help line select the **Show Help Line** menu option. When the help line is visible there will be a checkmark next to this menu option.

Preferences

Certain InfView configuration options which are less frequently modified are kept in the **Preferences** section of the **Options** menu option.

Prompt for Drives during Network Search - This option will ask you whether you want to search each logical drive in a Network File or Word search.

Expand Tabs - When selected, InfView will expand the TAB character into the number of spaces that you specify under Tab Length.

Tab Length - The number of spaces to convert TAB to.

Temporary Directory - The directory that InfView decompresses Zip/Lzh file into. If you do not specify a directory then InfView will use Windows.

Startup Option - You can choose 1 of 4 different ways InfView will startup.

1. The Windows **Open File Dialog** will be displayed when InfView starts allowing you to select a file.
2. You will be shown an **Empty Viewer** with no files displayed.
3. The **Last File Viewed** will automatically be loaded.
4. The **Startup Selection** window will be displayed. This window gives you the choice of choosing any of the last 3 files viewed, running the Open File Dialog, invoking the File Find or Word Find routines, loading no files or exiting InfView.

Set Display Line - This option lets you specify where InfView will display any of the previously viewed files: either at the Top of the File or at the last line you viewed in the previous viewing session.

Additional Topics:

[Changing the Line Length](#)

[Changing the Colors](#)

[Using the Ascii Table](#)

[Changing the Print Director](#)

[Multiple Open File Options](#)

Changing the Line Length

The **Line Length** denotes the maximum number of characters that can be displayed on a single viewer line. InfView defaults to **255** characters.

You can modify the Line Length to be any value between **20** and **1024** characters.

Any files loaded after the line length is changed will be displayed using the new length. In order to redisplay files already loaded, use the **Reload all Files** option under the **Window** menu.

Changing the Colors

InfView allows you to modify the colors in which files are displayed in the viewing window. By default the colors are set to the **System** colors for Text, Background and highlighted text. System colors are set using the Windows **Control Panel**.

There are 4 separate viewing items that you can modify colors on:

Text - The color of unhighlighted text.

Background - The background color for the viewing window.

Highlighted Text - The color of text that has been 'selected' in the viewing window.

Highlight Background - The background color for 'selected' lines.

Once any changes are made to color selections the viewing window will redisplay in the new colors.

Any or all of the viewing items can be set to **System** colors, causing them to be in the default system color as defined in the Windows Control Panel.

Changing the Print Director

This setting under the **Preferences** menu option lets you specify how your printed output will be directed to the printer, either:

- A. Through the Print Manager (Default)
- B. Directly to a Port on your system

Additional Topics:

[Printing Directly to a Port](#)

Using the Ascii Table

This setting under the **Preferences** menu option lets you customize the InfView ascii table for use in custom viewing applications or under different languages. The need for this option was driven by German Windows users which has ascii characters outside the normal #32-#127 range used for English.

Characters set up as **Ascii** in this table are included in the Text View and the Hex View options in InfView.

When you invoke the Ascii Table option, you will be shown a list box containing all characters from 0 - 255. Next to each character is a message indicating whether the character is **Ascii** or **Non Ascii**.

To toggle the characteristic of a particular character, Click your mouse on the character, the list box will immediately change for that character and all subsequent viewing operations will be affected.

Note: InfView will default the ascii table to use #32-#127 as the standard ascii set.

Note: Files that are already being viewed must be refreshed in order to reflect changes to the ascii table.

Note: Characters 0 and 255 can not be toggled to ASCII as they can cause problems.

Multiple Open File options

There are 3 options for controlling how you view multiple documents in InfView:

1. Maximum Viewing Windows - Lets you choose the maximum number of files that you can view in InfView, from 1 - 25.
2. Recycle Oldest Viewing Window - This option will recycle the oldest (First Opened) viewing windows when you attempt to view another file beyond the maximum number of viewing windows. If this option is off, attempting to open another file beyond the maximum number of files will force a warning message.
3. Automatic Tiling - You can choose to have InfView automatically tile your open files either vertically or horizontally within the InfView window. If 'Off', then InfView will Cascade the files within the InfView viewing window.

Replacing Non-Visible Characters

When you are inspecting a text file looking for non-visible characters or when you are inspecting a binary file looking for visible characters, it is difficult to sift through all the non-visible and garbage characters. This option forces InfView to re-read the file and to replace all non-visible characters in the Viewing Window with a '~' character.

To invoke this option select the **Option** menu option followed by the **Replace Non-Visible Characters** sub-menu option. A Checkmark will appear next to this sub-menu option and InfView will proceed to re-read and reformat the file in the Viewing Window.

To turn this option off, follow the same steps. The Checkmark will disappear from the menu.

This option does not work in **Hex View** mode.

Showing/Hiding the Status Line

The Status line is a valuable tool for indicating position, offset and search list information. By default it is visible in both Ascii and Hex modes, however you can hide it to provide more viewing space.

To toggle whether the Status line is visible or not, select the **Options** menu item followed by the **Show Status Line** menu option. If the Status line is visible there will be a Checkmark next to the menu item. The Viewer will immediately refresh itself when this option is changed.

Opening a Different File

When you want to view a different file, select the **File** menu option, then the **Open File** sub menu option. You will be shown the standard Windows **"Open File"** Dialog. Select a path and file from this dialog and then select the **"Ok"** button to cause that file to be loaded.

If you select the **"Cancel"** button from the **"Open File"** dialog, you will return to the File Viewer Windows with the old file still loaded.

When you open a different file without first closing the current file you are viewing, InfView will open subsequent windows with new files up to the **Maximum number of Views** that you can set under 'Preferences'.

Note: The **"Open File"** dialog loads with the directory path of the file that was most recently loaded. This allows you to progressively view files within a directory without having to locate the Directory each time.

Additional Topics:

[Opening Previously Viewed Files](#)

Opening Previously Viewed Files

InfView remembers the last 3 files that were viewed. The paths and names of these 3 files are stored in the **INFORMER.INI** file and are dynamically listed under the **Files** menu option.

Each time that a file is opened, both the Informer.Ini and the menu list are updated so that you can easily return to a previously viewed file without searching for it.

To open a previously viewed file select the **Files** menu option and then either double click your mouse on any of the previously viewed file names or press **1,2 or 3** on your keyboard to load the matching file.

Reloading the Current File

At times you may want to Reload the file that you are viewing from the Disk file that was originally read, ie: If the file changes.

To reload the current file select the **View** menu option and then select the View Type that you are currently using (Indicated by a Checkmark next to the menu option). InfView will reload the file in the current View Type.

Saving the Viewer to a File

This option allows you to save the current contents (or a portion thereof) of the File Viewer into a File of a different name. You can save Hex views (or a portion thereof) as well.

To Save the Viewer contents, select the **File** menu option, then the **Save Viewer Contents** sub menu option.

The "**Save**" Dialog that will appear has the following options:

File Name - Enter the path and name of the file to which the Viewer contents will be saved. If the file exists you will be asked to confirm the overwrite of the file prior to the Save operation being executed.

Heading - Enter an optional heading which will be written as the first line of the file. This is useful in the case of saving Hex as a comment. (up to 60 characters).

Save From Line - Line 1 is automatically filled into this field. If you want the starting line number to be different, enter it here.

To Line - The line number of the last line in the File Viewer is filled in here. If you want a different ending line number, enter it here.

Browse Button - Select this button to invoke a "**File Save**" selection dialog which will allow you to traverse the hard disk (or network) for a specific path and file name.

Note: This option does not save files in their original format; it saves them in their viewed format.

Searching in the Viewer

The searching capabilities of InfView allow you to search for Characters, Words, Series of Words, Hex Values or Offsets. InfView allows for an initial Search request and then allows for additional repetitions of the same search.

What you can search for

In **Ascii** mode you can search for:

- Characters
- Words
- Groups of Words

In **Hex** mode you can search for:

- Characters
- Words
- Groups of Words
- Hex sequences
- Offsets (in hex)

Starting a Search

To start a search select the **Search** menu option, then the **Search** sub menu option.

A Search window will appear asking you to enter the text you wish to search for (up to 50 characters in length). You may also specify that the search will be case sensitive by selecting the **Case Sensitive** button.

When you have made your selections, click on the **Ok** button to start the search or click on the **Close** button to cancel the search.

Additional Topics:

[Repeating a Search](#)

[Searching All Viewed Files](#)

Repeating a Search

Once an initial search has been made you can repeat the search to look for the **Next** occurrence in the viewing window by clicking on the **Search** menu followed by clicking on the **Repeat** sub-menu, or you can press **F3** on your keyboard.

Subsequent repetitions of the search will continue until no more occurrences are found in the viewing window upon which time you will be presented with the message **No more occurrences found**.

Note: This search facility will only look for a single occurrence of the search characters on any given line.

Searching All Viewed Files

You can use the same procedure to search for characters or words within all files which you are viewing in InfView.

Use the **Search All** and **Repeat Search All** menu options under the **Search** menu.

Comparing Files Being Viewed for Differences

InfView provides a simple and effective way to compare files that are being viewed for differences. The comparison works in Ascii,Raw and Hex modes with at least 2 files being viewed. You can compare up to 25 files at once!

Using the **Compare All Views** option under the 'Search' menu or pressing **Ctrl-C** on your keyboard starts a comparison of all files being viewed from the first line in each view.

The File Comparison bases its comparison on an Original File View. The original file view is always the active file that you are viewing (the one that has keyboard input). To change original files, click your mouse on the view of the file you want to be the original.

When the File Comparison finds a difference between files it will present a message indicating on which line of the original the difference was found. When you acknowledge the message, InfView will position the files being viewed as follows:

The original file - Will select the line which was different in at least 1 of the other views. The Status line on the original file view will change to: **Compare: Original File Line: xxx**.

Files that were different - All files that had a different line x than the original will have the line that was different selected. The Status line will change to: **Compare: Failed on this file, line xx**

Files that were not different - All files that did not have a different line x will remain unchanged.

A message will appear if there are no more differences between files.

Additional Topics:

[Continuing the Comparison](#)

[Loading from the Command Line](#)

Continuing the Comparison

You can continue a comparison at any time, even if you have added or removed files being viewed. Use the **Continue Compare** option under the 'Search' menu or press **Alt-C** on your keyboard.

The continue comparison continues the comparison in each view from the line that is selected in that view. However if you request a Continue Compare immediately after **Compare Files** has found a difference between files, InfView will continue with the next line after the difference was found.

Example: If the original comparison found a difference between 2 files, it would highlight the lines that were different. In order for you to continue the comparison, you could either use **Continue Compare** to continue the comparison on the next line in each view, or you could select the lines in each view that match the Original file to continue from that point.

A message will appear if there are no more differences between files.

Searching the Disk for Files

This search facility is not unlike GREP or FILEFIND in the Dos environment. You can find all occurrences of a particular File or File abstract across multiple directories, entire disks or even multiple disk network environments.

To invoke the File Search select the **Search** menu option, then the **Search Disk for Files** sub menu option. You can also press the **F4** key on your keyboard to invoke the search.

The Disk Search entry screen will appear. The options on this screen are:

File Name to Search For: Enter the name and extension of the file(s) you wish to search for. You can use wildcards and partial file names, ie: ABC*.TXT or WIN.* or FED*.*

Search Path - The default drive will appear in this field, however you can modify it to be any drive (including network) or any path within a drive. The search will start with the Drive or Path you enter and will include all subdirectories.

Search All Drives - If you select this option the search will proceed to search every drive on your network, starting with the root directory of each drive.

Prompt After Match - If you select this option after each matching occurrence is found a Messagebox appears indicating in which directory it was found and also gives you the option of terminating the search at that point.

Select only files with size > - If you select this option you are required to enter a maximum file size (in bytes) in the entry field next to this selection. InfView will then only select files that are at least the size you indicate.

Select only files with size < - If you select this option you are required to enter a minimum file size (in bytes) in the entry field next to this selection. InfView will then only select files that are less than or equal to the size you indicate.

Select only files dated - This selection allows you to indicate an earliest date for which a file can be selected. The default in this field is the system date, however it can be modified. During the file selection routine only files that are created or modified from the date you indicated or later will be selected.

Search for files within Zip/Lzh - If you select this option the search will determine whether the search file exists within the Zip/Lzh compressed data set.

After you have completed making your options, select the **Start Search** button to start the search (press Alt-S) or select the **Close Search** button to return to the InfView viewing window.

All files that are found that match your search criteria will be listed in the area below the search options as follows:

File Name - Full name and path of the file.

Zip Flag - If the file listed is a Zip/Lzh compressed data set and the file you were searching for is compressed, then either **<zip>** or **<lzh>** will appear next to the file name.

Date - The date and time of the file.

File Size - The size in bytes of the file.

You can now load any of the files listed in the Search List into the viewer by Double Clicking your mouse on a file, or by selecting a file and then pressing the **Load File into Viewer** button.

Additionally, if you want to see a list of all the files within a Zip/Lzh compressed data set, select the compressed data set from the Search List and press the **List Files** button.

Additional Topics:

[The Search list](#)

Searching the Disk for Words/Characters

The Word Search facility of InfView will search all files in a particular directory, series of directories, disk or multiple disks for a given character, word or series of words. In most cases this search will be able to locate series of characters within binary (executable, etc..) files.

To invoke the Word Search select the **Search** menu option, then the **Search Disk for Words** sub menu option. You can also press the **F5** key on your keyboard to invoke the search.

The Disk Search entry screen will appear. The options on this screen are:

Word to Search For: Enter a character, series of characters, word or multiple words you wish to search for. Your entry can be up to 25 characters in length.

Search Path: The default drive will appear in this field, however you can modify it to be any drive (including network) or any path within a drive. The search will start with the Drive or Path you enter and will include all subdirectories.

Search All Drives If you select this option the search will proceed to search every drive on your network, starting with the root directory of each drive.

Case Sensitive If you select this option then the search will only match your search criteria when all the case of each character matches exactly.

Prompt After Match If you select this option after each matching occurrence is found a Messagebox appears indicating in which directory it was found and also gives you the option of terminating the search at that point.

Select only files with size > - If you select this option you are required to enter a maximum file size (in bytes) in the entry field next to this selection. InfView will then only select files that are at least the size you indicate.

Select only files with size < - If you select this option you are required to enter a minimum file size (in bytes) in the entry field next to this selection. InfView will then only select files that are less than or equal to the size you indicate.

Select only files dated - This selection allows you to indicate an earliest date for which a file can be selected. The default in this field is the system date, however it can be modified. During the file selection routine only files that are created or modified from the date you indicated or later will be selected.

After you have completed making your options, select the **Start Search** button to start the search (press Alt-S) or select the **Close Search** button to return to the InfView viewing window.

All files that are found that match your search criteria will be listed in the area below the search options as follows:

File Name - Full name and path of the file.

Date - The date and time of the file.

File Size - The size in bytes of the file.

You can now load any of the files listed in the Search List into the viewer by Double Clicking your mouse on a file, or by selecting a file and then pressing the **Load File into Viewer** button.

Additional Topics:

The Search list

Searching the Current Directory

The Directory search allows you to build a Search List containing all of the files in a given directory. You can modify this search to search for particular file abstracts in a directory as well.

To invoke the Directory Search select the **Search** menu option, then the **Search Directory** sub menu option. You can also press the **F6** key on your keyboard to invoke the search.

The Disk Search entry screen will appear. The options on this screen are:

Files To List: By default this field will show *.* indicating all files in the particular directory will be listed, however you can enter the name and/or extension of file(s) you wish to list in the directory, ie: ABC*.TXT or WIN.* or FED*.*

Search Path: The current directory will appear in this field, however you can modify it to be any directory on any drive available to you. This search will not examine subdirectories of the current directory.

Select only files with size > - If you select this option you are required to enter a maximum file size (in bytes) in the entry field next to this selection. InfView will then only select files that are at least the size you indicate.

Select only files with size < - If you select this option you are required to enter a minimum file size (in bytes) in the entry field next to this selection. InfView will then only select files that are less than or equal to the size you indicate.

Select only files dated - This selection allows you to indicate an earliest date for which a file can be selected. The default in this field is the system date, however it can be modified. During the file selection routine only files that are created or modified from the date you indicated or later will be selected.

After you have completed making your options, select the **Start Search** button to start the search (press Alt-S) or select the **Close Search** button to return to the InfView viewing window.

All files that are found that match your search criteria will be listed in the area below the search options as follows:

File Name - Full name and path of the file.

Date - The date and time of the file.

File Size - The size in bytes of the file.

You can now load any of the files listed in the Search List into the viewer by Double Clicking your mouse on a file, or by selecting a file and then pressing the **Load File into Viewer** button.

Additional Topics:

[The Search list](#)

The Search List

The Search List is a semi-permanent listing of files that matched the criteria you presented in the last Disk Search. The Search List can be revisited multiple times and can be used to load files directly into the viewer.

The Disk File Search, Word/Char Search and Current Directory search all share this list, so that the contents of the Search List will be replaced on each subsequent search by any of these 3 search types.

When you request a search (see the Search explanations) all the files that were found on your disk that matched the search are loaded into the search list. If you select a file from the search list it will be loaded into the viewer.

The next time you request a search, the Search List will be intact until you actually start the search.

Additional Topics:

[Loading the Next File from the Search list](#)

[Loading the Previous File from the Search list](#)

Loading the Next File from the Search List

You can traverse the Search list in either direction to quickly view each file.

To Load the next file from the Search List select the **Search** menu option then select the **Next Item from Search** sub-menu item or press **Shift-PgDown** on your keyboard.

After loading the last file in the Search List you will receive the message "**You have reached the last item in the Search List**".

Loading the Previous File from the Search List

You can traverse the Search list in either direction to quickly view each file.

To Load the previous file from the Search List select the **Search** menu option then select the **Previous Item from Search** sub-menu item or press **Shift-PgUp** on your keyboard.

If you are viewing the First file in the Search List and attempt to view the Previous file, you will receive the message "**You have reached the first item in the Search List**".

Going to a Line Number

You can move to a specific line of the viewing text by selecting the **Search** menu option followed by the **Goto Line** sub-menu option.

A window will appear indicating the range of line numbers in the Viewer. In the Entry field where your cursor is initially positioned, type the line number to which you want the viewer to position itself.

If you enter a line number outside the allowable range, InfView will not change line positions.

Executing a File

Many times you will find yourself viewing a file and then wanting to execute it. InfView provides a function that will execute many of the files that you will be viewing.

If the file you are viewing is an **"EXE" "COM" "BAT" or "DLL"** file, the **"Execute"** menu option will cause the file to be loaded and run. This includes Dos executables and Dos Batch files.

For any other type of file, InfView will search the "Extensions" table in your WIN.INI file looking for an application that matches the extension of the file you are viewing. If an entry is found InfView will load the application and will pass the name of the file you are viewing to the application to load.

Caution with Dos Batch Files: Dos Batch files will execute, however unless they require user input, control will immediately be returned to Windows, in fact you will probably only see your screen flash as an indication that the batch file has run. Any "Pause" or user input statements or program execution statements in the Batch file will continue and complete before returning control to Windows.

Identifying a File

InfView has the ability to identify a vast array of files based on either internal characteristics of the file or on the File Extension. This ability is invaluable when you are unsure of the type of file you are viewing or what application created or used the file.

To invoke the identification algorithm, select the **File** menu option and then select the **Show Information** sub-menu option.

Immediately a window will appear describing:

- The name of the file.
- The type of file. (identified either internally or through it's extension)
- Any Windows Associations that exist for this particular extension of file. Associations are found in the **WIN.INI** file and are established using File Manager.
- The Size of the file in bytes and Kbytes.
- The Date of the last modification of the file.

Additional Topics:

[Modifying the Identification List](#)

Modifying the Identification List

In order to allow for flexibility and future expansion, InfView maintains a table of File Extensions and File descriptions. You are able to modify this list at any time and once the modification is made, InfView will recognize the changes and utilize them in any attempts at file identification.

The list is maintained in the: **INFORMER.INI** file located in your Windows directory.

The INFORMER.INI file is used by all programs in the Informer series including this one, however the section you will be modifying within INFORMER.INI is used exclusively by InfView.

Using an Editor open the INFORMER.INI file. Search for **[Extensions]** within the file. InfView installs with approximately 75 Extension/Descriptions which should all be listed after the [Extensions] header. The format of each entry in this list is: **Extension=Description, ie: bat=DOS Batch File**. You are not restricted in upper and lower case characters as a lookup for an extension is not case sensitive.

If you have 2 entries with the same extension but with different descriptions, InfView will only return the first entry.

Once you have modified the list, Save it! InfView will immediately have access to the modifications.

Note: If you do not have an **INFORMER.INI** file or there is no **[Extensions]** section in your INFORMER.INI file you should reinstall InfView by running the **SETUP.EXE** file that is included on the diskette or in the **INFVIEW.ZIP** file you received. If you do not have a SETUP.EXE file then your version of InfView may not be complete or current. Contact us for a complete and current copy.

Memory Considerations for Large Files

InfView uses the Heap to allocate space for each file that is loaded. Heap consists of most of the available RAM as well as additional space provided by setting up a swap file under Windows..

When InfView is reading a large file, the Windows Heap Manager must continually provide it with memory in order to put the entire file in memory and in the list box on your screen.

Depending on your system and on the amount of available memory and the size of your Windows swap file, you may find that InfView slows down reading large files (2 megabytes or so...) in Ascii View mode. However, in Hex View mode, each 16 bytes of disk file requires 80bytes of "viewing space" due to the fact that the Offset, Hex code and Ascii code are all displayed on the screen.

An indication of a slowdown due to Windows is the "**xx% complete**" indicator will take several seconds to increment or may stop altogether while your disk shows activity.

Why does this happen? Windows is trying to swap the contents of its memory to disk in order to provide InfView with the memory it requires.

What can I do? If you have to view an extremely large file, before running InfView on that file, shut down as many Windows applications as you can and unload any modules and Windows resident libraries.

How do I stop InfView? If InfView gets bogged down during a read, press the CANCEL button.

How much Memory do I have? There is really no way for you to determine exactly when Windows will stop using Ram Heap and start swapping to disk. We have provided an indication of contiguous memory available for Heap in the **About** dialog under the **Help** menu option. In testing we have found that this number is generally a good indication of the maximum file size that will load without slowing down the system due to swapping.

The advantage of using InfView is that the entire file is loaded into memory which eliminates possibilities of sharing violations and allow for Snapshots of files to be taken and held within the Viewer while the file itself may be updated.

Printing a File

InfView can print files both in the Ascii and the Hex views. You can print an entire file or just a portion and you can select limited formatting for your print job.

To print a file, select either the **Print Setup**, **Print** or **Print All** menu option or press **Alt P** on your keyboard.

The **Print Setup** option allows you to modify the printer setup ie: margins, copies and line numbers and then print according to the new options.

The **Print** option prints from the active window without confirming the printer setup.

The **Print All** option prints from all open InfView windows without confirming the printer setup.

Additional Topics:

[Printing Selected Text](#)

[Print Options](#)

[Selecting a Printer](#)

[Selecting a Communications Port](#)

Printing Selected Text

When you select several lines of text, you can print it directly from InfView without Cutting it to another file.

After highlighting the selected text, select either the **Print Setup** or **Print** menu option. The Print Dialog will appear with the title "**Print Selected Text**" and the 'Print Selected Text, Lines: xx - xx' Button will be checked.

The range of lines that you selected will appear in the fields next to 'Print Selected Text, Lines:'. You can adjust the range, modify the print options or Start the print job.

Print Options

Before printing a file or a portion of the Viewing Window, you must select the various print options from the **Print Request** window.

Printer - see the section on Selecting a Printer

Printer Port - see the section on Selecting a Communications Port

Margins - The Left, Right, Top and Bottom margins can be modified so that your print page size can be adjusted. Valid values are from 0-page size in inches and parts of inches.

Copies - Select the number of copies to print.

Print Font - You can choose between printing using the Font used in the viewer or the Default printer Font.

Print Lines - The values that are initially shown here are '1' and 'Number of Lines' in the text. You may adjust these values to print only a portion of the file or Viewing Window.

Print Selected Text - If you only want a specific range of line numbers to print, select this button and enter the range of line numbers.

Print Line Numbers - If you select this field your output will have line numbers printed at the start of each line.

Print Page Numbers - If you select this field your output will have page numbers at the top of each page.

Selecting a Printer

The **Print Request** window will show you the currently selected printer in the **Printer** field. If you want to change to another available printer, click on the **Select Printer** button.

The **Select Printer** window will appear with a list of available printers as well as your current printer. To select any of the available printers, Click your mouse on the selection, it will then appear in the **Current Printer** field.

Click on **Ok** button to save your change of printer, otherwise click on **Cancel** to exit without changing your printer.

It is recommended that you Set up a printer that has been made active. This can be done using the **Setup** button on either the **Print Request** window or the **Select Printer** window. The setup for each printer will be different, consult the printer manual or the Windows manual for more information.

Selecting a Communications Port

You can change the communications port to which you will be printing. This facility can let you print to a printer hooked to any valid port. In addition, this option provides a means for you to print to a file.

In the **Print Request** window there will be a list of available ports and a field showing the port to which you are currently assigned, for example:

- LPT1:
- LPT2:
- LPT3:
- COM1:
- COM2:
- EPT:
- FILE:
- LPT1.OS2

To change ports, select the port to which you want to direct your output then double click your mouse on that selection.

When selected, the new port will appear in the **Printer Port** field.

Note: InfView or Windows will not ensure that a printer is connected to the port until such time as a file is printed.

Printing Directly to a Port

This option allows you to print directly to a port, effectively bypassing the Print Manager. This can be used to print files that have embedded printer control characters.

The Direct Print Request window has the following options:

- Printer Port.

- Number of Copies.

- Print selected Text.

After choosing your options, select the **Print** button to start the print job or select the **Cancel** button to return to the Viewing Window.

The Hex Editor

InfView has an optional Hex Editor that will facilitate the modification of any type of file being viewed in Hex mode.

The Hex Editor can only be used in the **Hex** viewing mode and any modifications made in Hex mode will not appear in the Ascii mode unless the file has been saved.

To invoke the Hex Editor, Double Click on any Hex line in the viewer.

The Hex Edit window will appear, displaying:

- The 16 Hex byte pairs
- The 16 Ascii bytes

You may now modify either the Hex or the Ascii values. Once a change to either line is made, the other values will automatically be translated and modified to their new values, however this will only occur once there are 16 bytes to translate.

When you have completed your changes to the line, you may choose:

- Ok** - To update the viewer with the modified line.
- Cancel** - To return to the viewer without modifying the contents.
- Restore** - To restore the Hex Edit line to its original contents.

The Viewer will update the modified line only if the **Ok** button was selected.

If you attempt to:

- Change viewing modes.
- Load another file.
- Exit InfView.

after modifying the file, you will be notified that "**The File has been modified, do you want to Save the changes**". If you reply **Yes** to this inquiry, the modifications will be saved to the file. (See "Saving a Modified File")

Additional Topics:

[Saving a Modified File](#)

Saving a Modified File

Once a file has been modified, the **Save File** sub-menu option under the **File** menu will be enabled.

To save the modified file select this sub-menu option. The **Save File** screen will appear with the name of the file being viewed as the Save file name. Select **Ok** to accept the name and continue with the save process, or you may enter a different name or use the Directory tree structure to select a different name.

After selecting the file name, InfView will notify you if the file already exists. You can accept the overwrite request which will overwrite the existing file on disk with the contents of the Hex Viewer.

Keyboard Hot Keys

The following keyboard Hot Keys can be used to invoke various InView functions immediately:

General Hot Keys

Ctrl-A - Ascii View mode.
Ctrl-H - Hex View mode.
Ctrl-R - Raw Ascii View mode.
Ctrl-D - Display Image.
F1 - Help Index.
F2 - Start a character search within the Viewed file.
F3 - Repeat the last character search within the Viewed file.
F6 - Build a list of all files in the current directory.
F8 - Cut selected text to the Windows Clipboard.
F9 - Cut selected text to a file.
Ctrl-I - Show Information on active file view.

Disk search Hot Keys

F4 - Start a Disk File Search.
F5 - Start a Disk Word Search.
Shift-PgDown - Load next file from Search list.
Shift-PgUp - Load previous file from Search list.

Multiple file Hot Keys

Shift-DnArrow - Scroll all open files down 1 line.
Shift-UpArrow - Scroll all open files up 1 line.
Shift-F2 - Character search in all open files.
Shift-F3 - Repeat character search in all open files.
Ctrl-C - Compare all open files.
Alt-C - Continue compare of all open files.

Cursor Movement

Up,Down,Left,Right Arrows - Move active window in that direction.
PgUp,PgDown - Scroll active window up or down 1 page.
Tab,BackSpace - Scroll active window right or left.
Home,End - Position active window at beginning or end of file.
Ctrl-G - Goto a specific line.
Ctrl-S - Select all lines.

InfView's DLLs

Using IntelliLib (tm) technology, InfView can optionally load DLLs to perform tasks that are not part of the main function of the main program.

INFVUIMG.DLL - This DLL is used to load Bitmap and PCX image files.

INFVUZIP.DLL - This DLL is used to list the contents of Zip,Lzh compressed files and then to decompress and load specific files from within the compressed file set.

Hex Translation Table

The following table shows all Visible or Control Characters. Each line shows Decimal value - Hex value - Character value:

00 - 00 - NUL	32 - 20 - SPC	64 - 40 - @	96 - 60 - '
01 - 01 - SOH	33 - 21 - !	65 - 41 - A	97 - 61 - a
02 - 02 - STX	34 - 22 - "	66 - 42 - B	98 - 62 - b
03 - 03 - ETX	35 - 23 - #	67 - 43 - C	99 - 63 - c
04 - 04 - EOT	36 - 24 - \$	68 - 44 - D	100 - 64 - d
05 - 05 - ENQ	37 - 25 - %	69 - 45 - E	101 - 65 - e
06 - 06 - ACK	38 - 26 - '&'	70 - 46 - F	102 - 66 - f
07 - 07 - BEL	39 - 27 - ' '	71 - 47 - G	103 - 67 - g
08 - 08 - BS	40 - 28 - (72 - 48 - H	104 - 68 - h
09 - 09 - TAB	41 - 29 -)	73 - 49 - I	105 - 69 - i
10 - 0A - LF	42 - 2A - *	74 - 4A - J	106 - 6A - j
11 - 0B - VT	43 - 2B - '+'	75 - 4B - K	107 - 6B - k
12 - 0C - FF	44 - 2C - ,	76 - 4C - L	108 - 6C - l
13 - 0D - CR	45 - 2D - -	77 - 4D - M	109 - 6D - m
14 - 0E - SO	46 - 2E - .	78 - 4E - N	110 - 6E - n
15 - 0F - SI	47 - 2F - /	79 - 4F - O	111 - 6F - o
16 - 10 - DLE	48 - 30 - 0	80 - 50 - P	112 - 70 - p
17 - 11 - DC1	49 - 31 - 1	81 - 51 - Q	113 - 71 - q
18 - 12 - DC2	50 - 32 - 2	82 - 52 - R	114 - 72 - r
19 - 13 - DC3	51 - 33 - 3	83 - 53 - S	115 - 73 - s
20 - 14 - DC4	52 - 34 - 4	84 - 54 - T	116 - 74 - t
21 - 15 - NAK	53 - 35 - 5	85 - 55 - U	117 - 75 - u
22 - 16 - SYN	54 - 36 - 6	86 - 56 - V	118 - 76 - v
23 - 17 - ETB	55 - 37 - 7	87 - 57 - W	119 - 77 - w
24 - 18 - CAN	56 - 38 - 8	88 - 58 - X	120 - 78 - x
25 - 19 - EM	57 - 39 - 9	89 - 59 - Y	121 - 79 - y
26 - 1A - SUB	58 - 3A - :	90 - 5A - Z	122 - 7A - z
27 - 1B - ESC	59 - 3B - ;	91 - 5B - [123 - 7B - (
28 - 1C - FS	60 - 3C - <	92 - 5C - \	124 - 7C -
29 - 1D - GS	61 - 3D - =	93 - 5D -]	125 - 7D -)
30 - 1E - RS	62 - 3E - >	94 - 5E - ^	126 - 7E - ~
31 - 1F - US	63 - 3F - ?	95 - 5F - _	127 - 7F - _

Character codes 128-255 (80-FF) are non-visible characters.

Registering InfView

If you received InfView from a friend, BBS, catalog, etc., you may try the program for a trial period of up to 30 days before registering. To obtain a complete registered version call NeoSoft at (503) 389-5489. We can process your order with VISA or MasterCard over the phone. The purchase price of InfView is \$15 + \$5 (\$10 outside United States) shipping and handling. If you prefer, FAX your order to us at (503) 388-8221. If you would like to mail a check or money order, make sure it's drawn against a U.S. bank in U.S. funds. Our address is:

NeoSoft Corp.
354 NE Greenwood Ave. Suite 108
Bend, Oregon 97701-4631.

If you would like to give a copy of the UNREGISTERED version to a friend or associate please do so, but you may NOT give anyone a copy of the registered version. We hope you enjoy the program and share it with your friends.

To order InfView 1.60 by mail, please complete the following form and return it to:

NeoSoft Corp.
354 NE Greenwood Avenue, Suite 108
Bend, OR 97701-4631

To order by phone call: (503) 389-5489 (Hrs: 8:00-5:00 Pacific M-F) or FAX us your order: (503) 388-8221

Name:

Company:

Address:

City:

State/Prov:

Zip:

Country:

Telephone:

I heard about InfView from:

1. Indicate number of units below:

___ Copy(s) of InfView X \$ 15.00ea = \$ _____

+ \$5 U.S. Mail or \$10 FedEx 2 Day for shipping
& handling. (\$10 Air Mail or \$19 FedEx
for shipping & handling outside the U.S.) = \$ _____

(Site & Dealer inquiries welcome)

Total (including shipping): \$ _____

2. Indicate payment method below:

___ I've enclosed a check or money order payable to NeoSoft

___ VISA ___ MasterCard Card #: _____

Expiration Date: _____ Signature: _____

* Please make payment in U.S. Dollars *
Checks from foreign countries must be drawn on a U.S. Bank.

