

Cumulus OLEfI[fgf][fVf#f"ŠT—v

OLEfI[fgf][fVf#f",đfTfI[fG,·,éCumulusfI[fgf][fVf#f"flfufWfFfNfg,ìŽg—p•û-@,É,Â,č,Ä,Í,AfAfvfŠfP[fVf#f",lfffBfCefNfgfŠ,É, ,éftf@fCf<"Cumulus.tlb",đŽQ[Æ,μ,Ä,,¾,¾,čB^É%oo²,É<“,°,é,í,Í[ACE»[YfTfI[fG,¾,è,Ä,č,éflfufWfFfNfg,Å,·B

Application

Catalog[iflfufWfFfNfg]

CatalogingOptions

Catalogs[ifRfCefNfVf#f"]

Categories[ifRfCefNfVf#f"]

Category[iflfufWfFfNfg]

FileFormatEntry

FileFormatTable

AssetReference[iflfufWfFfNfg]

AssetReferences[ifRfCefNfVf#f"]

LogEntries[ifRfCefNfVf#f"]

LogEntry[iflfufWfFfNfg]

Preferences

Record[iflfufWfFfNfg]

Records[ifRfCefNfVf#f"]

SelectedRecords

SelectedCategories

Server

ServerCatalog[iflfufWfFfNfg]

ServerCatalogs[ifRfCefNfVf#f"]

Status

StatusList

SubCategories

Name: • ¶Žš—ñ

, ±, ìfvf[]fpfefB, Å, í[]AfAfvfšfP[][fVf#f“ -¼, ì“Ç, Ý[]o, µ, ¢, Å, «, Ü, ·[]B, ±, ê, ìffftjHf<fg, ìfvf[]fpfefB, Å, ·[]B

Application, àŽQ[]Æ

Fullname: •¶Žš—ň

,±,ìfvf□fpfefB,Å,í□AfAfvfŠfP□[fvf#f“,ìŽÀ□sftf@fCf<,ìftf<fpfX,ð“Ç,Ý□o,μ,Å,«,Ü,·□B

Application,àŽQ□Æ

Application: flfufWfFfNfg

, ±, ìvf[]fpfefB, Å, í[]AfAvfŠfP[]fVf#f“flfufWfFfNfg, ð•Ô, μ, Û, ·[]B

Application, àŽQ[]Æ

CatalogingOption:fIfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ACatalogingOptionfIfufWfFfNfg,đ•Ô,μ,Û,·[]B

Application,àŽQ[]Æ

Catalogs:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfAvfšfP□[fVf†f“,ìŠ),č,½CatalogsfRfCEfNfVf†f“,đ•Ô,μ,Ü,·□B

Application,àŽQ□Æ

Parent:flfufWfFfNfg

,±,lfvf[]pfefB,Å,í[]AfAvfŠfP[]fVf#f“,ì[]e,Å, ,éApplicationflfufWfFfNfg,đ•Ô,μ,Ü,·[]B

Application,àŽQ[]Æ

Preferences:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfAvfšfP[]fVf#f“,ìPreferencesflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Application,àŽQ[]Æ

Visible:fu[]f<

,±,lfvf[]fpfefB,Å,í[]AfAfjvfšfP[]fVf#f“,ì•\Ž;[]^”ñ•\Ž;ì’è<`,ì•Ô’l,Ü,½,í[]Ý’è,^a,Å,«,Ü,·[]B

Application,àŽQ[]Æ

ConnectToServer (ServerName as String, User as String, Password as String) as Object

, ±, ìf[]\fbfh, É, æ, è[]AfpfXf[][]fh, đŽg—p, ·, é“Á'è, ìft[][]fU, Æ, μ, ÄŽw'è, ³, ê, ½fT[][]fo, É[]Ú'±, ³, ê[]A[]Ú'±
, É[]¬Ç÷, ·, é, ÆServerf[]fufWfFfNfg, ³•Ö, ³, ê, Ü, ·[]B

Application, àŽQ[]Æ

Quit

, ±, ìf ò \f bfh, í ò AŽÀ ò s't, ìf AfvfŠfP ò [fvf#f", ð ò |—^{1,3,1}, Ü, · ò B

Application, à Ž Q ò Æ

RestoreCatalog (BackupPathName as String, PathName as String [, WriteAccessPassword as String]) as Object

,±,lf∖fbfh,É,æ,è∫Ajjf^f∫fO,lfobfNfAfbfvftf@fCf<,đ•œŠ^,³,¹∫AflfvfVf#f“,ì∫’,«∫ž,Ÿ—
pfpfXf∫∫[fh,đžg,Á,Ā∫∫→,³,ê,½fj^f∫fO,đŠ],«∫ACataloglfufWfFfNfg,đ•Ō,μ,Û,·∫B

Application,àžQ∫Æ

FrontCatalog:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfAvfšfP[][fvf#f“,ì[]Å'O-Ê,ìCatalogflfufWfFfNfg,đ•Ô,μ,Û,·

Application,àŽQ[]Æ

AllowSharing:fu[f<[iŠÇ—ŽÒê—p]j

,±,lfvf[fpfefB,Å,í[Ajff^f[fo,ì<α—L[ó<μ,ì•Ô'l,Ü,½,í[Ý'è,^a,Å,«,Ü,·[B

Catalog,àŽQ[Æ

Application:flufWfFfNfg

,±,lfvf□fpfefB,Å,í□AApplicationflufWfFfNfg,đ•Ô,μ,Ü,·□B

Catalog,àŽQ□Æ

CanDeleteRecords:fu

,±,ìvfñpfefB,Å,íAñf^fñO“à,ìfñRñfh,ðíœ,·,é<-‰oÂ,ì—L⁻³,ð•Ô,μ,Û,·ñB

Catalog,àŽQÆ

CanModifyCategories:fu

,±,ìfvf[]pfefB,Å,í[]Ajjf^f[]fO“à,ìj]fefSfŠ,ð[]C[]³,·,éE —~,ì<-‰oÂ,ì—L-³,ð•Ô,μ,Û,·[]B

Catalog,àŽQ[]Æ

CanModifyRecords:fu

,±,ìfvf[]pfeB,Å,í[]Ajjf^f[]fO“à,ìf[]R[]fh,ð[]C[]³,·,é[] —~,ì<-%oÂ,ì—L-³,ð•Ô,μ,Û,·[]B

Catalog,àŽQ[]Æ

CanModifyStatus:fu[]f<

,±,lfvf[]fpfefB,Å,í[]Afff^f[]fO“à,lfXfe[]lf^fX,ð[]C[]³,·,é€ —~,ì—L-³,ð•Ô,μ,Û,·[]B[]B

Catalog,àŽQ[]Æ

CatalogServer: •¶Žš—ň

ffj^f[]fO,ÉfNf%ofCfAf“fg,Æ,μ,ÄfAfNfZfX,μ,½[]ê[]±[]A,±,ìfvf[]fpfefB,Å,í[]Afff^f[]fOServer-
¼,đ•Ö,μ,Û,·[]B'¼[]ÚŠj,©,ê,½ffj^f[]fO,É,Ä,ç,Ä,í[]A<ó,ì•¶Žš—ň,đ•Ö,μ,Û,·[]B

Catalog,àŽQ[]Æ

Categories Visible: fu [f<

,±, ìfvf [fpfefB, Å, í [AjjfefSfŠ, ì•\Ž! [^ " ñ •\Ž! , ì [ó ' Ó, ð •\Ž! , Ü, ½, í [Ý ' è, µ [AjjfefSfŠfŠfXfgfEfbf " fhfE, ð •\Ž! , Ü, ½, í " ñ •\Ž! , µ, Ü, · [B

Catalog, àŽQ [Æ

Categoires:flfufWfFfNfg

,±,lfvf[]pfeB,Å,íA-¼'O[]‡,É^[]fg,³,ê,½jff^f[]fO,ìCategories,^afŠfXfg,Æ,μ,Ä•Ô,³,ê,Ü,·[]B

Catalog,àŽQ[]Æ

SelectedCategories:flfufWfFfNfg

,±,lfvffpfefB,Å,íAjjf^fO,CategorySelection,ì“Ç,Ýo,μ,^a,Å,«,Ü,·B

Catalog,àŽQÆ

CategoryTree:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]Afff^f[]fO,ìCategories,ðfTfufcfS[][,Æ,μ,Ä•Ô,μ,Ü,·[]B,±,lfvf[]fpfefB,ðŽg—
p,·,é,Æ[]Afff^f[]fO,lfjfeSfS,ðŠK'w[]\`çflfufWfFfNfg,Æ,μ,Ä%ð[]í,·,é,±,Æ,ª,Å,«,Ü,·[]B,±
,lfjfeSfS[]EfcfS[][,lfTfufjfeSfS,í[]Afff^f[]fO,ì'æ^è'iŠKjfeSfS,É,È,è,Ü,·[]B

Catalog,àŽQ[]Æ

CollectionFolder: •ŦŽš—ň

,±,ìfvfŦfpfefB,Å,íŦAfff^fŦfO,ìŦ'ŦÉftfHf<f_,ì•Ô'l,Û,½,íŦÝ'è,^a,Å,«,Û,ŦŦB

Catalog,àŽQŦÆ

CollectionFolderUsage :Long iŠÇ— ŽÒé—p j

, ±, ìvf f p p f e f B, Å, í ACE » Ý, ìCollectionFolder i CEÉftfHf<f_ j Žg—p Ý'è, ì'ì, ð•Ô, μ, Ü, · B

ŽŸ, ì'ì, ð•Ô, μ, Ü, · B

í, ÉŽg—p, ·, é = 0

fj f ^ f f O E f f v f v f f f “, É], x = 1

Žg—p, μ, É, ç = 2

CollectionFolderUsageConstants A Catalog, à Ž Q Æ

DiskSpaceAvailable:Long iŠÇ— ŽÒê—p j

,±, ìfvf f p p f e f B, Å, í A f j f ^ f f O f { f Š f ... [f € [ã, ì Ž g — p % o Â " \ f f B f X f N < ó, « — e —
Ê, a f o f C f g ' P ^ Ê, Å • Ô, ³, ê, Û, · B

Catalog, à Ž Q Æ

FlushLogConstantely:fu□[f<□iŠÇ—□ŽÒ□ê—p□j

,±,lfvf□fpfefB,Å,Í□A“ü—
Í,Ì,½,Ñ,ÉLogFile,đ□Å□V,ì□î•ñ,É□X□V,·,élfvfVf#f“,ì•Ô'l,Ü,½,Í□Ý'è,^a,Å,«,Ü,·□B

Catalog,àŽQ□Æ

FullName: •ŕŽš—ñiŠÇ—ŽÒê—p

,±,ìfvfƒpfefB,Å,íAƒf^fO,ìftf<fpfX-¼,đ•Ô,μ,Û,·B

Catalog,àŽQÆ

HasPassword:fu

,±,lfvfppfefB,Å,íAjjf^fO,É',«ž,Ý—pfpfXf[fh,ªÝ'è,³,ê,Ä,ç,é,©,Ç,α,©,đ•Ô,μ,Û,·B

Catalog,àŽQÆ

IsRemoteCatalog:fu[]f<

,±,lfvf[]fpfefB,Å,í[]Afff^[]fO,³fNf%ofCfAf“fg,Æ,μ,ÄŠJ,č,Ä,č,é,©,Ç,¤,©,đ•Ô,μ,Ü,·[]B

fff^[]fO,àŽQ[]Æ

KeepCategoryNamesUnique: iŠÇ—ŽÒê—p j

, ±, ìfvf f p p f e f B, Å, í A, ±, ìj f f ^ f f f O, É Category - ¼, ì d • i, ^a < - % o o Â, ³, ê, Ä, ç, é, ©, Ç, x
, ©, ì • Ô ' l, Ü, ½, í Y ' è, ^a, Å, <, Ü, · B

Catalog, à Ž Q Æ

KeepDeleted:fu[f<iŠÇ—ŽÒê—p]

,±,lfvf[fpfefB,Å,íAííœ,³,ê,½Records,đ•œŠ^%oÂ"\,É,·,é,½,ß,É•Ú'¶,·,é,©A, ,é,ç,í
%oi<v,Éííœ,·,é,©,ì•Ô'l,Ü,½,íY'è,^a,Å,«,Ü,·B

Catalog,àŽQÆ

LogEntries:flfufWfFfNfgiŠÇ—ŽÒê—p

,±,lfvfppfefB,Å,íAfff^fO,ìLogEntriesfRfÇfNfVf+f“,đ•Ô,μ,Û,·B

Catalog,àŽQÆ

LogFile: •ŕŽš—ñŕŠÇ—ŕŽÒŕê—pŕj

,±,ìfvŕŕpfefB,Å,íŕAŕŕf^ŕŕfO,ìŕŕfOŕŕf@ŕCf<,ì•Ô'l,Ü,½,íŕÝ'è,ª,Å,«,Ü,ŕŕB

Catalog,àŽQŕÆ

Logging:fu[f·iŠÇ—ŽÒê—p]

,±,ìfvf[]pfefB,Å,í[]Afj^f[]fO,Åf[]fOjlf“,Æf[]fOjift,ì[]Ø,è‘Ö,|,ª[]s,í,ê,½,©,Ç,¤
,©,ì·Ö'l,Û,½,í[]Ý'è,ª,Å,«,Û,·[]B

Catalog,àŽQ[]Æ

LogLength :LongiŠÇ—ŽÒê—p

,±,lfvfppfefB,Å,íAf,fŠfO,ì·,³,ì•Ô'l,Ü,½,íÝ'è,^a,Å,«,Ü,·B

Catalog,àŽQÆ

MemoryAvailable:Long iŠÇ—ŽÒê—p j

,±,lfvf f p p f e f B, Å, í AfRf “ f s f ... [f ^, Å Ž g — p % ° Å “ \, È f j f ^ f f O, l f f f, f Š — e — Ê, ð f o f C f g ‘ P ^ Ê, Å • Ô, µ, Ü, · B

Catalog, à Ž Q Æ

MemoryFree:LongiŠÇ—ŽÒê—p j

,±, ìfvf[]pfefB,Á, í[]Afff^f[]Ofjf@fCf<“à, ì<ó,«f[]f, fŠ—e—Ê, ðfofCfg’P^Ê, Å•Ô, μ, Ü, ·[]B, ±
,ê, í[]Afff^f[]fO, ðCompressing(^3[]k), ·, é, ±, Æ, Ê, æ, Á, ĀŠJ•ú, ³, ê, é<ó, «—e—Ê, Å, ·[]B

Catalog, àŽQ[]Æ

MemoryRecommended:LongiŠÇ—ŽÒê—p

,±,lfvfppfefB,Å,íAjjf^fO,ì,,sf,fŠ—e—Ê,đfofCfg'P^Ê,Å•Ô,μ,Û,·B

Catalog,àŽQÆ

MemoryRequired:LongiŠÇ—ŽÒê—p

,±,lfvfppfefB,Å,íAjjf^fO,ìŽÀs,É•K—v,Èf,fŠ—e—Ê,ðfofCfg'P^Ê,Å•Ô,μ,Û,·B

Catalog,àŽQÆ

Name: •řŽš—ň

,±,řvfřpfefB,Å,íAřfř^řfO-¼,đ•Ô,μ,Û,·B,±,ê,řffřHfřfg,řvfřpfefB,Å,·B

Catalog,àŽQÆ

NativeThumbnailSize:Long iŠÇ—ŽÒê—p j

,±, ìfvf p p f e f B, Å, í Af l f Š f W f i f <, ì Cataloging, É Ž g —
p, ³, ê, é Af l f C f e f B f u E f T f € f l f C f < f T f C f Y, ð f s f N f Z f < P ^ Ê, Å • Ô ' l, Ü, ½, í Y ' è, ^a, Å, «, Ü, · B

Y ' è % Å " \, È ' l, í 9 6 A 1 2 8 A, Ü, ½, í 1 9 2, Å, · B

Catalog, à Ž Q Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□Afff^f□fO,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

Cataog,àŽQ□Æ

Query: •¶Žš—ň

,±
,lfvf[]pfefB,Å,í[]A[]u[]EÏ[]öfc[] [f:fo[] [v,ÉfNfGfŠ,ì•Ô'ì,Ü,½,í[]Ý'è,ª,Å,«,Ü,·[]BfNfGfŠ,í[]A[]u[]EÏ[]öfc[]
 [f<fo[] [vfvf<f_fEf“f[]ffj... [] [“à,ìŽg—p%oÅ“\,É•¶Žš—ň, ©[]A,Ü,½,í[]f[]y[]f%o[]f“fh—p,ÉŽ ©—
R,É'è<` ,Å,«,é•¶Žš—ň,Å[]\[]—,³,ê,Ü,·[]BŠe•”•ª,í“Tab”•¶Žš,Å<æ[]Ø,ç,ê[]A[]f[]N[]f[]G[]f[]Š,ì[]ö[]E[],í
%oü[]s•¶Žš,Å<æ[]Ø,ç,ê,Ü,·[]B

—á:

catalog.Query = "Record Name" & vbTab & "starts with" & vbTab & "0" & vbCr _
& "or" & vbTab & "Record Name" & vbTab & "contains" & vbTab & "8"

MsgBox catalog.Query

Catalog,àŽQ[]Æ

Records: IfufWfFfNfg

, ±, ìfvfñpfefB, Å, íAjjf^fñfO, ìRecordsfRfÆfNjVfñf“, ì“Ç, Ýño, μ, ^a, Å, «, Û, ·ñB

Catalog, àŽQñÆ

RecordsDeleted:LongiŠÇ—ŽÒê—p

,±,lfvf[]pfefB,Á,í[]A[]í[]œ,³,ê,½f[]fR[]fh[]”,đ•Ô,μ,Ü,·[]B,±
,ê,ç,lf[]fR[]fh,í[]ARecoverDeletedRecords,đ[]Ä,Ň[]o,μ,Ä•œŠ^,·,é,±,Æ,^a,Á,«,Ü,·[]B

Catalog,àŽQ[]Æ

SelectedCategories:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]Afff^f[]fO,CategorySelection,đ•Ô,μ,Û,·[]B

Catalog,àŽQ[]Æ

SelectedRecords:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]Afff^f[]fO,ì RecordSelection,đ•Ô,μ,Û,·[]B

Catalog,àŽQ[]Æ

RestrictedPermissions:fu[f<iŠÇ—ŽÒê—p]

,±,lfvf[fpfefB,Å,Í[Ajff^f[fO,Éuser permissions,^aÝ'è,³,ê,Ä,†,é,©,Ç,κ
,©,đ•Ô'I,Ü,½,ÍÝ'è,Å,«,Ü,·B

Catalog,àŽQÆ

SaveLogToFile:fu[f<iŠÇ—ŽÒê—p]

,±,lfvf[fpfefB,Å,ÍAf[fO,đftf@fCf<,É•Û‘¶,·,é,©,Ç,κ,©,đ•Ô'l,Û,½,ÍÝ'è,Å,«,Û,·B

Catalog,àŽQÆ

SortDirection:Long

,±,ìfvf[]pfefB,Å,í[]Afff^f[]fO,ì[]»[]Ý,ì^[]fg•ù[]ü,ð•Ô'ì,Ü,½,í[]Ý'è,·,é,±,Æ,ª,Å,«,Ü,·[]B

ŽŸ,ì'ì,ð[]Ý'è,Å,«,Ü,·[]B

[],[]‡ = 0
[]~[]‡ = 1

SortDirectionConstants[]A_Catalog_àŽQ[]Æ

Sorting:Long

,±,lfvf[]fpfefB,Å,í[]Afff^f[]fO,ì[]»[]Ý,ì[]f[]fg•û-@,ð•Ô'l,Û,½,í[]Ý'è,Å,«,Û,·[]B

ŽŸ,ì'l,ð[]Ý'è,Å,«,Û,·[]B

f[]fR[][fh-¼,Åf[][fg = 0

ftf@fCf<[]`Ž®,Åf[][fg = 1

%oæ'œf,[][fh,Åf[][fg = 2

%oð'œ"x,Åf[][fg = 3

f[]fR[][fh[]C[]³"ú,Åf[][fg = 4

SortingConstants[]ACatalog,àŽQ[]Æ

UpdateCatalogImmediately:fu[f<[iŠÇ—ŽÒê—p[j

,±
,lfvf[fpfefB,Å,Í[Ajff^f[fo,ì•ï[XCE<%oÊ,ðjff^f[ftf@fCf<,É,½,¾,¿,É[X[V,·,é,©[i^À'S[<,ð[dŽ<,μ
,É,ç[j[A, ,é,ç,ÍEã,Å[X[V,·,é,©[i[,'-[<[dŽ<[j,ð•Ô'I,Ü,½,Í[Y'è,Å,«,Ü,·[B

Catalog,àŽQ[Æ

UserPermissions:flfufWfFfNfgiŠÇ—ŽÒê—p

,±,lfvf[]pfeB,Å,í[]Afff^f[]O,̀̀user_permissionsfRfCefNfVf#f“,đ•Ô,μ,Û,·[]B

Catalog,àŽQ[]Æ

View:Long

,±,lfvf□fpfefB,Å,Í□Afff^f□fO,ì•\Ž!f,□[fh,đ•Ô,μ,Û,·□B

ŽŸ,ì! ,đ•Ô,μ,Û,·□B

fŠfXfgE`Ž® ,Å•\Ž! = 0

fTf€flfCf<□¬,Å•\Ž! = 1

fTf€flfCf<'†,Å•\Ž! = 2

fTf€flfCf<'â,Å•\Ž! = 3

ŠÇ—□ŽÖf,□[fh,Å•\Ž! = 4

ViewConstant□ACatalog,àŽQ□Æ

Backup (PathName as String, FullBackup as String) iŠÇ—ŽÒê—p

,±,lf
fbfh,É,æ,è Afjf^fO,lfobfNfAfbfvfRfs[,Žw'è,iftf@fCf<,É•Û'¶,³,ê,Û,·B"FullBackup",a^,ìê
 Afjf^fO'S'ì,³fRfs[,³,êA<U,ìê,lfCefR[fh,ÆfjfeSfSî•ñ,³fRfs[,³,êAŽg—
p,·,é'O,Éfjf^fO,đ•œŠ^(fŠXfgfA),³,¹,é•K—v,³,è,Û,·B

Catalog,àŽQÆ

Catalog[iPathName as String]

, ±, ìf\fbfh, É, æ, èA“Á'è, ìftj@fCf<, Ü, ½, ÍftfHf<f_, ðffj^fO, ·, é, ±, Æ, ^a, Å, «, Ü, ·B

Catalog, àŽQÆ

Compress □iŠÇ—□ŽÒ□ê—p□j

,±,ìf□\fbfh,É,æ,è□Afff^f□fO,^{a^3}□k,³,ê,Ü,·□B

Catalog,àŽQ□Æ

Find (Query As String [, Boolean InFindResult]) As Long

,±,lf[]f^bfh,É,æ,èCEÿ[]õ,³<n"®,³,è,Ü,·[]B"Á'è,l"Query"•¶Žš—ñ,³<ó,l[]è[]#[]ACE»[]ÝŠ,,è"-,Ä,ç,è,Ä,ç,é,éjff^f[]fO,lfnfGfš,³,l'ð,³,è,Ü,·[]BfnfGfš,í[]A[]uCEÿ[]õfc[][f<fo[][]vfvf<f_fEf" f[]jff...[][à,lžg—p%%Á"Ä,É,É•¶Žš—ñ,©[]A,Ü,½,lflfyf%%of"fh—p,ÉŽ©—R,É'è<' ,Ä,«,é•¶Žš—ñ,Ä[]\ []—,³,è,Ü,·[]BSe"•³,l"Tab"•¶Žš,Ä<æ[]Ø,ç,è[]AfNfGfš,l[]ðCE[],í%ü[]s•¶Žš,Ä<æ[]Ø,ç,è,Ü,·[]B

f[]f[]v[]f[]j[]f[]",l[]f[]u[][][f<šÖ[]""InFindResult",ðžg,Á,Ä[]A[]i,è[]ž,ÝCEÿ[]õ,ð[]s,±, ©[]A,»,é,Æ,àjff^f[]fO,l,·,×,Ä,l[]f[]CE[]f[]R[][][fh,©,çCEÿ[]õ,·,é,©,ð'è<' ,·,é,±,Æ,³,Ä,«,Ü,·[]B,±,lšÖ[]",Éf[]p[]f %of[][][f^,³<n,³,è,É,ç,Æ[]A,·,×,Ä,l[]f[]CE[]f[]R[][][fh,É,Ä,ç,ÄCEÿ[]õ,³[]s,í,è,Ü,·[]B

—á:

query = "Record Name" & vbTab & "starts with" & vbTab & "0" & vbCr _

 & "or" & vbTab & "Record Name" & vbTab & "contains" & vbTab & "8"

recordsFound = catalog.Find(query, False)

Catalog,àžQ[]Æ

ImportCategories (FromPathName as String)

, ±, ìf ò \f bfh, É, æ, è □ A “ Á ’ è, ìftj@fCf<, ©, ç Categories, ^a “ Ç, Ý □ Ž, Ü, ê, Û, · □ B

Catalog, à Ž Q □ Æ

ImportRecords **FromPathName:** •ŕŽš—ňŕj

,±,ìfŕŕfbfh,É,æ,èŕA“Á’è,ìftf@fCf<,©,çrecords,^a“Ç,Ýŕž,Û,ê,Û,·ŕB

Catalog,àŽQŕÆ

Rebuild iŠÇ—ŽÒê—p j

, ±, ìf \fbfh, É, æ, è Afjf^ fO, C • œ, ³, ê AfCf“ fffNfX, Ä \z, ³, ê, Ü, · B

Catalog, àŽQÆ

RecoverDeletedRecords □iŠÇ—□ŽÒ□ê—p□j

,±,ìf□\fbfh,í□Ajjf^f□fO,©,ç□í□œ,³,ê,½,·,×,Ä,ìrecords,đ•œŠ^,³,¹,Ü,·□B

Catalog,àŽQ□Æ

ShowAllRecords

,±,ìf\fbfh,É,æ,èAfff^fOfEfBf“fhfE“à,ì,·,x,Ä,ìfCEfR[fh,^a•\Ž!,³,êAEindf\fbfh,^a
%ođœ,³,ê,Ü,·B

Catalog,àŽQÆ

StatusList:fIfufWfFfNfg

,±,ìfvfñfpfefB,Å,íñAfff^ffO,ìstatus list,đ•Ô,μ,Û,·ñB

Catalog,àŽQñÆ

PublishToWWW:fu[f<

,±,lfvf[]pfeB,Å,í[]Afff^f[]fO,ðWeb<κ—L,·,é,©,Ç,κ,©,ì•Ô'İ,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

fff^f[]fO,àŽQ[]Æ

AddDuplicateAssets:fu[]f<

,±,lfvf[]fpfefB,Å,í[]Aftf@fCf<,ìjff^f[]fO,ì[]d•j,đ" F,β,é,©,Ç,ϣ,©,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

Application:flufWfFfNfg

,±,lfvf[]pfefB,Å,íAApplicationflufWfFfNfg,đ•Ô,μ,Û,·[]B

CatalogingOptions,àŽQ[]Æ

CatalogingAction:Long

,±,lfvf[]pfefB,Å,í[]Afff^f[]fOŽž,lfvf[]fZfX,ÅŽg—p,³,ê,é^È%^o,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

'Ç%^oÁ,ì,Ý = 0
'Ç%^oÁ/[]X[]V = 1
[]X[]V,ì,Ý = 2

CatalogingActionConstants[]CatalogingOptions,àŽQ[]Æ

Categories: • ¶Žš—ňſŠfXfg

,±
,lfvf□fpfefB,Å,í□Afff^f□fOflfvfVf†f“ ,Å‘O,à,Á,ÄŽw’è,μ,½fffefSfŠ,lfŠfXfg,ì•Ô‘l,Ü,½,í□Ý’è,^aÅ,«,Ü,·□
B

CatalogingOptions,àŽQ□Æ

ColorThumbnailQuality:Long

,±,lfvf[]pfefB,Å,í[]Afff%o[][,lfTf€fjfCf<,đ[]î[]¬,·,é[]Ú[]A,»,ì•iŽ¿,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

ŽŸ,ì'l,^aí[]Ý'è,Å,«,Ü,·[]B

•W[]€ = 0
[],•i^Ê = 1

ThumbnailQualityConstants[]A_CatalogingOptions,àŽQ[]Æ

CopyAssetToCollectionFolder:fu

,±
,lfvfppfefB,Å,íAftf@fCf<,íjff^fOŽž,ÉAftf@fCf<,đAŽw'è,μ,½'ĀÉftfHf<f_ÉfRfs[.,é,©A,»,
è,Æ,àfjSfWfjif<,lftf@fCf<,đŽQÆ,.,é,©,ì•Ó'l,Ü,½,íÝ'è,^aÅ,«,Ü,·B

CatalogingOptions,àŽQÆ

CountAssetsForProgress:fu

,±,ìfvf[]fpfefB,Å,í[]Ajjf^f[]fo,·,é'O,ÉftjHf<f_Ü,½,í{fŠf...
[]f€"à,ìftj@fCf<,ðj]fEf"fg,μ,Å[]Afvf[]fOjÆfXfo[],ì[]U[]×,ð•\Ž|,·,é,©,Ç,¤
,©,ð•Ô'l,Ü,½,ì[]Ý'è,Å,«,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

ExcludeDamagedAssets:fu[]f<

,±,ìfvf[]fpfefB,Å,íACumulus,ìfNf%oofbVf...,ìCE´^ö,Æ,È,é[]áŠQftf@fCf<,ð[]A“o~^%oð[]œfŠfXfg,É'Ç
%oÁ,·,é,©,Ç,α,©,ð•Ô'l,Ü,½,í[]Ý'è,Å,«,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

ExcludedAssets: • ¶Žš—ňfŠfXfg

,±, ìvf[]fpfefB, Å, íA“o~ ^
%ođ[]œ,³,ê,½[]Ajjf^f[]fO,³,ê,È,çftf@fCf<, ìfŠfXfg, ì•Ô'ì,Ü,½,í[]Ý'è,ª,Å,«,Ü,·[]B

CatalogingOptions, àŽQ[]Æ

FileFormatTable:fIfufWfFfNfg

,±,İfvfİfpfefB,Å,ÍAftf@fCf<CE`Ž@feİ[fuf<,İ“Ç,Ýo,μ,ª,Å,«,Ü,·B

CatalogingOptions,àŽQÆ

GrayscaleThumbnailQuality:Long

,±,lfvf[]fpfefB,Å,Í[]AfOfCE[]fXfP[]f<,lfTf€fIfCf<[]i[]-Žž,ì•iŽ¿,ì•Ô'l,Ü,½,Í[]Ý'è,ª,Å,«,Ü,·[]B

ŽŸ,ì'l,ª[]Ý'è,Å,«,Ü,·[]B

•W[]€ = 0
[],•i^É = 1

ThumbnailQualityConstants[]ACatalogingOptions,àŽQ[]Æ

IncludeCategoriesFromAsset:fu

,±,ìfvf[]fpfefB,Å,í[]Afif\$fwfif<ftf@fCf<“à,É•Û‘¶,µ,½fjfeSf\$S,ð[]A[]ì[]¬,³,ê,½fCEfR[]fh,É’Ç
%oÁ,·,é,©,Ç,α,©,ð•Ó’l,Ü,½,í[]Y’è,Å,«,Ü,·B

CatalogingOptions,àŽQ[]Æ

IncludeFolderNamesAsCategories:fu[]f<

,±,ìfvf[]fpfefB,Å,í[]Ajjf^f[]fO,³,ê,½ftf@fCf<,ìftfHf<f_[]'ç,ð[]fefSfŠ,Æ,μ,Ä"o~^,·,é,©,Ç,α
,©[]A[]eftfHf<f_[]ìj[]fefSfŠ,ð[]i[]-³,ê,½f[]fR[][]fh,É'Ç%oÁ,·,é,©,Ç,α,©,ð•Ô'l,Ü,½,í[]Ý'è,Å,«,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

IncludeNotesFromAsset:fu

,±
,lfvf[]pfeB,Å,Í[]Aflfšfwfif:ftf@fCf<,É•Û'¶,³,ê,½fRf[]“fg,âfLfffvfVf+f”,ð[]A[]i[]-,³,ê,½fCefR[]fh,É'Ç
%oÁ,·,é,©,Ç,α,©,İ•Ó'l,Û,½,İ[]Y'è,ª,Å,«,Û,·[]B

CatalogingOptions,àŽQ[]Æ

LinearThumbnailQuality:Long

,±,lfvf[]fpfefB,Å,Í[]Af%ofCf“fA[]fg,lfTf€flfCf·•iŽ,ì•Ô'l,Ü,½,Í[]Ý'è,a,Å,«,Ü,·[]B

ŽŸ,ì'l,a[]Ý'è,Å,«,Ü,·[]B

•W[]€ = 0
[],•i^Ê = 1

ThumbnailQualityConstants[]ACatalogingOptions,àŽQ[]Æ

Notes: • ¶Žš—ñ

,±,lfvf□fpfefB,Å,í□Ajjf^f□OfifvfVf#f“,Å‘O,à,Á,ÄŽw’è,μ,½fm□[fg,ì•Ô‘I,Ü,½,í□Ý’è,ª,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

OpenPropertyWindow:fu[]f<

,±
,lfvf[]fpfefB,Å,í[]Aflfšfwfif<ftf@fCf<,ªffj^f[]fO,³,ê,é,²,Æ,É[]A,» ,lfCEfR[]lfhfvf[]fpfefBfEfBf“fhfE,đŽ ©
“®“l,ÉŠJ,č,Ä[]A,½,¾,ž,É•Ó[]W,ª,Å,« ,é, ©,Ç,κ, ©,l•Ô'l,Ü,½,í[]Ý'è,ª,Å,« ,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

OptimizeThumbnailsAutomatically:fu[]f<

,±,ìfvf[]fpfefB,Å,í[]Ajjf^f[]fOŽž,ÉTf€f[]Cf<,ì-¾,é,³,ÆfRf“fgf%ofXfg,đŽ©“®“l,É[]Å“K%»»,·,é,©,Ç,¤
,©,ì•Ô'l,Û,½,í[]Ý'è,ª,Å,«,Û,·[]B

CatalogingOptions,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□Ajjf^f□fO□EflfvfVf#f“,ì□eflfufWfFfNfg,ì“Ç,Ý□o,μ,^a,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

ResolveShortcuts:fu

,±, ìvf[]pfeB, Å, í[]Afvf#[]fgfjfbfg, ìjff^f[]fOŽž, ÉfŠf“fN[]æ, ìfifŠfWfif<, ðjff^f[]fO, ·, é, ©-
³Ž<, ·, é, ©, ì[]A•Ô'ì, Ü, ½, ì[]Ý'è, ¢, Å, «, Ü, ·[]B

CatalogingOptions, àŽQ[]Æ

Status: •¶Žš—ň

,±,lfvf□fpfefB,Å,í□A□efXfe□[f^fX,ì•Ô'l,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

CatalogingOptions,àŽQ□Æ

ThumbnailSource:Long

,±,lfvf[]pfeB,Å,í[]Aftfe[]fCf<,ì[]-Žž,ì[]fX,ì•Ô'ì,Ü,½,í[]Ý'è,^aÅ,«,Ü,·[]B

ŽŸ,ì'ì,^aí[]Ý'è,Å,«,Ü,·[]B

$$\begin{aligned} \text{f}[\text{f}\text{Š}\text{f}\text{W}\text{f}\text{i}\text{f}'\text{à},\text{ì}\text{f}\text{T}\text{f}\text{€}\text{f}\text{f}\text{C}\text{f}' &= 0 \\ \text{f}\text{C}\text{f}[\text{f}\text{W}'\text{S}'\text{ì} &= 1 \end{aligned}$$

ThumbnailSourceConstants[]ACatalogingOptions,àŽQ[]Æ

User: •ŕŽš—ň

,±
,lfvf[]pfefB,Á,í[]Afff^f[]OfifvfVf#f“,Å‘O,à,Á,ÄŽw’è,μ,½[]uft[]fU[]vftfB[]f<fh,i•Ô‘I,Ü,½,í[]Ý’è,ª,Å,«
,Ü,·[]B

CatalogingOptions,àŽQ[]Æ

Application:flufWfFfNfg

,±,lfvf[]pfefB,Å,í[]AApplicationflufWfFfNfg,đ•Ô,μ,Ü,·[]B

Catalogs,àŽQ[]Æ

Count:Long

,±,ìfvf□fpfefB,Å,í□AfrfCEfNfvf#f""t,ìff^ff□□",ð•Ô,μ,Û,·□B

Catalogs,àŽQ□Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□Ajjf^f□fO,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

Catalogs,àŽQ□Æ

Add (Pathname as String [,WriteAccessPassword as String]) as Object

,±,ìf□\fbfh,É,æ,è□AflfvfVf#f“,ì□',«□ž,Ý—pfpfXf□□[fh,ðŽg,Á,ÄjJf^f□fOftf@fCf<,ðŠ),,±
,Æ,ª,Å,«□Ajjf^f□fQfIfufWfFfNfg,ð•Ö,μ,Ü,·□B

Catalogs,àŽQ□Æ

Item (Index as Long / Name as String) as Object

,±, ìfvf[]fpfefB, Å, íCf“fffNfX, Ü, ½, í-¼‘O, ðŽw’è, ·, é, ±
,Æ, É, æ, è[]Afrf[]fNfvf±f““†, ìjff^f[]fO, ð•Ô, μ, Ü, ·[]B

Catalogs, àŽQ[]Æ

Remove (Index as Long / Name as String)

fCf“fffNfX,Ü,½,Í-¼‘O,ðŽw’è,·,é,±,Æ,É,æ,è□AfrfEfNfVf†f“,ìCatalog,ª•Â,¶,ç,ê,Û,·□B

Catalogs,àŽQ□Æ

New (Pathname as String, [CatalogName as String]) as Object

, ±, ìf\fbfh, É, æ, èA V<Kfjf^fOfjf@fCf<, ìì- AfI[fvf“AcataloglfufWfFfNfg, ð•Ô, ·, ±
, Æ, ð, Å, «, Ü, ·Bjff^fO-¼, íÉ—â%oÅ“\, ÅA, »), ìê†tf@fCf<-¼, äfftfHf<fg, Æ, µ, ÅŽg—p, ³, ê, Ü, ·B

Catalogs, àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Categories,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]Acatalog,lfjfefSfŠ[]”,đ•Ô,μ,Ü,·[]B

Categories,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AjjfefSfŠ,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

Categories,àŽQ□Æ

Add:flfufWfFfNfg

,±,lf∧fbfh,É,æ,èAfftjHf<fg,ìjffefSfŠ-¼,đŽg,Á,ÄV<KjffefSfŠ,^aCumulusjff^fO,ì'æ^êŠK'w,É'Ç
%oÁ,³,êAV<K,Éi¬,³,ê,^{1/2}categoryflfufWfFfNfg,đ•Ô,μ,Û,·B

Categories,àŽQÆ

AddCopy (Category as Object) as Object

, ±, ìf[]\fbfh, É, æ, è[]ACumulusffj^f[]fO, ì'æ^êŠK'w, É, , é, ·, x, Ä, ìfTfufjffefSfŠ, ÆfìfŠfWfif<ffjefSfŠ, ðŠÜ, pcategory, ðfRfs[][, ³, ê[]A[]V<K, É[]ì[]¬, ³, ê, ^{1/2}categoryfìfufWfFfNfg, ð•Ó, µ, Ü, ·[]B

Categories, àŽQ[]Æ

Item (Index as Long / Name as String) as Object

, ±, ìvf[]pfefB, Å, í[]Acategory, ðfCf“fffNfX • Ê, Ü, ½, í-¼‘O • Ê, É • Ô, µ, Ü, ·[]B, ±
, ê, ìfftfHf<fg, ìvf[]pfefB, Å, ·[]B

Categories, àŽQ[]Æ

ItemByID (ID as Long) as Object

,±,lfvf[]fpfefB,Å,í[]Acategory,ðjffefSfŠID•É,É•Ô,μ,Û,·[]B

Categories,àŽQ[]Æ

Remove [i]Index as Long / Name as String [j]

fCf“fffNfX,Ü,½,Í-¼‘O,ďŽw’è,·,é,±,Æ,Åcategory,đCumulusff^fO,©,çíœ,·,é,±,Æ,^a,Å,«,Ü,·B

Categories,àŽQÆ

Export (Path as string)

Export,É,æ,èACumulusff^ffO,ìffefSfŠ,ª',«o,³,ê,Û,·B',«o,µftf@fCf<,ª'¶Y,µ,È,çê¶,íA
¶→,³,ê,Û,·B

Categories,àŽQÆ

Application:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·□B

Categories,àŽQ□Æ

Collapsed:fu□[f<

,±,lfvf□fpfefB,Å,í□Aft□[fUfCf“f^ftfF□[fX“à,ìjffefSfŠ,ì”ňŠK‘w•\Ž!□ó‘Ô,đ•Ô‘l,Ü,½,í□Ý‘è,Å,<,Ü,·□B

Categories,àŽQ□Æ

Directory: • ¶ Ž š — ñ

, ±, ì v f ò f p p f e f B, Å, í ò A f f f B f C E f N f g f Š f j f e f S f Š ò i f j f Š f W f j f < f t f @ f C f < , ^a • Û ' ¶ , ³ , ê , Ä , † , é f t f H f < f _ - ¹/₄ Š K ' w , ð • \ , μ , ¹/₂ f j f e f S f Š ò j , ì f p f X , ì • Ó ' l , Û , ¹/₂ , ì ò Y ' è , ^a , Å , « , Û , • ò B

Categories, à Ž Q ò Æ

ID:Long

,±,lfvf□fpfefB,Å,í□AjjfefSfŠ,ì“à•”ID,đ•Ô,μ,Û,·□B

Categories,àŽQ□Æ

Level:Long

,±,lfvf[]fpfefB,Å,í[]AjjfefSfŠfcfŠ[]["à,ìjjfefSfŠ,ìfÇfxf<,ð•Ô,μ,Û,·[]B

Categories,àŽQ[]Æ

Name: • ¶Žš—ñ

, ±, ìvfv[]fpfefB, Å, í[]AjjfefSfš-¼, ì•Ô'I, Ü, ½, í[]Ý'è, ¢, Å, «, Ü, ·[]B, ±, ê, íffftfHf<fg, ìvfv[]fpfefB, Å, ·[]B

Categories, àŽQ[]Æ

Original:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfGfCfŠfAfX,lfJfŠfWfJf<category,ì•Ô'I,Ü,½,í□Ý'è,ª,Å,«,Ü,·□B

Categories,àŽQ□Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AjjfefSfŠ,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

Categories,àŽQ□Æ

ParentCategory:flfufWfFfNfg

,±
,lfvf[]pfefB,Å,í[]AfffefSfŠ,̀category,̀i•Ô'!Ü,½,í[]Ý'è,ª,Å,«,Ü,·[]B'![]m,È,μ[]n,í[]A'æ^èŠK'wfffefSfŠ,ð
^Ô-i,μ,Ü,·[]B

Categories,àŽQ[]Æ

SubCategories:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AjjfefSfš,̀̀sub-categories,̀̀RfCEfNjVf†f“ ,đ•Ô,μ,Û,·[]B

Categories,àŽQ[]Æ

Type:Long

,±,lfvf[]pfefB,Å,í[]A[]ffefSfŠ,ìĀ`Ž®,đ•Ô,μ,Û,·[]B

ŽŸ,ì'l,đ•Ô,μ,Û,·[]B

- 'Ê[]í,ì[]ffefSfŠ = 0
- fGfCfŠfAfX = 1 []i“Ç,Ý,Æ,è[]ê—p[]j
- ftfHf<f_f[]ffefSfŠ = 2

CategoryTypeConstants[]ACategories,àŽQ[]Æ

Export (Path as string)

Export,É,æ,è AfjfefSfŠ,ª1,Â',«o,³,ê,Û,·B',«o,µftf@fCf<,ª'¶Ý,µ,È,çê‡,Íi¬,³,ê,Û,·B

Categories,àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

FileFormatEntry,àŽQ[]Æ

DefaultBitmap: •¶Žš—ñ

,±
,lfvf[]fpfefB,Å,í[]Afff^f[]fOŽž,Éftf@fCf<,ìfTf€fifCf<,ª[]ì[]¬,Å,«,È,ç[]ê[]‡,É'í'ð,³,ê,é[]AffftfHf<fg,ìfrfbfg
f}fbfv%œ'œ,ì•Ô'í,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

FileFormatEntry,àŽQ[]Æ

Extension: •ŕŽš—ň

,±,ìfvf[]pfefB,Å,í[]Aftf@fCf<CE`Ž®Žw'è,ªfTfj
[]lfg,·,éftf@fCf<CE`Ž®,ìŠg'£Žq,ì•Ô'l,Ü,½,í[]Y'è,ª,Å,«,Ü,·[]B

FileFormatEntry,àŽQ[]Æ

FileFormat:•¶Žš—ň

,±,lfvf□fpfefB,Å,í□Aftf@fCf<CE`Ž®Žw'è,ìftf@fCf<CE`Ž®,ì•¶Žš—ň,ì•Ô'l,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

FileFormatEntry,àŽQ□Æ

IsActive:fu

,±,lfvf[]fpfefB,Å,í[]Aftf@fCf<CE`Ž®Žw'è,^a—LCEø,©,»,¤,Å,È,ç,©,ì•Ô'l,Ü,½,í[]Ý'è,^aÅ,«,Ü,·[]B

FileFormatEntry,àŽQ[]Æ

Name: • ¶Žš—ñ

,±,ìvfv[]fpfefB,Å,í[]A[]uGeneric Filter[]v,É, ,éftfBf<f^,È,Ç,ìftf@fCf<Æ`Ž®Žw'èfRf“fgf[][]f<-
¼,ì•Ó'l,Û,½,í[]Ý'è,^a,Å,«,Û,·[]B,±,ê,íffftfHf<fg,ìvfv[]fpfefB,Å,·[]B

FileFormatEntry,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]Aftf@fCf<CE`Ž®Žw'è,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

FileFormatEntry,àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

FileFormatTable,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]AfCf“fXfg[]f<,³,ê,½ftf@fCf<CE`Ž®Žw'è,ì[]”,đ•Ô,μ,Û,·[]B

FileFormatTable,àŽQ[]Æ

Add (Name as String [, AsIndex as Long]) as Object

, ±, ìf[]\fbfh, É, æ, è[]A“Á’è, ìftfBf<f^fRf“fgf[][]f<-¼[]i, ½, Æ, †, Î[]uGeneric
Filter[]v[]j, ìftf@fCf<CE`Ž®Žw’è, ð’Ç%oA,³, ê, Ü, ·[]BfìfvfVf‡f“, ìfpf%of[][]f^AsIndex, ð[]Ý’è,³, ê, Ä, ç
, é[]ê[]‡, í[]A,» , ±, É’}“ü,³, ê[]A[]Ý’è,³, ê, Ä, ç, È, ¯, ê, Î0^È’u, É’}“ü,³, ê, Ü, ·[]B[]V<K, É[]ì[]¬,³, ê, ½file format
entryfìfufWfFfNfg, ð•Ô, μ, Ü, ·[]B

FileFormatTable, àŽQ[]Æ

Item (Index as Long / Name as String) as Object

, ±, ìfvf[]fpfefB, Å, í[]file format entry, ðfCf“fffNfX•Ê, Û, ½, í-¼‘O•Ê, É•Ô, µ, Û, ·[]B-
¼‘O, ¢Šg'£Žq, Ì, Ý, ì[]ê[]#[]A[]Å[]%o, Ê^ê'v, ·, éftf@fCf<CE`Ž®Žw'è, ¢•Ô, ¢, ê[]A-
¼‘O, ¢Šg'£Žq[]A<æ[]Ø, è•¶Žš[]A, ¨, æ, ÑftfBf<f^fRf“fgf[][]f<-¼, ©, ç[]\[]-, ¢, ê, Ä, ç
, é[]ê[]#, í[]AŽw'è, ¢, ê, ½“ü—í, ð•Ô, µ, Û, ·[]B<æ[]Ø, è•¶Žš, É, í[]A' []A':[]A, Û, ½, í-' , Ì, ç, , , ê, ©, ðŽg—
p, Å, «, Û, ·[]B, ±, ê, ÌffftfHf<fg, ìfvf[]fpfefB, Å, ·[]B

—á:

dim filter as object

set filter = theApp.CatalogingOptions.FileFormatTable ("bmp:Canto Wang Filter", 4)

FileFormatTable, àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]pfefB,Å,í[]Aftf@fCf<CE`Ž®Žw'è,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

FileFormatTable,àŽQ[]Æ

Remove Index as Long / Name as String

,±,ìfvf[]fpfefB,Å,í[]Aftf@fCf<CE`Ž®Žw'è,³fCf"fffNfX•Ê,Û,½,Í-¼'O•Ê,Éí[]œ,³,ê,Û,·[]B-
¼'O,³Sg'£Žq,ì,Ý,ì[]ê[]#[]A[]Å[]%o,É^ê'v,·,éftf@fCf<CE`Ž®Žw'è,³í[]œ,ê[]A-
¼'O,³Sg'£Žq[]A<æ[]Ø,è•¶Žš[]A,¨,æ,ÑftfBf<f^fRf"fgf[][]f<-¼,©,ç[]\[]-,³,ê,Ä,ç
,é[]ê[]#,í[]AŽw'è,³,ê,½"ü—í,³í[]œ,³,ê,Û,·[]B<æ[]Ø,è•¶Žš,É,í[]A' '[]A':[]A,Û,½,Í-',ì,ç,.,ê,©,ðŽg—
p,Å,«,Û,·[]B

—á:

theApp.CatalogingOptions.FileFormatTable.Remove ("bmp:Canto Wang Filter")

FileFormatTable,àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

AssetReference,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]pfefB,Å,í[]Aftf@fCf<fŠftf@fÆf“fX,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

AssetReference,àŽQ[]Æ

Text: •¶Žš—ň

,±, ìvf[]fpfefB, Å, í[]Aftf@fCf<fŠftf@fÆf“fX, ìfpfX-¼,ª•¶Žš—ň, Å•Ô,³,ê,Ü,·[]B,±
,ê, ìfftfHf<fg, ìvf[]fpfefB, Å, ·[]B

AssetReference, àŽQ[]Æ

Type: •¶Žš—ň

,±,ìfvf[]fpfefB,Å,í[]Aftf@fCf<fŠftf@fÇf“fX,ìÇ`Ž®^a,•¶Žš—ň,Å•Ô,³,ê,Ü,·[]B

Ç»[]sfo[][fWf#f“,Å,í[]Aftf@fÇf“fXÇ`Ž®,í"MacOS",Ü,½,í"Windows",ì,ç,,ê,©,Å,·[]B

AssetReference,àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

AssetReference,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]pfefB,Å,í[]Aftf@fCf<fŠftf@fÆf“fX,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

AssetReference,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]AŠeŽífvf%ofbfjgftfH[][f€,ì,³,Ü,´,Ü,Èfile_references,ì",đ•Ô,μ,Ü,·[]B

AssetReference,àŽQ[]Æ

Item (Index as Long / Name as String) as Object

, ±, ìfvf[]fpfefB, Å, ÍCf“fffNfX, Ü, ½, Í-¼‘O, ðŽw’è, ·, é, ±, Æ, Å[] Afile reference, ð•Ô, µ, Ü, ·[]B

Œ»[]sfo[] [fWf±f“, Å, Í[]A-¼‘O, Í"MacOS", Ü, ½, Í"Windows", ì, ç, , , ê, ©, É, È, è, Ü, ·[]B, ±, ê, ìffftfHf<fg, ìfvf[]fpfefB, Å, ·[]B

AssetReference, àŽQ[]Æ

Update (PathName as String)

,±,ìf∧\fbfh,É,æ,èAftj@fCf<fŠftj@fEf“fX,ª“Á’è,ìfpfX,ÅXV,³,ê,Ü,·B

AssetReference,àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

LogEntries,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]Log_entries”,đ•Ô,μ,Û,·[]B

LogEntries,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]Af[]fO“ü—í,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

LogEntries,àŽQ[]Æ

Clear

,±,ìf□^fbfh,É,æ,è□Afff^f□fO,ìf□f,fŠf□fO,³fNfŠfA,³,ê,Ü,·□B

LogEntries,àŽQ□Æ

Save iPathname as String

, ±, ìf^fbfh, É, æ, èAfO, ^efLjXfgftf@fCf<, É•Ù'¶,³,ê,Ü,·Bj^fO, ìfjvVfj“
"SaveLogToFile", ^fAfNfefBfu, ìê#A, ·, x, Ä, ìfOf@fCf<, ^efLjXfgftf@fCf<, Æ, µ, Ä•Ù'¶,³,êA, » , x
, Ä, É, çê#, ìf, fSfO"ü—í,¾, -, ^•Ù'¶,³,ê,Ü,·B

LogEntries, àŽQÆ

Item (Index as Long) as Object

, ±, ìfvf[]fpfefB, Å, í[]Alog_entry, ¢fCf“fffNfX•Ê, Ê•Ô,³, ê, Ü, ·[]B, ±, ê, ífftfHf<fg, ìfvf[]fpfefB, Å, ·[]B

LogEntries, àŽQ[]Æ

Action: •¶Žš—ň

,±, ìfvf□fpfefB, Å, í□A□ufjf^f□fO, đŠJ, □v, ì, æ, x, Èfjf^f□fO, É'í, μ, Ä□s, í, ê, ½□^—□, đ<L□q, ·, é•¶Žš—
ň, đ•Ó, μ, Ú, ·□B

LogEntries, àŽQ□Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

LogEntries,àŽQ[]Æ

Date: "ú•t

,±,lfvf□fpfefB,Å,Í□Af□fO“ü—Í,lf^fCf€fXf^f“fv,δ•Ô,μ,Û,·□B

LogEntries,àŽQ□Æ

Name: • ¶Žš—ñ

, ±, ìvfñfpfefB, Å, íAñfñO“ü—í, ìftñlfU-¼, ð•Ô, µ, Ü, ·ñB, ±, ê, ìfftfHf<fg, ìvfñfpfefB, Å, ·ñB

LogEntries, àŽQñÆ

Object: •¶Žš—ñ

,±,ìfvf[]fpfefB,Å,í[]AfCEfR[]f h-¼,âfj]fefSfŠ-¼,È,Ç[]Af[]fO“ü—í,ì'Ç
%oÁ[]î•ñfifufWfFfNfg,đ•Ô,μ,Û,·[]B

LogEntries,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]Af[]fO“ü—í,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

LogEntries,àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

PathMapping,àŽQ[]Æ

FromPath: • ¶Žš—ñ

, ±, ìfvf ¶fpfefB, Å, í ¶Af }fbfvCE³, ìfpfX, ì•Ô'l, Ü, ½, í ¶Ý'è,ª, Å, «, Ü, · ¶B

PathMapping, àŽQ ¶Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfpfXf}fbfsf“fO,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

PathMapping,àŽQ□Æ

ToPath: • ¶Žš—ñ

, ±, ìfvf ¶fpfefB, Å, í ¶AFromPath, ì}fbfv ¶æ, Å, , épfX, ì • Ô' l, Ü, ½, í ¶Ý' è, ¢, Å, «, Ü, · ¶B

PathMapping, àŽQ ¶Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

PathMapping,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]AfpfXf}fbfsf“fOfe[]fuf<“à,ì“ü—í[],đ•Ô,μ,Û,·[]B

PathMapping,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfpfXf}fbfsf“fO,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

PathMapping,àŽQ□Æ

Add (FromPath as String, ToPath as String) as Object

, ±, ìf[]\fbfh, É, æ, è[]A“Á’è, ìFromPath, “, æ, ÑToPath • ¶Žš—ñ, ðŽg, Á, Ä[]V<K“ü—
Í, ðpfXf}fbfsf“fOfè[]fuf<, É’Ç%oÁ, ³, ê[]A[]V<K[]ì[]¬, ³, ê, ½path_mappingfjfufWjFfNfg, ð•Ô, µ, Ü, ·[]B

PathMapping, àŽQ[]Æ

Item (Index as Long / FromPath as String) as Object

, ±, ìvfñfpfefB, Å, í Path mapping ìfufWfFfNfg, ãfCf“ffNfX • Ê, Ü, ½, ÍFromPath • Ê, É • Ô, ³, ê, Ü, ·ñB, ±
, ê, ìffftfHf<fg, ìvfñfpfefB, Å, ·ñB

PathMapping, àŽQñÆ

Remove [index as Long / FromPath as String]

, ±, ìf [f b f h, É, æ, è [A f C f " f f f N f X, Ü, ½, Í FromPath • ¶ Ž š — ñ, ð Ž g, Á, Ä [A path mapping object, ð f e [f u f <, ©, ç [í [æ, Å, «, Ü, · [B

PathMapping, à Ž Q [Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Preferences,àŽQ[]Æ

ManualPreviewSize:Long

"ManualPreviewSize",³ffftjHf<fg,|preview_size,Æ,μ,Ä'l'ð,³,ê,Ä,ç,éêê‡

,±,lfvf|fpfefB,Ä,ÍAfvfÆfjf...|[fTfCfY,³fsfNfZf<'P^Ê,Å•Ô'l,Ü,½,ÍY'è,Å,«,Ü,·B

Preferences,àŽQÆ

OpenAtStartup:fu

,±,ìfvf[]pfefB,Å,í[]AfAvfšfP[][fvf#f“<N“®Žž,Éjff^f[]fO,ð[]Ä“xŠ],,©,Ç,κ
,©,í•Ô'l,Û,½,í[]Ý'è,^a,Å,«,Û,·[]B

Preferences,àŽQ[]Æ

OpenCatalogView:Long

,±,lfvf[]fpfefB,Å,Í[]Afff^f[]fO,ì<N“®Žž,ì•\Ž!,đ•Ô'l,Ü,½,Í[]Ý'è,Å,«,Ü,·[]B

ŽŸ,ì'l,đ[]Ý'è,Å,«,Ü,·[]B

ŠÇ—[]ŽÒf,[]fh = 0

fTf€f[]fCf<f,[]fh = 1

fŠfXfgf,[]fh = 2

•Å,¶,ç,è,½,Æ,«,ì[]ó'Ô = 3

CatalogViewConstants[]APreferences,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvfñfpfefB,Å,íAFAfvfŠfPñ[fVfñf“ñÝ’è,ìeflfufWfFfNfg,đ•Ô,μ,Û,·ñB

Preferences,àŽQñÆ

PathMappings:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□Apath_mappingsflfufWfFfNfg,đ•Ô,μ,Ü,·□B

Preferences,àŽQ□Æ

PreviewSize:Long

,±, ìfvf□fppefB, Å, í□Afvf□Efrf...□[fEfbf“fhfE, ìffftfHf<fgfTfCfY, ì•Ô'ì, Ü, ½, í□Ý'è, à, Å, «, Ü, ·□B

ŽŸ, ì'ì, ð□Ý'è, Å, «, Ü, ·□B

fìfŠfWfif<fvf□Efrf...□[fTfCfY = 0
□Å'åfvf□Efrf...□[fTfCfY = 1
f}fjf...fAf<fvf□Efrf...□[fTfCfY = 2

PreviewSizeConstants□APreferences, àŽQ□Æ

ResolveRelatedCategories:fu[f<

,±,ìfvf[]pfefB,Å,í[]AfjfeSfŠ,ìfGfCfŠfAfX,đŽg—p,μ,ÄŒÿ[]ð,·,é,©,Ç,¤
,©,í•Ô'l,Û,½,í[]Ý'è,^a,Å,«,Û,·[]B

Preferences,àŽQ[]Æ

SearchForCategoriesAbove:fu[f<

,±,ìfvf[]pfefB,Å,í[]AjjfefSfŠCEÿ[]ö,Å[]ã^Ê,ìjjfefSfŠ,àšÜ,ß,ÄCEÿ[]ö,·,é,©,Ç,¤
,©,í•Ô'l,Ü,½,í[]Ý'è,^aÅ,«,Ü,·[]B

Preferences,àžQ[]Æ

SearchForCategoriesBelow:fu[]f<

,±,ìfvf[]fpfefB,Å,í[]AfjfefSfŠCEÿ[]ö,Å%°^ÊfjfefSfŠ,àšÜ,ß,ÄCEÿ[]ö,·,é,©,Ç,¤
,©,í•Ö'l,Ü,½,í[]Ý'è,^aÅ,«,Ü,·[]B

Preferences,àžQ[]Æ

SearchAllSelectedCategories:fu

,±
,lfvfjfpfefB,Å,íAjjfefSfŠCEŸö,Å,·,x,Ä,lfjfefSfŠ,ðŠÜ,bfCEfR[fh,ðCEŸö,·,é,©A,»,ê,Æ,à1,Â^Èä
,lfjfefSfŠ,ðŠÜ,bfCEfR[fh,ðCEŸö,·,é,©,ì•Ô'l,Ü,½,ÍŸ'è,^a,Å,«,Ü,·B

Preferences,àŽQÆ

ShowTooltips:fu

,±,lfvf[]fpfefB,Å,í[]Aftf€flfCf<f,[]fh,Åfc[]f<f`fbfv,đ•\Ž|,.,é,©,Ç,κ,©,ì•Ô'!Ü,½,í[]Ý'è,ª,Å,«,Ü,·[]B

Preferences,àŽQ[]Æ

ShowWarnings:fu[f<

,±,lfvf[fpfefB,Å,íACEx[[],đ•\Ž|,·,é,©,Ç,¤,©,ì•Ô'l,Ü,½,íY'è,^a,Å,«,Ü,·B

Preferences,àŽQ[Æ

ThumbnailSimilarityThreshold (0 To 1):Long

,±, ìfvfïfpfefB, Å, íAftf€flfCf<, ì—pŽ—CEÿïð, ðïš, æïÙïA—pŽ—, ì“xï‡, ç
, ðïÝ'è, μ, ½'ì, ì•Ô'ì, ð, μ, ½, èïA, Û, ½ïÝ'è, ð, , é, ±, Æ, ^a, Å, «, Û, ·ïBffftfHf<fg'ì, ì{ 10, 30}
, Å, ·ïBCEÿïð"í'ì, ð<., , é, É, ìïA, æ, èï¬, ³, ç'ì, ðïÝ'è, μ, Û, ·ïB

Preferences, àŽQïÆ

Units:Long

,±,lfvf□fpfefB,Å,í□A•\Ž!‘P^Ê,ì•Ô‘l,Ü,½,í□Ý’è,^a,Å,«,Ü,·□B

ŽŸ,ì‘l,^a□Ý’è,Å,«,Ü,·□B

fCf“f`	= 0
fZf“f` f□□[fgf<	= 1
f~fŠf□□[fgf<	= 2
fzfCf“fg	= 3
fsfNfZf<	= 4
fpfCfj	= 5

UnitConstants□Preferences,àŽQ□Æ

UseGrid:fu[f<

,±,ìfvf[]pfeB,Å,í[]Ajjf^f[]fOfEfBf“fhfE,ìfTfCfY•ï[]X,ÉfOfŠfbfh,đŽg—p,·,é,©,Ç,κ
,©,í•Ô'l,Û,½,í[]Ý'è,^a,Å,«,Û,·[]B

Preferences,àŽQ[]Æ

UsePathMapping:fu[f<

,±,ìfvf[]pfeB,Å,í[]Aftf@fCf<fŠftf@fÆf“fX,ìjff^f[]fO,ÉpfXf}fbfsf“fOfef[]fuf<,đŽg—p,·,é,©,Ç,¤
,©,í•Ô'l,Ü,½,í[]Ý'è,^aÅ,«,Ü,·[]B

Preferences,àŽQ[]Æ

WindowToOpenOnDoubleClick:Long

,±, ìvf[]fpfefB, Å, Í[]AfCEfR[] [fh, ðf_fuf<fNfŠfbfN, µ, ½, Æ, «, Ç, ìEfBf“fhfE, ðŠJ, -
, ©, ð•Ö'ì, Û, ½, Í[]Ý'è, Å, «, Û, ·[]B

ŽŸ, ì'ì, ð[]Ý'è, Å, «, Û, ·[]B

fvf[]fpfefBfEfBf“fhfE = 0
fvfCEfRf...[] [fEfBf“fhfE = 1

OnDoubleClickConstants[] APreferences, àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Record,àŽQ[]Æ

Categories: f l f u f W f F f N f g

, ±, ì v f f p p e f B, Å, í Af C e f R f h, É Š,, è “ - , Ä, ç, ê, ½ categories, ì f R f C e f N f V f f f “, ð • Ô, μ, Ü, · B

Record, à Ž Q Æ

ColorMode:Long

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fh,ì%œ'œf,[]fh,ì•Ô'l,Ü,½,í[]Ý'è,ª,Å,«,Ü,·[]B

ŽŸ,ì'l,ª[]Ý'è,Å,«,Ü,·[]B

f%ofCf"fA[]fg = 0

fOfCE[]fXfP[]f< = 1

fj%f%o[] = 2

ColorModeConstants[]ARecord,àŽQ[]Æ

Deletable:fu[]f<

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fh,ª[]í[]œ%ooÂ"\\,©,Ç,¤,©,ì•Ô'l,Ü,½,í[]Ý'è,ª,Å,«,Ü,·[]B

Record,àŽQ[]Æ

AssetCreationDate:“ú•t

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fjh,lfifŠfWfif<ftf@fCf<,ì[]ì¬“ú,ì•Ô'l,Ü,½,í[]Ý'è,ª,Å,«,Ü,·[]B

Record,àŽQ[]Æ

AssetDataSize:“ú•t

,±,ìfvf[]fpfefB,Å,í[]Afìfšfwfif<ftf@fCf<,ìff[]f^ftfH[]fNfTfCfY,ì•Ô'ì,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

Record,àŽQ[]Æ

FileFormat: • ¶Žš—ñ

,±, ìfvf[]fpfefB, Å, í[]AfCEfR[]f[]h, ìftf@fCf<CE` Ž® , ì•Ô'ì, Ü, ½, í[]Ý'è, ª, Å, «, Ü, ·[]B

Record, àŽQ[]Æ

AssetModificationDate:“ú•t

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fjh,lfifŠfWfjif<,ì[]C[]³“ú,đ•Ô'l,Ü,½,í[]Ý'è,Å,«,Ü,·[]B

Record,àŽQ[]Æ

AssetReferences

,±,ìfvf[]fpfefB,Å,í[]AfIfŠfWfif<ftf@fCf<,ì,³,Ü,´,Ü,Ëfvf%ofbfgftfH[]lf€,É,Â,ç
,Ä,ìftf@fCf<fŠftf@fCf<fX,ð“Ç,Y[]o,·,±,Æ,^a,Å,«,Ü,·[]B

Record,àŽQ[]Æ

AssetRsrcSize:Long

,±,lfvf[]fpfefB,Å,í[]AfIfŠfWfif<ftf@fCf<,lfŠf[]fXftfH[]fNfTfCfY,ì•Ô'I,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

Record,àŽQ[]Æ

AssetSize:Long

,±
,lfvf[]pfeB,Å,í[]Aflšfwfif<ftf@fCf<,lftf@fCf<ftfCfY[]iflšfwfif<ff[]f^fTfCfY,ÆAssetRsrcSize,l[]±Ev
[]j,đ•Ô,μ,Û,·[]B

Record,àŽQ[]Æ

Height:Double

,±,lfvf[]fpfefB,Å,í[]AflfŠfWfif<ftf@fCf<,lftf@fCf<,l[],,³afCf“f`P^Ê,Å•Ô,³ê,é,©[]A[]Ý'è,Å,«,Ü,·[]B

Record,àŽQ[]Æ

HorizontalResolution:Double

,±,lfvf□fpfefB,Å,í□AflfŠfWfif<ftf@fCf<,ì□...•½%‰đ'œ"x,ì•Ô'I,Ü,½,í□Ý'è,ª,Å,«,Ü,·□B

Record,àŽQ□Æ

ID:Long

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fh,ì“à•”ID,đ•Ô,μ,Û,·[]B

Record,àŽQ[]Æ

MacCreator: •¶Žš—ň

,±, ìfvf[]pfeB, Å, í[]AfCEfR[]fh, ìMacintoshfNfŠfG[]f^f^fCfv[]i4•¶Žš[]; ì•Ô'l, Ü, ½, í[]Ý'è, ¢, Å, «, Ü, ·[]B

Record, àŽQ[]Æ

MacFileType: • ¶Žš—ñ

, ±, ìfvf[]fpfefB, Å, í[]AfCEfR[]f[]h, ìMacintoshftf@fCf<f^fCfv[]i4•¶Žš[]j, ì•Ô'l, Ü, ½, í[]Ý'è, ¢, Å, «, Ü, ·[]B

Record, àŽQ[]Æ

Asset: • ¶Žš—ñ

,±, ìfvf¶fpfefB, Å, í¶AfÆfR¶[fh, ìftj@fCf<•\Ž!fpfX, ì•Ô'! ,Ü, ½, í¶Ý'è, ¢, Å, «, Ü, ·¶B

Record, àŽQ¶Æ

Modifiable:fu□[f<

,±,lfvf□fpfefB,Å,í□AfCEfR□[fh,ª□C□³%oÅ"\\,©,Ç,α,©,ì•Ô'İ,Ü,½,Í□Ý'è,ª,Å,«,Ü,·□B

Record,àŽQ□Æ

Name: • ¶Žš—ñ

, ±, ìƒvfƒpfefB, Å, íAfCEfR[fh-¼, ì•Ô'l, Ü, ½, íY'è,ª, Å, «, Ü, ·B, ±, ê, ífftfHf<fg, ìƒvfƒpfefB, Å, ·B

Record, àŽQÆ

Notes: • ¶Žš—ñ

,±, ìfvf[]fpfefB, Å, í[]AfCEfR[]fh, ìfm[]fg, ì•Ô'l, Ü, ½, í[]Ý'è, ¢, Å, «, Ü, ·[]B

Record, àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fh,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Record,àŽQ[]Æ

RecordCreationDate:“ú•t

,±,lfvf[]pfefB,Å,í[]AfCEfR[]fh,ì[]ì[]¬“ú,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

Record,àŽQ[]Æ

RecordModificationDate:“ú•t

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fh,ì[]C[]³“ú,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

Record,àŽQ[]Æ

Software: •¶Žš—ň

,±,lfvf□fpfefB,Å,í□AflfšfWfif<ftf@fCf<,ì□ì□-f\ftfgfEfFfA,ì•Ô'l,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

Record,àŽQ□Æ

Status:flfufWfFfNfg

,±,lfvf[]pfefB,Å,í[]Af[]fR[]fh,ístatus,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

f[]fR[]fh,ífXfe[]f^fX,ð[]Ý'è,·,é,É,í[]AŽŸ,ì[]\•¶,ðŽg—p,μ,Ä,,³/₄,³,†[]B

set record.status = newStatus

"set",ð[]È—^a,·,é,Æ[]AŽQ[]Æ,³,ê,éfXfe[]f^fX-¼[]iff[]f[]Hf<fg,lfvf[]pfefB[]j,^a•ï,í,è,Ü,·[]B

Record,àŽQ[]Æ

TypeSpecific: •¶Žš—ň

,±,lfvf□fpfefB,Å,í□Aftf@fCf<CE`Ž®“Á—L,ì□î•ň,đ16□i•¶Žš—ň,Æ,μ,Ä•Ô'l,Ü,½,í□Ý'è,Å,«,Ü,·□B

Record,àŽQ□Æ

User: •řš—ň

,±,ìfvf[]fpfefB,Å,í[]AfCEfR[]fh,ìft[]fU-¼,ì•Ô'l,Ü,½,í[]Ý'è,^a,Å,«,Ü,·[]B

Record,àŽQ[]Æ

VerticalResolution:Double

,±,lfvf□fpfefB,Å,í□AflfŠfWfif<ftf@fCf<,ì□,'¼%øđ'œ"x,ì•Ô'l,Ü,½,í□Ý'è,^a,Å,«,Ü,·□B

Record,àŽQ□Æ

Width:Double

,±,lfvf□fpfefB,Å,í□AflfŠfwfif<ftf@fCf<,ì•□,đfCf“f`P^Ê,Å•Ô'l,Ü,½,í□Ý'è,Å,«,Ü,·□B

Record,àŽQ□Æ

UpdateAssetReference

fŠ\j<fof,jWf...[f<,É,æ,Á,Ä_fCfAf[]fOf{fbfNfX,ð•\Ž|,¹,„fŠftj@fCEf“fX,ð%øð[]Á,Å,«,é[]ê[]#[]A,±,ìf[]\fbfh,É,æ,è[]AfCEfR[]fh,ìfìfŠfWfif<ftf@fCf<, file reference,ªSm”F,³,ê[]A[]X[]V,³,ê,Ü,·[]B

Record,àŽQ[]Æ

CopyAsset[iToPathName as String]

, ±, ìf\fbfh, É, æ, èAfÆfR[fh, ìfšfWfj<ftf@fCf<,ª“Á'è, ìtfHf<f_fpfX, ÉfRfs[,³, ê, Ü, ·B

Record, àŽQÆ

CopyThumbnail

,±,ìf□\fbfh,É,æ,è□AfœfR□[fh,ìTf€flfCf<,³fNfŠfbfvf{□[fh,ÉfRfs□[,³,ê,Ü,·□B

Record,àŽQ□Æ

Deselect

,±,ìf□\fbfh,É,æ,è□Afff^f□fO,ìrecord_selection,©,cfÆfR□[fh,ª'l'ð%øð□œ,³,ê,Û,·□B

Record,àŽQ□Æ

Export*i*ToPathName as String*j*

Export,É,æ,èAfCEfR[fhî•ñ,ª,«o,³,ê,Û,·B,«o,µftf@fCf<,ª'¶Y,µ,È,çê‡,ÍAì¬,³,ê,Û,·
B

Record,àŽQÆ

MoveAsset[iToPathName as String]

,±,ìf∧

fbfh,É,æ,èAfeR[fh,ìfšfwfif<ftf@fcf<,ª“Á’è,ìftfHf<f_fpfX,É^Ú“®,³,êAfeR[fh,ìfšfwfif<ftf@fcf<,ìfšftf@fCf“fX,ªXV,³,ê,Û,·B

Record,àŽQÆ

ShowPreviewWindow

,±,lf□\fbfh,É,æ,è□AflfŠfWfif<ftf@fCf<,lfvfCEfrf...□lfEfBf“fhfE,afAfvfŠfP□lfvf#f“ftfCE□lf€“à,É•\
Ž!,³,ê,Û,·□B

Record,àŽQ□Æ

OptimizeThumbnail

,±, ìf[]\fbfh,É,æ,è[]AƒŒfR[]fh, ìTf€flfCf<,â'N-¾,É,È,è,Û,·[]B

Record,àŽQ[]Æ

PasteThumbnail

,±,ìf∧fbfh,É,æ,èAfÆfR[fh,ìTf€flfCf<,³fNfŠfbfvf{[fh,©,çfrfbfgf}fbfv,É'u,«Š·,í,è,Û,·B

Record,àŽQÆ

RotateThumbnailByDegrees as Long

,±,lf\fbfh,É,æ,èAftf€fjfCf<,Žw'è,ìŠp"x,É%ñ"]³,ê,Û,·Bfpf
%of[f^,íA90,ì"{"",Å,É,¯,ê,î,È,è,Û,¹,ňB

Record,àŽQÆ

Select

, ±, ìf□\fbfh, É, æ, è□AfœfR□[fh, ðfj^f□fO, record selection, É'Ç%Á,³, ê, Ü, ·□B

Record, àŽQ□Æ

ShowPropertiesWindow

,±,ìf\fbfh,É,æ,èAfR[fh,ìvffpfefBfEbf“fhfE,ª•\Ž!,³,ê,Ü,·B

Record,àŽQÆ

Update [Always as Boolean]

, ±, ìf \fbfh, É, æ, èA •K—v, É%ž, ¶, ÄfCEfR [fh, aXV, ³, ê, Ü, ·BfjvfVf+f“fpf
%f [f^"Always", ð"True", ÉÝ'è, ·, é, ÆAí, ÉXV, a s, í, ê, Ü, ·B

Record, àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Record,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]Records,lfRf[]fNfVf+f[]",đ•Ô,μ,Ü,·[]B

Record,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfCEfR[]fh,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Record,àŽQ[]Æ

Add:flfufWfFfNfg

,±,lf∧fbfh,É,æ,èAïŽå,ÉfefXfg—
p,Éj<ó,lfEfRlfh,^aV<Kì→,³,êAV<Kì→,³,ê,^{1/2}recordflfufWfFfNfg,^a•Ô,³,ê,Û,·B

Record,àŽQÆ

AddCopy iRecord as Object j

, ±, ìf Ñfbfh, É, æ, è A • Ê, ìj f ^ f f O, ©, ç, ±
, ìj f ^ f f O, Ö f Æ f R Ñ f h, ð f R f s Ñ [, ³, ê A V < K Ñ Ñ ¬, ³, ê, ½ record f l f u f W f F f N f g, ª • Ô, ³, ê, Ü, · B

Record, à Ž Q Ñ Æ

Item (Index as Long / Name as String) as Object

, ±, ìvf[]pfefB, Å, í[]AfCf“fffNfX, Ü, ½, í-¼‘O, đŽw’è, ·, é, ±, Æ, ÅRfCEfNfVf†f“, ìrecord, đ•Ô, ·, ±, Æ, ð, Å, «, Ü, ·[]B, ±, ê, ìfftfHf<fg, ìvf[]pfefB, Å, ·[]B

Record, àŽQ[]Æ

ItemByID as Long

, ±, ì, v, f, p, f, e, f, B, Å, í, Record, ð, f, R, f, h, ID, •, Ê, É, Ç, Ý, o, µ, Å, «, Ü, ·, B

Record, à, Ž, Q, Æ

Remove Index as Long / Name as String

fCf“fffNfX,Ü,½,Í-¼‘O,đŽw’è,·,é,±
,Æ,Å Record,^ff^fO,©,çíœ,³,ê,Û,·B·j” ,lfEfR[fh,đŽw,·-¼‘O,đŽw’è,³,ê,Ä,ç,éê#AÅ
%o,lfEfR[fh,¾, ,^íœ,³,ê,Û,·B

Record,àŽQÆ

Export*i*ToPathName as String*j*

Export,É,æ,èA,·,x,Ä,lfCFR[fhî•ñ,ª',«o,³,ê,Û,·B',«o,µftf@fCf<,ª'¶Ý,µ,È,çê‡,ÍAì¬,³,ê,Û,·B

Record,àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

SelectedCategories,àŽQ[]Æ

Count:Long

,±, ìfvf[]pfefB, Å, í[]ACumulusfjf^f[]fO“à, ì' ðfjfeSfS, ì[][]A, Ü, ½, í1f[]R[]fh“à, É“o~^, ³, ê, Ä, ç
, éfjfeSfS[]”, ð•Ô, µ, Û, ·[]B

SelectedCategories, àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□A'I'ðjffefSfŠ,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

SelectedCategories,àŽQ□Æ

Add Category as Object

, ±, ìf Ñfbfh, É, æ, è ÑAjjf^f ÑfO, ìjjfefSfŠ' l' ð Ñ€-Ú, Ü, ½, íf ÑEfr Ñfh, ìjjfefSfŠftfB Ñfh, ÉjjfefSfŠ, a' Ç
%oÁ, ³, ê ÑAcategoryf ÑfufWfFfNfg, a•Ö, ³, ê, Ü, . ÑB

SelectedCategories, àŽQ ÑÆ

Item (Index as Long / Name as String) as Object

,±, ìfvf[]fpfefB, Å, ÌfCf“fffNfX, Ü, ½, Í-¼‘O, ðŽw’è, ·, é, ±, Æ, Å[]A‘I’ð, μ, ½category, ð•Ô, ·, ±, Æ, ð, Å, «, Ü, ·[]B, ±, ê, ÌffftfHfçfg, ìfvf[]fpfefB, Å, ·[]B

SelectedCategories, àŽQ[]Æ

ItemByID (ID as Long) as Object

,±,lfvf□fpfefB,Å,í□A'I'δ,μ,½category,ðffjefSfŠID•Ê,É•Ô,μ,Ü,·□B

SelectedCategories,àŽQ□Æ

Remove [i]Index as Long / Name as String [j]

fCf“fffNfX,Ü,½,Í-¼‘O,ðŽw’è,·,é,±,Æ,Å□Aflf^f□fO,ìjffefSfŠ‘l’ð□€-
Ú,Ü,½,ÍfÆfR□[fh,©,çj]fefSfŠ,ª□í□œ,³,ê,Ü,·□B

SelectedCategories,àŽQ□Æ

RemoveByID as Long

,±,ìf\fbfh,É,æ,èAfjf^fO,ìjfeSfŠ'ì'ð€-
Ú,Û,½,íCfR[fh,©,çAfjfeSfŠ,³jfeSfSID•É,Éíœ,³,ê,Û,·B

SelectedCategories,àŽQÆ

Export iPath as string

Export, É, æ, è ACumulusff^ffO, ì' ðffefSfŠ, Ü, ½, ÍfCEfR[fh, É“o~^, µ, ½ffefSfŠ, ¢, «o, ³, ê, Ü, ·B
, «o, µftf@fCf<, ¢, ¶, µ, É, ¢ê†, ÍAì¬, ³, ê, Ü, ·B

SelectedCategories, àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

SelectedRecords,àŽQ[]Æ

Count:Long

,±,ìfvf□fpfefB,Å,íACumulusfjf^f□fO“à,ì'í'ðfÆfR□[fh,ì□”,ð•Ô,μ,Û,·□B

SelectedRecords,àŽQ□Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]A'I'ðfÆfR[]fh,ì[]eflfufWfFfNfg,ð•Ô,μ,Û,·[]B

SelectedRecords,àŽQ[]Æ

Add Record as Object

, ±, ìf Ñfbfh, É, æ, è ÑAjjf^f ÑfO, ìf ÑEfr Ñfh'í' ð Ñ€-Ú, Éf ÑEfr Ñfh, ã' Ç
%oÁ, ã, ê ÑArecordf ÑfufWfFfNfg, ã•Ô, ã, ê, Û, · ÑB

SelectedRecords, àŽQ ÑÆ

Item (Index as Long / Name as String) as Object

fCf“fffNfX,Ü,½,Í-¼‘O,đŽw’è,·,é,±,Æ,Å□A‘đ,μ,½record,đ•Ô,·,±,Æ,ª,Å,«,Ü,·□B,±
.ê,łffftfHf<fg,łfvf□fpfefB,Å,·□B

SelectedRecords,àŽQ□Æ

ItemByID (ID as Long) as Object

,±,lfvf[]fpfefB,Å,í[]A'I'δ,μ,½record,đfĈEfR[]fhID•Ê,É•Ô,μ,Û,·[]B

SelectedRecords,àŽQ[]Æ

Remove Index as Long / Name as String

, ±, ìf\fbfh, É, æ, èfCf"fffNfX, Ü, ½, Í-¼'O, ðŽw'è, ·, é, ±, Æ, ÅAjjf^fO, ìfCFR[fh'l'ð€-
Ú, ©, çfCFR[fh, ðiœ, ³, ê, Ü, ·B•j", ìfCFR[fh, ðŽw, ·-¼'O, ðŽw'è, ³, ê, Å, ç, éê±AÅ%
, ìfCFR[fh, ¾, ·, ð'l'ð%ðœ, ³, ê, Ü, ·B

SelectedRecords, àŽQÆ

RemoveByID as Long

,±,lf^fbfh,É,æ,èAfff^fO,lfR[fh'í'ð€-Ú,©,cfR[fhID•Ê,ÉfR[fh,³íœ,³,ê,Ü,·B

SelectedRecords,àŽQÆ

Export `iToPathName` as String `j`

Export,É,æ,è A' l' ð,³,ê,½,·,×,Ä,ìfŒfR[fh,ìfŒfR[fhî•ñ,ª'«o,³,ê,Ü,·B',«o,µftf@fCf<,ª'¶Ÿ,
µ,É,çê†,íAî¬,³,ê,Ü,·B

SelectedRecords,àŽQÆ

Application:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·□B

Server,àŽQ□Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfT[]lfo,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Server,àŽQ[]Æ

IsAdministrator:fu

,±,lfvf[]fpfefB,Å,í[]Aft[]fo,Ö,ìCE»[]Ý,ì[]Ú'±,ªŠÇ—[]ŽÒ,É,æ,é[]Ú'±,©,Ç,κ,©,đ•Ô,μ,Û,·[]B

Server,àŽQ[]Æ

Name: • ¶Žš—ñ

,±, ìfvf[]fpfefB, Å, í[]AfT[][fo-¼, ð•Ô, µ, Ü, ·[]B

Server, àŽQ[]Æ

Catalogs:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfT[][fo,ìŠ],č,½catalogsfRfCEfNfVf+f“,đ•Ô,μ,Û,·[]B

Server,àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

ServerCatalog,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfT[]lfojff^f[]fO,ì[]eflfufWfFfNfg,đ•Ô,μ,Ü,·[]B

ServerCatalog,àŽQ[]Æ

Name: • ¶Žš—ñ

, ±, ìfvf□fpfefB, Å, í□AfŠf, □[fgjff^f□fO-¼, đ•Ô, μ, Ü, ·□B, ±, ê, ífftfHf<fg, ìlfufWfFfNfg, Å, ·□B

ServerCatalog, àŽQ□Æ

ID:Long

,±,ìfvf[]fpfefB,Å,í[]AfŠf,[]ifgff^f[]fO,ìID,ð•Ô,μ,Û,·[]B

ServerCatalog,àŽQ[]Æ

IsShared:fu

,±,lfvf[]pfeB,Å,í[]AfŠf,[]fgjff^f[]fO,ì<κ—L[]ó'Ô,δ•Ô,μ,Û,·[]B

ServerCatalog,àŽQ[]Æ

Open:flfufWfFfNfg

,±,ìf∧

fbfh,É,æ,èAFT[fo,Åšf,[fgjff^ffO,ªšj,©,êAšf,[fgjff^ffO,ìcatalogflfufWfFfNfg,ª•Ô,³,ê,Û,·
B

ServerCatalog,àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

ServerCatalog,àŽQ[]Æ

Count:Long

,±,lfvf□fpfefB,Å,í□AŠJ,č,½fŠf,□lfgfjf^f□fO,lfRfĀfNjVf†f“□”,đ•Ô,μ,Ü,·□B

ServerCatalog,àŽQ□Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfT[]lfojff^f[]fOfRfCEfNfVf#f“,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

ServerCatalog,àŽQ[]Æ

Add (Pathname as String [, WriteAccessPassword as String]) as Object

, ±, ìf□\fbfh, É, æ, è□AflfvfVf#f“, ì□', «□ž, Ý—
pfpfXf□□[fh, ðžg, Á, Ä□ASù'¶, ìjff^f□fO, ðfT□[fo, ìjff^f□fOfŠfXfg, É'Ç%oÁ, ·, é, ±, Æ, a, Å, «□Aserver
catalog, ð•Ô, µ, Û, ·□B

ServerCatalog, àžQ□Æ

Item (Index as Long / Name as String) as Object

, ±, ìfvf[]fpfefB, Å, ìfCf“fffNfX, Ü, ½, í-¼‘O, ðŽw’è, ·, é, ±, Æ, Å[]AfrfCEfNfVf†f“, ìserver
catalog, ð•Ô, µ, Ü, ·[]B, ±, ê, ìffftfHf<fg, ìfvf[]fpfefB, Å, ·[]B

ServerCatalog, àŽQ[]Æ

ItemByID (ID as Long) as Object

,±,lfvf[]fpfefB,Å,í[]AfRfCEfNfVf†f“,ìserver_catalog,đfjf^f[]fO,ìID•Ê,Ê•Ô,μ,Û,·[]B

ServerCatalog,àŽQ[]Æ

New (Pathname as String, [CatalogName as String]) as Object

,±,ìf□\fbfh,É,æ,è□Aft□[fo,Åjff^f□fO,ð□V<K□ì□¬,μ□A,»,ê,ðft□[fo,ìjff^f□fOfŠfXfg,É'Ç
%oÁ,μ□Aserver_catalog,ð•Ô,μ,Û,·□Bjff^f□fO-¼,í□É—ª%oÁ"\,Å□A,»,ì□é□#ftf@fCf<-
¼,ªffftfHf<fg,Æ,μ,ÅŽg—p,³,ê,Û,·□B

ServerCatalog, àŽQ□Æ

Remove Index as Long / Name as String

, ±, ìfvf[]fpfefB, Å, í[]AfCf“fffNfX, Ü, ½, í-¼‘O, ðŽw’è, ·, é, ±, Æ, Åserver
catalog, ³fRfÆfNfVf†f“, ©, ç[]í[]œ, ³, ê, Ü, ·[]B

ServerCatalog, àŽQ[]Æ

RemoveByID as Long

, ±, ìfvf[]fpfefB, Å, í[]Aserver_catalog , ^f[]fOID • Ê, ÉfRfCEfNfVf#f“, ©, ç[]í[]œ, ³, ê, Ü, ·[]B

ServerCatalog, àŽQ[]Æ

Restore (BackupPathName as String, PathName as String [, WriteAccessPassword as String]) as Object

,±,ìf□^
fbfh,É,æ,è□A^fj^f□fO,ìfofbfNfAfbfvftf@fCf<"BackupPathName",đ•œŠ^,³,¹□AflfvfVf†f“,ì□',«□ž,Ý—
pfpfXf□□[fh,đŽg,Á,ÁfT□[fo,É□V<Kfj^f□fO"PathName",đ□ì□¬,μ,Û,·□B,»,μ,Ä□A,»,é,đfT□[fo,ìj^f□f
OfŠfXfg,É'Ç%Á,μ□A,Û,½server_catalog,đ•Ô,μ,Û,·□B

ServerCatalog, àŽQ□Æ

Application:flfufWfFfNfg

,±,lfvf[]pfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

Status,àŽQ[]Æ

ID:Long

,±,lfvf[]fpfefB,Å,í[]AfXfe[][f^fX,ì"à•"ID,đ•Ô,μ,Û,·[]B

Status,àŽQ[]Æ

Name: • ¶Žš—ñ

, ±, ìfvf[]fpfefB, Å, í[]AfXfe[][f^fX-¼, ð•Ô, µ, Ü, ·[]B, ±, ê, íffftfHf<fg, ìfvf[]fpfefB, Å, ·[]B

Status, àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfXfe[]f^fX,ì[]eflfufWfFfNfg,δ•Ô,μ,Û,·[]B

Status,àŽQ[]Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

StatusList,àŽQ[]Æ

Count:Long

,±,ìfvf[]pfeB,Å,í[]Afff^f[]fO,ìfXfe[]f^fX[]",đ•Ô,μ,Û,·[]B

StatusList,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]AfXfe[]f^fXfŠfXfg,ì[]eflfufWfFfNfg,đ•Ô,μ,Û,·[]B

StatusList,àŽQ[]Æ

Add (Name as String, AsIndex as Long) as Object

,±,ìf∖fbfh,É,æ,èA“Á'è,ì-
¼'O,ÆfCf“fffNfX,đŽg,Á,ÄAfXfe[f^fX,đjff^fO,ìfXfe[f^fXfŠfXfg,É'}“ü,μAstatuslfufWfFfNfg
,đ•Ö,μ,Ü,·B

StatusList,àŽQÆ

Item (Index as Long / Name as String) as Object

,±,lfvf[]pfefB,Å,lfCf“fffNfX,Ü,½,í-¼‘O,đŽw’è,·,é,±,Æ,Å[]Astatus,đ•Ô,·,±,Æ,^a,Å,«,Ü,·[]B,±
,ê,lfjftfHf<fg,lfvf[]pfefB,Å,·[]B

StatusList,àŽQ[]Æ

ItemByID (ID as Long) as Object

,±,ìfvf[]fpfefB,Å,í[]Astatus,ðfXfe[][f^fXID•Ê,É•Ô,μ,Û,·[]B

StatusList,àŽQ[]Æ

Remove [i]Index as Long / Name as String [j]

fCf“fffNfX,Ü,½,Í-¼‘O,ðŽw’è,·,é,±,Æ,Å [Astatus,ðfj^f fO,lfXfe [f^fXfŠfXfg,©,çíœ,Å,«,Ü,·B

StatusList,àŽQÆ

RemoveById **Long**, **Å**, **ID**

, ±, ìf\fbfh, É, æ, è Astatus, ðfXfe[f^fXID•É, Éjff^fO, ìfXfe[f^fXfŠfXfg, ©, çíœ, Å, «, Ü, ·B

StatusList, àŽQÆ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

SubCategories,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]AfRfCEfNfVf‡f""à,lfTfu]j]fefSfŠ[]",đ•Ô,μ,Û,·[]B

SubCategories,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AftfufjJfefSfŠ,ì□eflfufWfFfNfg,đ•Ô,μ,Û,·□B

SubCategories,àŽQ□Æ

Add:flfufWfFfNfg

,±,ìf∧fbfh,É,æ,èAffftfHf<fg,ìjffefSfŠ-¼,đŽg,Á,ÄA∇<KffjefSfŠ,đTfufjffefSfŠRfĀfNfVf†“,É’Ç
%oÁ,μAcategoryflfufWfFfNfg,đ•Ö,μ,Û,·B

SubCategories,àŽQÆ

AddCopy (Category as Object) as Object

,±,ìf□^

fbfh,É,æ,è□AftfufjfeSfŠ,ÆflfŠfWfif;fjfeSfŠ,ðšÜ,p,·,×,Ä,ìjfeSfŠ,ðTfufjfeSfŠRfÇfNfVf#f“,ÉfRf
s□[,μ□AcategoryfjfufWfFfNfg,ð•Ó,μ,Û,·□B

SubCategories,àžQ□Æ

Item (Index as Long / Name as String) as Object

,±,lfvf[]pfefB,Å,lfCf“fffNfX,Ü,½,í-¼‘O,đŽw’è,·,é,±,Æ,Å[]Acategory,đ•Ô,·,±,Æ,^a,Å,«,Ü,·[]B,±
,ê,lfjftfHf<fg,lfvf[]pfefB,Å,·[]B

SubCategories,àŽQ[]Æ

Remove [i]Index as Long / Name as String [j]

, ±, ìf [^]fbfh, É, æ, èfCf" fffNfX, Ü, ½, Í-¼ 'O, ðŽw'è, ·, é, ±
, Æ, Å [Acategory, ðffjefSfŠfRfCfNfVf†f", ©, ç [í [œ, Å, «, Ü, · [B

SubCategories, àŽQ [Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

UserPermission,àŽQ[]Æ

CanDeleteRecords:fu

,±,ìfvf[]pfeB,Å,í[]Aft[]fU,³ff^f[]fO“à,ìfCEfR[]fh,ìí[]œ,ð<-%%Å,³,ê,Ä,ç,é,©,Ç,æ
,©,ì•Ô'l,Ü,½,í[]Ý'è,ª,Å,<,Ü,·[]B

UserPermission,àŽQ[]Æ

CanModifyCategories:fu

,±,ìfvf[]fpfefB,Å,í[]Aft[][fU,ªffj^f[]fOjŠfXfg,ì[]C[]³[]ifjfefSfŠ,ì'Ç%oÁ[]A•ï[]X[]A,Û,½,í[]í[]œ[]j,ð<-
%oÁ,³,ê,Ä,ç,é,©,Ç,æ,©,ì•Ó'l,Û,½,í[]Y'e,ª,Å,«,Û,·[]B

UserPermission,àŽQ[]Æ

CanModifyRecords:fu

,±,ìfvf[]pfeB,Å,í[]Aft[]fU,³fCEfR[]fh,ì[]C³,ð<-%oÂ,³,ê,Ä,ç,é,©,Ç,¤
,©,ì•Ô'l,Ü,½,í[]Ý'è,³,Å,«,Ü,·[]B

UserPermission,àŽQ[]Æ

CanModifyStatus:fu

,±,ìfvf[]fpfefB,Å,í[]Aft[][fU,³fXfe[][f^fX,ì'Ç%oÁ[]A•ï[]X[]A,Ü,½,í[]í[]œ,É,æ,èstatus list,ð[]C[]³,·,é,±,Æ,³<-%oÁ,³,ê,Ä,ç,é,©,Ç,æ,©,ì•Ó'l,Ü,½,í[]Ý'è,³,Å,«,Ü,·[]B

UserPermission,àŽQ[]Æ

CanOpenCatalog:fu[f<

,±,ìfvf[]fpfefB,Å,í[]Aft[][fU,^acatalog,đŠJ,,±,Æ,^a<-%%oÂ,³,ê,Ä,ç,é,©,Ç,æ
,©,í•Ô'l,Ü,½,í[]Ý'è,^a,Å,<,Ü,·[]B

UserPermission,àŽQ[]Æ

Name: • ¶Žš—ñ

, ±, ìfvf[]fpfefB, Å, í[]Auser_permission(ft[][fUfAfNfZfXCE_), ìft[][fU-¼, ì•Ô'I, Ü, ½, í[]Ý'è, ¢, Å, «, Ü, ·[]B

UserPermission, àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfAfNfZfXCE ,l□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

UserPermission,àŽQ□Æ

Application:flfufWfFfNfg

,±,lfvf[]fpfefB,Å,í[]ApplicationflfufWfFfNfg,đ•Ô,μ,Û,·[]B

UserPermission,àŽQ[]Æ

Count:Long

,±,lfvf[]fpfefB,Å,í[]Auser_permissions”,đ•Ô,μ,Û,·[]B

UserPermission,àŽQ[]Æ

Parent:flfufWfFfNfg

,±,lfvf□fpfefB,Å,í□AfAfNfZfXCE ,l□eflfufWfFfNfg,đ•Ô,μ,Ü,·□B

UserPermission,àŽQ□Æ

Add (Name as String) as Object

,±,ìf□\fbfh,É,æ,è□A“Á’è,ì-¼’O,đŽg,Á,Ä□V<KfAfNfZfXCE ,đfAfNfZfXCE fRfCEfNfVf#f“,É’Ç
%oÁ,μ□Auser_permissionfufWfFfNfg,đ•Ô,μ,Ü,·□B

UserPermission,àŽQ□Æ

Item (Index as Long / Name as String) as Object

,±,lfvf[]fpfefB,Å,í[]Auser_permission,đfCf"fffNfX•Ê,Û,½,Í-¼'O•Ê,É•Ô,μ,Û,·[]B

UserPermission,àŽQ[]Æ

Remove (Index as Long / Name as String)

fCf“fffNfX,Ü,½,Í-¼‘O,ðŽw’è,·,é,±,Æ,Å□Auser
permission,ðfAfNfZfXCE □EfrfCEfNfVf†f“,©,ç□í□œ,·,é,±,Æ,ª,Å,«,Ü,·□B

UserPermission,àŽQ□Æ

ColorModeConstants

,±,ê,ç,ì'è",íAƒƒEƒR[h,ì%œ'œf,[fh,ð•\,μ,Û,·B

ŽŸ,ì'l,ðŸ'è,Å,<,Û,·B

f%ƒCƒ"ƒA[fƒ = 0,
fOfƒƒ[fXƒP[fX = 1
fJf%ƒƒ[= 2

Application Object

CumulusfAfvfŠfP[fVf†f“fIfufWfFfNfg,É,ÍŽŸ,ì,à,ì,ª, ,è,Ü,·□B

[Application](#)
[CatalogingOptions](#)
[Catalogs](#)
[ConnectToServer](#)
[FrontCatalog](#)
[Fullname](#)
[Name](#)
[Parent](#)
[Preferences](#)
[RestoreCatalog](#)
[Visible](#)
[Quit](#)

[Overview,àŽQ□Æ](#)

Catalog Object

ffj^f fOfifufWfFfNfg,đŽg,Á,ÄAŠJ,č,½Cumulusffj^f fO,ÉfAfNfZfX,Å,«,Ü,·B

AllowSharing
Application
Backup
CanDeleteRecords
CanModifyCategories
CanModifyRecords
CanModifyStatus
Catalog
CatalogServer
Categories
CategoriesVisible
CategoryTree
CollectionFolder
CollectionFolderUsage
Compress
DiskSpaceAvailable
Find
FlushLogConstantly
FullName
HasPassword
ImportCategories
ImportRecords
IsRemoteCatalog
KeepCategoryNamesUnique
KeepDeleted
LogEntries
LogFile
Logging
LogLength
MemoryAvailable
MemoryFree
MemoryRecommended
MemoryRequired
Name
NativeThumbnailSize
Parent
PublishToWWW
Query
Rebuild
RecoverDeletedRecords
Records
RecordsDeleted
RestrictedPermissions
SaveLogToFile
ShowAllRecords
SelectedCategories
SelectedRecords
SortDirection
Sorting
StatusList

UpdateCatalogImmediately

UserPermission

View

Overview, àŽQ□Æ

Catalogs Collection

ffj^fOjRfŒfNfVf‡f“,ÍAfj^fOfIfufWfFfNfg,đŠÜ,bfRfŒfNfVf‡f“,Å,·B

[Add](#)

[Application](#)

[Count](#)

[Item](#)

[New](#)

[Parent](#)

[Remove](#)

[Overview](#),àŽQÆ

Record Object

fCEfR□[fhfIfufWfFfNfg,í□Ajjf^f□fO“à,ì1,Â,ìfCEfR□[fh,ð•\ ,μ□A1,Â,ìfCEfR□[fhf□f“fo,Ö,ìfAfNfZfX,ª,Å,«,Ü,·□B

[Application](#)

[Asset](#)

[AssetCreationDate](#)

[AssetDataSize](#)

[AssetModificationDate](#)

[AssetReference](#)

[AssetRsrcSize](#)

[AssetSize](#)

[Categories](#)

[ColorMode](#)

[CopyAsset](#)

[CopyThumbnail](#)

[Delete](#)

[Deletable](#)

[Deselect](#)

[Export](#)

[FileFormat](#)

[Height](#)

[HorizontalResolution](#)

[ID](#)

[MacCreator](#)

[MacFileType](#)

[Modifiable](#)

[MoveAsset](#)

[Name](#)

[Notes](#)

[OptimizeThumbnail](#)

[Parent](#)

[PasteThumbnail](#)

[RecordCreationDate](#)

[RecordModificationDate](#)

[RotateThumbnail](#)

[Select](#)

[ShowPreviewWindow](#)

[ShowPropertiesWindow](#)

[Software](#)

[Status](#)

[TypeSpecific](#)

[Update](#)

[UpdateAssetReference](#)

[User](#)

[VerticalResolution](#)

[Width](#)

[Overview](#), àŽQ□Æ

Records Collection

fCefR[]fhfRfCefNfVf#f“, íAfCefR[]fhfIfufGfWfFfNfg,đŠÜ,bfRfCefNfVf#f“,Å,·B

[Add](#)

[AddCopy](#)

[Application](#)

[Count](#)

[Export](#)

[Item](#)

[ItemByID](#)

[Parent](#)

[Remove](#)

[RemoveByID](#)

[Overview](#),àŽQÆ

Server Object

fT[]f oflfufWfFfNfg,É,æ,è[]AfŠf,[]f g f T []f o,É[]Ú'±,μ,Ä[]A,»,ê,ðŠÇ—[],",æ,ŃŽg—p,·,é,±,Æ,â,Å,«,Ü,·[]B

Application

Catalogs

IsAdministrator

Name

Parent

Overview,àŽQ[]Æ

ServerCatalog Object

fT[]f ofjf^f[]fOfIfufWfFfNfg,É,æ,è[]AŠJ,č,½fŠf,[]f[]f[]f^f[]fO,ÉfAfNfZfX,Å,«,Ü,·[]B

Application

ID

IsShared

Name

Open

Parent

Overview,àŽQ[]Æ

ServerCatalogs Collection

fT[]f[]ofj[]f^f[]f[]OfR[]f[]C[]E[]f[]N[]f[]V[]f[]#[]f[]",í[]A[]f[]T[]f[]ofj[]f^f[]f[]OfI[]f[]u[]f[]W[]f[]F[]f[]N[]f[]g,ðŠÜ,þfR[]f[]C[]E[]f[]N[]f[]V[]f[]#[]f[]",Å,·[]B

[Add](#)

[Application](#)

[Count](#)

[Item](#)

[ItemByID](#)

[New](#)

[Parent](#)

[Remove](#)

[RemoveByID](#)

[Restore](#)

[Overview](#), àŽQ[]Æ

SelectedRecords Collection

'l'ðfCEfR[]fhfRfCEfNfVf+f", í[]Afff^f[]fO, ì'l'ð,³,ê,^½fCEfR[]fh,ðŠÜ,bfRfCEfNfVf+f",.Å,.[]B

[Add](#)

[Application](#)

[Count](#)

[Export](#)

[Item](#)

[ItemByID](#)

[Parent](#)

[Remove](#)

[RemoveByID](#)

[Overview](#), àŽQ[]Æ

Categories Collection

fjfeSfŠfRfCefNfVf#f“, íAjjf^fO, fjfeSfŠ, ð-¼‘O•Ê, Ê\

[fg, ³, ê, ½fŠfXfg, Æ, µ, ĀŠŪ, pfRfCefNfVf#f“, Ā, ·B

[Add](#)

[AddCopy](#)

[Application](#)

[Count](#)

[Export](#)

[Item](#)

[ItemByID](#)

[Parent](#)

[Remove](#)

[Overview](#), àŽQÆ

Category Object

ffjefSfŠfIfufWfFfNfg,É,æ,èACumulusff^fO“à,ì1,Â,ffjefSfŠ,ÉfAfNfZfX,Å,«,Ü,·B

[Application](#)

[Collapsed](#)

[Directory](#)

[Export](#)

[ID](#)

[Level](#)

[Name](#)

[Original](#)

[Parent](#)

[ParentCategory](#)

[SubCategories](#)

[Type](#)

[Overview](#),àŽQÆ

SubCategories Collection

fTfufjJfefSfŠfRfĀfNfVf+f“, íAjjfefSfŠ, ìTfufjJfefSfŠ, ðŠÜ, bRfĀfNfVf+f“, Å, ·B

[Add](#)

[AddCopy](#)

[Application](#)

[Count](#)

[Item](#)

[Parent](#)

[Remove](#)

[Overview](#), àŽQÆ

SelectedCategories Collection

'l'ðffjefSfSfRfCEfNfVf+f",íAjjf^fO,ìffjefSfS'l'ð€-
Ú,Ú,½,ífCEfR[fh,É"o~^,³,ê,½ffjefSfS,ðSÚ,pfRfCEfNfVf+f",Å,·B

[Add](#)

[Application](#)

[Count](#)

[Export](#)

[Item](#)

[ItemByID](#)

[Parent](#)

[Remove](#)

[RemoveByID](#)

[Overview](#),àŽQÆ

StatusList Object

fXfe[]lf^fXfŠfXfgfJfufWfFfNfg,É,æ,èACumulusjff^f[]fO,lfXfe[]lf^fXfŠfXfg,ÉfAfNfZfX,Å,«,Ü,·B.

[Add](#)

[Application](#)

[Count](#)

[Item](#)

[ItemByID](#)

[Parent](#)

[Remove](#)

[RemoveByID](#)

[Overview](#),àŽQÆ

AssetReferences Collection

fŠftf@fCF“fXfRfCFNfVf#f“, íA, ,éfCFR[fh,lfŠftf@fCF“fX,ªAWindows,“,æ,ÑMacintosh—¼•û,ì\Z!CE`Z® ,ðZ,Á,Ä,ç,éê#A,Ç,ç,©1,Á,É,¾, ft[fU,ªfAfNfZfX,Å,« ,é,æ,ª,É,µ,Ü,·B

Application

Count

Item

Parent

Update

Overview, àŽQÆ

AssetReference Object

f\$ftf@fCf“fXflfufWfFfNfg,íA“Á'è,ìvf%ofbfgftfH[f€,ì\$ftf@fCf“fX,É,ì,ÝfAfNfZfX,Å,«,é,æ,π,É,μ,Û,·B

Application

Parent

Text

Type

Overview,àŽQÆ

CatalogingOptions Object

ƒƒf^fƒfOƒEƒfƒvƒVƒfƒ“ƒfƒuƒWƒFƒNƒg,É,æ,èƒACumulus,ƒƒfƒ^fƒfOƒEƒfƒvƒVƒfƒ“,ÉfAfNfZfX,Å,<,Ü,·ƒB

[AddDuplicateAssets](#)

[Application](#)

[CatalogingAction](#)

[Categories](#)

[ColorThumbnailQuality](#)

[CopyAssetToCollectionFolder](#)

[CountAssetsForProgress](#)

[ExcludeDamagedAssets](#)

[ExcludeAssets](#)

[FileFormatTable](#)

[GrayscaleThumbnailQuality](#)

[IncludeCategoriesFromAsset](#)

[IncludeFolderNamesAsCategories](#)

[IncludeNotesFromAsset](#)

[LinearThumbnailQuality](#)

[Notes](#)

[OpenPropertyWindow](#)

[OptimizeThumbnailAutomatically](#)

[Parent](#)

[ResolveShortcuts](#)

[Status](#)

[ThumbnailSource](#)

[User](#)

[Overview, àŽQÆ](#)

Preferences

fAfvfŠfP[]fVf#f“[]Ý’èfIfufWfFfNfg,É,æ,è[]ACumulus,lfAfvfŠfP[]fVf#f“[]Ý’è,ðfAfNfZfX,Å,«,Ü,·[]B

[Application](#)

[ManualPreviewSize](#)

[OpenAtStartup](#)

[OpenCatalogView](#)

[Parent](#)

[PathMapping](#)

[PreviewSize](#)

[ResolveRelatedCategories](#)

[SearchAllSelectedCategories](#)

[SearchForCategoriesAbove](#)

[SearchForCategoriesBelow](#)

[ShowTooltips](#)

[ShowWarnings](#)

[ThumbnailSimilarityThreshold](#)

[Units](#)

[UseGrid](#)

[UsePathMapping](#)

[WindowToOpenOnDoubleClick](#)

[Overview,àŽQ\[\]Æ](#)

Status Object

fXfe[]f^fXfjfufWfFfNfg,É,æ,è[]Afff^f[]fO“à,lfXfe[]f^fXfŠfXfg,lfXfe[]f^fXftfB[]f<fh,ì1,Â,lfXfe[]f^fX-¼,ÉfAfNfZfX,Å,«,Ü,·[]B

Application

ID

Name

Parent

Overview,àŽQ[]Æ

UserPermission Object

fAfNfZfXCE flfufWfFfNfg,É,æ,èAfff^fO,ìufAfNfZfXCE ,ìÝ'èvfIfvfVf#f",ì1,Â,ÉfAfNfZfX,Å,«,Ü,·
B

Application

CanDeleteRecords

CanModifyCategories

CanModifyRecords

CanModifyStatus

CanOpenCatalog

Name

Parent

Overview,àŽQÆ

UserPermissions Collection

fAfNfZfXCE fRfCEfNfVf+f“,É,æ,è□Afjf^f□fO,lfAfNfZfXCE ,ÉfAfNfZfX,Å,«,Ü,·□B

[Add](#)

[Application](#)

[Count](#)

[Item](#)

[Parent](#)

[Remove](#)

[Overview](#),àŽQ□Æ

FileFormatEntry Object

ftf@fCf<CE`Ž®Žw'èlfufWfFfNfg,É,æ,èA'P^è,̀ftf@fCf·CE`Ž®Žw'è,ÉfAfNfZfX,Å,«,Ü,·B

[Application](#)
[DefaultBitmap](#)
[Extension](#)
[FileFormat](#)
[IsActive](#)
[Name](#)
[Parent](#)

[Overview](#),àŽQÆ

FileFormatTablefRfCEfNfVf#f“

FileFormatTablefRfCEfNfVf#f“,É,æ,è□A•i□”,lftf@fCf<CE`Ž®Žw'è,ÉfAfNfZfX,Å,«,Ü,·□B

[Add](#)

[Application](#)

[Count](#)

[Item](#)

[Parent](#)

[Remove](#)

[Overview](#),àŽQ□Æ

LogEntryIfufWfFfNfg

LogEntryIfufWfFfNfg,É,æ,è□A'P^è,ìf□fO“ü—Í,ÉfAfNfZfX,Å,«,Ü,·□B

Action

Application

Date

Name

Object

Parent

Overview,àŽQ□Æ

LogEntriesfRfCEfNfVf#f“

LogEntriesfRfCEfNfVf#f“,É,æ,è□Afff^ffO,ì•;□”,ìffO“ü—Í,ÉfAfNfZfX,Å,«,Ü,·□B

[Application](#)

[Clear](#)

[Count](#)

[Item](#)

[Parent](#)

[Save](#)

[Overview](#),àŽQ□Æ

PathMappingIfufWfFfNfg

PathMappingIfufWfFfNfg,É,æ,è□A'P^ê,ìjpfXf}fbfsf“fO“ü—Í,ÉfAfNfZfX,Å,«,Ü,·□B

[Application](#)

[FromPath](#)

[Parent](#)

[ToPath](#)

[Overview](#), àŽQ□Æ

PathMappingsfRfCEfNfVf#f“

PathMappingsfRfCEfNfVf#f“,É,æ,è□AfAvfŠfP□[fVf#f“,lfpfXf}fbfsf“fOf□[fuf<,ÉfAfNfZfX,Å,<,Ü,·□B

[Application](#)

[Count](#)

[Parent](#)

[Add](#)

[Item](#)

[Remove](#)

[Overview](#),àŽQ□Æ

CollectionFolderUsageConstants

,±,ê,ç,ìÿ'è'l,íA'CEÉftfHf<f_,lŽg—p•û-@,lf^fCfv,đ•\,μ,Û,·B

ŽŸ,ì'l,ªÿ'è,Å,«,Û,·B

í,ÉŽg—p = 0
fj^fO[]EflfvjVfj“,É[],x = 1
Žg—p,μ,É,ç = 2

SortDirectionConstants

, ±, ê, ç, ì, ý, è, 'l, í, ð, ñ, ò, ã, ö, ø, ù, ð, \, µ, ù, ·, ð, B

Ž, Ÿ, ì, 'l, ð, ñ, ò, ã, ö, ø, ù, ð, \, µ, ù, ·, ð, B

ð, ð, ð = 0
ð, ð, ð = 1

ViewConstants

,±,ê,ç,ì,ÿ'è'l,í,â,ÿ,ÿ^ÿ,ÿO,ì,ÿ!•û-@,ð,ÿ,µ,ÿ,ÿB

ŽŸ,ì'l,â,ÿ'è,À,«,ÿ,ÿB

fšfXfgE`Ž®,À,ÿ! = 0

fTf€flfCf<ÿ-,À,ÿ! = 1

fTf€flfCf<'t,À,ÿ! = 2

fTf€flfCf<'â,À,ÿ! = 3

ŠÇ—ÿŽOf,ÿfh,À,ÿ! = 4

ThumbnailQualityConstants

,±,ê,ç,ì¸Ý'è'l,í¸A¸i¸¸¬,·,éftj€flfCf<,ì•iŽ¿,đ•\,μ,Û,·¸B

ŽŸ,ì'l,ª¸Ý'è,Å,«,Û,·¸B

- W¸€ = 0
- ¸,•i^Ê = 1

ThumbnailSourceConstants

,±,ê,ç,ìÿ'è'l,íA□□□,³,ê,éTf€flfCf<,ìŠó-],ì^□[fX,ð•\,μ,Û,·□B

ŽŸ,ì'l,ª□ÿ'è,Å,«,Û,·□B

fìfŠfWfif<,ìTf€flfCf<,©,ç□□□ = 0
fCf□□[fW'S'ì,©,ç□□□ = 1

CatalogingActionConstants

,±,ê,ç,ìÿ'è'l,íAfff^ffOfvfffZfX,ÅŽg—p,³,ê,é^—,đ•\,μ,Û,·B

ŽŸ,ì'l,ªÿ'è,Å,«,Û,·B

'Ç%oÁ,ì,Ÿ = 0

'Ç%oÁ/ X V = 1

X V,ì,Ÿ = 2

CatalogViewConstants

,±,ê,ç,ìÿ'è'l,í□Afff^f□fO,ì<N“®Žž,ì•\Ž!f,□[fh,đ•\,μ,Û,·□B

ŽŸ,ì'l,ª□ÿ'è,Å,«,Û,·□B

ŠÇ—□ŽÒf,□[fh = 0

fTf€flfCf<f,□[fh = 1

fefLjXfgf,□[fh = 2

•Å,¶,ç,ê,½,Æ,«,ì□ó'Ô = 3

PreviewSizeConstants

,±,ê,ç,ìÿ'è'l,í□AfvfĈfjf...□[fEfBf“fhfE,ìffftfHf<fgfTfCfY,đ•\,μ,Û,·□B

ŽŸ,ì'l,ª□ÿ'è,Å,«,Û,·□B

f|fŠfWfif<fTfCfY = 0

□Å'âfTfCfY = 1

f}fjf...fAf<fTfCfY = 2

UnitConstants

,±,ê,ç,ìÿ'è'l,íA•Ž|'P^Ê,ð•\,μ,Û,·B

Žÿ,ì'l,ªÿ'è%oÂ"\,Â,·B

fCf"f`	= 0
fZf"f`f[]fgf<	= 1
f~fŠf[]fgf<	= 2
f fCf"f`fg	= 3
fsfNfZf<	= 4
fpfCfj	= 5

OpenOnDoubleClickConstants

,±,ê,ç,ì,ý'è'l,í,íA,íE,íR,í[fh,đj_fuf<fNfŠfbfN,·,é,ú,íA,ç,ìfE,íBf"fhfE,ªŠJ,,©,đŽ,í,μ,Ü,·,íB

ŽŸ,ì'l,ª,í,ý'è,Å,«,Ü,·,íB

fE,íR,í[fhfvf,ípfefBfE,íBf"fhfE = 0
fvfE,íRf...í[fE,íBf"fhfE = 1

