

**FunctionXREF**

**COLLABORATORS**

	<i>TITLE :</i> FunctionXREF		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		March 14, 2022	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

- 1 FunctionXREF 1**
- 1.1 2.0 Function Index . . . . . 1

# Chapter 1

## FunctionXREF

### 1.1 2.0 Function Index

--background--	(filesysres.resource)
--background--	(timer.device)
AbleICR ()	(cia.resource)
AbortIO ()	(audio.device)
AbortIO ()	(exec.library)
AbortIO ()	(narrator.device)
AbortIO ()	(serial.device)
AbortIO ()	(timer.device)
AbortPkt ()	(dos.library)
ActivateCxObj ()	(commodities.library)
ActivateGadget ()	(intuition.library)
ActivateWindow ()	(intuition.library)
ADCMD_ALLOCATE	(audio.device)
ADCMD_FINISH	(audio.device)
ADCMD_FREE	(audio.device)
ADCMD_LOCK	(audio.device)
ADCMD_PERVOL	(audio.device)
ADCMD_SETPREC	(audio.device)
ADCMD_WAITCYCLE	(audio.device)
AddAnimOb ()	(graphics.library)
AddAppIconA ()	(wb.library)
AddAppMenuItemA ()	(wb.library)
AddAppWindowA ()	(wb.library)
AddBob ()	(graphics.library)
AddBootNode ()	(expansion.library)
AddBuffers ()	(dos.library)
AddClass ()	(intuition.library)
AddConfigDev ()	(expansion.library)
AddDevice ()	(exec.library)
AddDosEntry ()	(dos.library)
AddDosNode ()	(expansion.library)
AddFont ()	(graphics.library)
AddFreeList ()	(icon.library)
AddGadget ()	(intuition.library)
AddGList ()	(intuition.library)
AddHead ()	(exec.library)
AddICRVector ()	(cia.resource)

---

AddIEvents ()	(commodities.library)
AddIntServer ()	(exec.library)
AddLibrary ()	(exec.library)
AddMemList ()	(exec.library)
AddPart ()	(dos.library)
AddPort ()	(exec.library)
AddResource ()	(exec.library)
AddSegment ()	(dos.library)
AddSemaphore ()	(exec.library)
AddTail ()	(exec.library)
AddTask ()	(exec.library)
AddTime ()	(timer.device)
AddTOF ()	(amiga_lib.library)
AddVSprite ()	(graphics.library)
afp ()	(amiga_lib.library)
Alert ()	(exec.library)
AllocAbs ()	(exec.library)
AllocAslRequest ()	(asl.library)
Allocate ()	(exec.library)
AllocateTagItems ()	(utility.library)
AllocConfigDev ()	(expansion.library)
AllocDosObject ()	(dos.library)
AllocEntry ()	(exec.library)
AllocExpansionMem ()	(expansion.library)
AllocFileRequest ()	(asl.library)
AllocIFF ()	(iffparse.library)
AllocLocalItem ()	(iffparse.library)
AllocMem ()	(exec.library)
AllocMiscResource ()	(misc.resource)
AllocPotBits ()	(potgo.resource)
AllocRaster ()	(graphics.library)
AllocRemember ()	(intuition.library)
AllocSignal ()	(exec.library)
AllocTrap ()	(exec.library)
AllocUnit ()	(disk.resource)
AllocVec ()	(exec.library)
Amiga2Date ()	(utility.library)
AndRectRegion ()	(graphics.library)
AndRegionRegion ()	(graphics.library)
Animate ()	(graphics.library)
AreaCircle ()	(graphics.library)
AreaDraw ()	(graphics.library)
AreaEllipse ()	(graphics.library)
AreaEnd ()	(graphics.library)
AreaMove ()	(graphics.library)
ArgArrayDone ()	(amiga_lib.library)
ArgArrayInit ()	(amiga_lib.library)
ArgInt ()	(amiga_lib.library)
ArgString ()	(amiga_lib.library)
arnd ()	(amiga_lib.library)
AskFont ()	(graphics.library)
AskKeyMapDefault ()	(keymap.library)
AskSoftStyle ()	(graphics.library)
AslRequest ()	(asl.library)
AssignAdd ()	(dos.library)
AssignLate ()	(dos.library)
AssignLock ()	(dos.library)

---

---

AssignPath ()	(dos.library)
AttachCxObj ()	(commodities.library)
AttemptLockDosList ()	(dos.library)
AttemptLockLayerRom ()	(graphics.library)
AttemptSemaphore ()	(exec.library)
AutoRequest ()	(intuition.library)
AvailFonts ()	(diskfont.library)
AvailMem ()	(exec.library)
BeginIO ()	(amiga_lib.library)
BeginIO ()	(audio.device)
BeginIO ()	(serial.device)
BeginRefresh ()	(intuition.library)
BeginUpdate ()	(layers.library)
BehindLayer ()	(layers.library)
BitMapScale ()	(graphics.library)
BltBitMap ()	(graphics.library)
BltBitMapRastPort ()	(graphics.library)
BltClear ()	(graphics.library)
BltMaskBitMapRastPort ()	(graphics.library)
BltPattern ()	(graphics.library)
BltTemplate ()	(graphics.library)
BuildEasyRequestArgs ()	(intuition.library)
BuildSysRequest ()	(intuition.library)
BumpRevision ()	(icon.library)
CacheClearE ()	(exec.library)
CacheClearU ()	(exec.library)
CacheControl ()	(exec.library)
CachePostDMA ()	(exec.library)
CachePreDMA ()	(exec.library)
CallHook ()	(amiga_lib.library)
CallHookA ()	(amiga_lib.library)
CallHookPkt ()	(utility.library)
Cause ()	(exec.library)
CBD_CHANGEHOOK	(clipboard.device)
CBD_CURRENTREADID	(clipboard.device)
CBD_CURRENTWRITEID	(clipboard.device)
CBD_POST	(clipboard.device)
CBump ()	(graphics.library)
CDInputHandler ()	(console.device)
CD_ASKDEFAULTKEYMAP	(console.device)
CD_ASKKEYMAP	(console.device)
CD_SETDEFAULTKEYMAP	(console.device)
CD_SETKEYMAP	(console.device)
CEND	(graphics.library)
ChangeMode ()	(dos.library)
ChangeSprite ()	(graphics.library)
ChangeWindowBox ()	(intuition.library)
CheckDate ()	(utility.library)
CheckIO ()	(exec.library)
CheckRexxMsg ()	(amiga_lib.library)
CheckSignal ()	(dos.library)
CINIT	(graphics.library)
ClearCxObjError ()	(commodities.library)
ClearDMRequest ()	(intuition.library)
ClearEOL ()	(graphics.library)

---

---

ClearMenuStrip()	(intuition.library)
ClearPointer()	(intuition.library)
ClearRectRegion()	(graphics.library)
ClearRegion()	(graphics.library)
ClearRexxMsg()	(rexsyslib.library)
ClearScreen()	(graphics.library)
Cli()	(dos.library)
CliInitNewcli()	(dos.library)
CliInitRun()	(dos.library)
ClipBlit()	(graphics.library)
CloneTagItems()	(utility.library)
Close()	(dos.library)
CloseClipboard()	(iffparse.library)
CloseDevice()	(audio.device)
CloseDevice()	(exec.library)
CloseDevice()	(narrator.device)
CloseDevice()	(serial.device)
CloseFont()	(graphics.library)
CloseIFF()	(iffparse.library)
CloseLibrary()	(exec.library)
CloseMonitor()	(graphics.library)
CloseScreen()	(intuition.library)
CloseWindow()	(intuition.library)
CloseWorkBench()	(intuition.library)
CMD_CLEAR	(audio.device)
CMD_CLEAR	(console.device)
CMD_CLEAR	(keyboard.device)
CMD_CLEAR	(parallel.device)
CMD_CLEAR	(serial.device)
CMD_CLEAR	(trackdisk.device)
CMD_FLUSH	(audio.device)
CMD_FLUSH	(narrator.device)
CMD_FLUSH	(parallel.device)
CMD_FLUSH	(printer.device)
CMD_FLUSH	(serial.device)
CMD_INVALID	(printer.device)
CMD_READ	(audio.device)
CMD_READ	(clipboard.device)
CMD_READ	(console.device)
CMD_READ	(narrator.device)
CMD_READ	(parallel.device)
CMD_READ	(serial.device)
CMD_READ	(trackdisk.device)
CMD_RESET	(audio.device)
CMD_RESET	(narrator.device)
CMD_RESET	(parallel.device)
CMD_RESET	(printer.device)
CMD_RESET	(serial.device)
CMD_START	(audio.device)
CMD_START	(narrator.device)
CMD_START	(parallel.device)
CMD_START	(printer.device)
CMD_START	(serial.device)
CMD_STOP	(audio.device)
CMD_STOP	(narrator.device)
CMD_STOP	(parallel.device)
CMD_STOP	(printer.device)

---

---

CMD_STOP	(serial.device)
CMD_UPDATE	(audio.device)
CMD_UPDATE	(clipboard.device)
CMD_UPDATE	(trackdisk.device)
CMD_WRITE	(audio.device)
CMD_WRITE	(clipboard.device)
CMD_WRITE	(console.device)
CMD_WRITE	(narrator.device)
CMD_WRITE	(parallel.device)
CMD_WRITE	(printer.device)
CMD_WRITE	(serial.device)
CMD_WRITE	(trackdisk.device)
CMOVE	(graphics.library)
CmpTime ()	(timer.device)
CoerceMethod ()	(amiga_lib.library)
CoerceMethodA ()	(amiga_lib.library)
ColdReboot ()	(exec.library)
CollectionChunk ()	(iffparse.library)
CollectionChunks ()	(iffparse.library)
CompareDates ()	(dos.library)
ConfigBoard ()	(expansion.library)
CopyMem ()	(exec.library)
CopyMemQuick ()	(exec.library)
CopySBitMap ()	(graphics.library)
CreateArgstring ()	(rexxsyslib.library)
CreateBehindHookLayer ()	(layers.library)
CreateBehindLayer ()	(layers.library)
CreateContext ()	(gadtools.library)
CreateCxObj ()	(commodities.library)
CreateDir ()	(dos.library)
CreateExtIO ()	(amiga_lib.library)
CreateGadgetA ()	(gadtools.library)
CreateIORequest ()	(exec.library)
CreateMenusA ()	(gadtools.library)
CreateMsgPort ()	(exec.library)
CreateNewProc ()	(dos.library)
CreatePort ()	(amiga_lib.library)
CreateProc ()	(dos.library)
CreateRexxMsg ()	(rexxsyslib.library)
CreateStdIO ()	(amiga_lib.library)
CreateTask ()	(amiga_lib.library)
CreateUpfrontHookLayer ()	(layers.library)
CreateUpfrontLayer ()	(layers.library)
CurrentChunk ()	(iffparse.library)
CurrentDir ()	(dos.library)
CurrentTime ()	(intuition.library)
CWAIT	(graphics.library)
CxBroker ()	(commodities.library)
CxCustom ()	(amiga_lib.library)
CxDebug ()	(amiga_lib.library)
CxFilter ()	(amiga_lib.library)
CxMsgData ()	(commodities.library)
CxMsgID ()	(commodities.library)
CxMsgType ()	(commodities.library)
CxObjError ()	(commodities.library)
CxObjType ()	(commodities.library)
CxSender ()	(amiga_lib.library)

---



---

CxSignal ()	(amiga_lib.library)
CxTranslate ()	(amiga_lib.library)
Date2Amiga ()	(utility.library)
DateStamp ()	(dos.library)
DateToStr ()	(dos.library)
dbf ()	(amiga_lib.library)
DDoFmt ()	(ddebug_lib.library)
Deallocate ()	(exec.library)
Debug ()	(exec.library)
Delay ()	(dos.library)
DeleteArgstring ()	(rexxsyslib.library)
DeleteCxObj ()	(commodities.library)
DeleteCxObjAll ()	(commodities.library)
DeleteDiskObject ()	(icon.library)
DeleteExtIO ()	(amiga_lib.library)
DeleteFile ()	(dos.library)
DeleteIORequest ()	(exec.library)
DeleteLayer ()	(layers.library)
DeleteMsgPort ()	(exec.library)
DeletePort ()	(amiga_lib.library)
DeleteRexxMsg ()	(rexxsyslib.library)
DeleteStdIO ()	(amiga_lib.library)
DeleteTask ()	(amiga_lib.library)
DeleteVar ()	(dos.library)
DeviceProc ()	(dos.library)
DGetChar ()	(ddebug_lib.library)
DGetNum ()	(ddebug_lib.library)
Disable ()	(exec.library)
DisownBlitter ()	(graphics.library)
DisplayAlert ()	(intuition.library)
DisplayBeep ()	(intuition.library)
DisposeCxMsg ()	(commodities.library)
DisposeFontContents ()	(diskfont.library)
DisposeLayerInfo ()	(layers.library)
DisposeObject ()	(intuition.library)
DisposeRegion ()	(graphics.library)
DivertCxMsg ()	(commodities.library)
DMayGetChar ()	(ddebug_lib.library)
DoCollision ()	(graphics.library)
DoIO ()	(exec.library)
DoMethod ()	(amiga_lib.library)
DoMethodA ()	(amiga_lib.library)
DoPkt ()	(dos.library)
DoSuperMethod ()	(amiga_lib.library)
DoSuperMethodA ()	(amiga_lib.library)
DoubleClick ()	(intuition.library)
DPutChar ()	(ddebug_lib.library)
DPutFmt ()	(ddebug_lib.library)
DPutStr ()	(ddebug_lib.library)
Draw ()	(graphics.library)
DrawBevelBoxA ()	(gadtools.library)
DrawBorder ()	(intuition.library)
DrawEllipse ()	(graphics.library)
DrawGList ()	(graphics.library)
DrawImage ()	(intuition.library)
DrawImageState ()	(intuition.library)

---

---

DupLock ()	(dos.library)
DupLockFromFH ()	(dos.library)
EasyRequestArgs ()	(intuition.library)
Enable ()	(exec.library)
EndNotify ()	(dos.library)
EndRefresh ()	(intuition.library)
EndRequest ()	(intuition.library)
EndUpdate ()	(layers.library)
Enqueue ()	(exec.library)
EnqueueCxObj ()	(commodities.library)
EntryHandler ()	(iffparse.library)
EraseImage ()	(intuition.library)
EraseRect ()	(graphics.library)
ErrorReport ()	(dos.library)
ExAll ()	(dos.library)
Examine ()	(dos.library)
ExamineFH ()	(dos.library)
Execute ()	(dos.library)
Exit ()	(dos.library)
ExitHandler ()	(iffparse.library)
ExNext ()	(dos.library)
Expunge ()	(audio.device)
ExtendFont ()	(graphics.library)
FastRand ()	(amiga_lib.library)
FattenLayerInfo ()	(layers.library)
Fault ()	(dos.library)
FGetC ()	(dos.library)
FGets ()	(dos.library)
FilePart ()	(dos.library)
FillRexxMsg ()	(rexxsyslib.library)
FilterTagChanges ()	(utility.library)
FilterTagItems ()	(utility.library)
FindArg ()	(dos.library)
FindCliProc ()	(dos.library)
FindCollection ()	(iffparse.library)
FindConfigDev ()	(expansion.library)
FindDisplayInfo ()	(graphics.library)
FindDosEntry ()	(dos.library)
FindLocalItem ()	(iffparse.library)
FindName ()	(exec.library)
FindPort ()	(exec.library)
FindProp ()	(iffparse.library)
FindPropContext ()	(iffparse.library)
FindResident ()	(exec.library)
FindSegment ()	(dos.library)
FindSemaphore ()	(exec.library)
FindTagItem ()	(utility.library)
FindTask ()	(exec.library)
FindToolType ()	(icon.library)
FindVar ()	(dos.library)
Flood ()	(graphics.library)
Flush ()	(dos.library)
FontExtent ()	(graphics.library)
Forbid ()	(exec.library)
Format ()	(dos.library)

---

---

fpa ()	(amiga_lib.library)
FPutC ()	(dos.library)
Fputs ()	(dos.library)
FRead ()	(dos.library)
FreeArgs ()	(dos.library)
FreeAslRequest ()	(asl.library)
FreeClass ()	(intuition.library)
FreeColorMap ()	(graphics.library)
FreeConfigDev ()	(expansion.library)
FreeCopList ()	(graphics.library)
FreeCprList ()	(graphics.library)
FreeDeviceProc ()	(dos.library)
FreeDiskObject ()	(icon.library)
FreeDosEntry ()	(dos.library)
FreeDosObject ()	(dos.library)
FreeEntry ()	(exec.library)
FreeExpansionMem ()	(expansion.library)
FreeFileRequest ()	(asl.library)
FreeFreeList ()	(icon.library)
FreeGadgets ()	(gadtools.library)
FreeGBuffers ()	(graphics.library)
FreeIEvents ()	(amiga_lib.library)
FreeIFF ()	(iffparse.library)
FreeLocalItem ()	(iffparse.library)
FreeMem ()	(exec.library)
FreeMenus ()	(gadtools.library)
FreeMiscResource ()	(misc.resource)
FreePotBits ()	(potgo.resource)
FreeRaster ()	(graphics.library)
FreeRemember ()	(intuition.library)
FreeScreenDrawInfo ()	(intuition.library)
FreeSignal ()	(exec.library)
FreeSprite ()	(graphics.library)
FreeSysRequest ()	(intuition.library)
FreeTagItems ()	(utility.library)
FreeTrap ()	(exec.library)
FreeUnit ()	(disk.resource)
FreeVec ()	(exec.library)
FreeVisualInfo ()	(gadtools.library)
FreeVPortCopLists ()	(graphics.library)
FWrite ()	(dos.library)
GadgetMouse ()	(intuition.library)
GetArgStr ()	(dos.library)
GetAttr ()	(intuition.library)
GetCC ()	(exec.library)
GetColorMap ()	(graphics.library)
GetConsoleTask ()	(dos.library)
GetCurrentBinding ()	(expansion.library)
GetCurrentDirName ()	(dos.library)
GetDefaultPubScreen ()	(intuition.library)
GetDefDiskObject ()	(icon.library)
GetDefPrefs ()	(intuition.library)
GetDeviceProc ()	(dos.library)
GetDiskObject ()	(icon.library)
GetDiskObjectNew ()	(icon.library)
GetDisplayInfoData ()	(graphics.library)

---

---

GetFileSysTask ()	(dos.library)
GetGBuffers ()	(graphics.library)
GetMsg ()	(exec.library)
GetPrefs ()	(intuition.library)
GetProgramDir ()	(dos.library)
GetProgramName ()	(dos.library)
GetPrompt ()	(dos.library)
GetRexxVar ()	(amiga_lib.library)
GetRGB4 ()	(graphics.library)
GetScreenData ()	(intuition.library)
GetScreenDrawInfo ()	(intuition.library)
GetSprite ()	(graphics.library)
GetSysTime ()	(timer.device)
GetTagData ()	(utility.library)
GetUnit ()	(disk.resource)
GetUnitID ()	(disk.resource)
GetVar ()	(dos.library)
GetVisualInfoA ()	(gadtools.library)
GetVPMODEID ()	(graphics.library)
GfxAssociate ()	(graphics.library)
GfxFree ()	(graphics.library)
GfxLookUP ()	(graphics.library)
GfxNew ()	(graphics.library)
GiveUnit ()	(disk.resource)
GoodID ()	(iffparse.library)
GoodType ()	(iffparse.library)
GPD_ASKCTYPE	(gameport.device)
GPD_ASKTRIGGER	(gameport.device)
GPD_READEVENT	(gameport.device)
GPD_SETCTYPE	(gameport.device)
GPD_SETTRIGGER	(gameport.device)
GT_BeginRefresh ()	(gadtools.library)
GT_EndRefresh ()	(gadtools.library)
GT_FilterIMsg ()	(gadtools.library)
GT_GetIMsg ()	(gadtools.library)
GT_PostFilterIMsg ()	(gadtools.library)
GT_RefreshWindow ()	(gadtools.library)
GT_ReplyIMsg ()	(gadtools.library)
GT_SetGadgetAttrsA ()	(gadtools.library)
HookEntry ()	(amiga_lib.library)
HookEntry ()	(iffparse.library)
HotKey ()	(amiga_lib.library)
IDtoStr ()	(iffparse.library)
IEEEDPabs ()	(mathieeedoubbas.library)
IEEEDPacos ()	(mathieeedoubtrans.library)
IEEEDPadd ()	(mathieeedoubbas.library)
IEEEDPasin ()	(mathieeedoubtrans.library)
IEEEDPatan ()	(mathieeedoubtrans.library)
IEEEDPceil ()	(mathieeedoubbas.library)
IEEEDPcmp ()	(mathieeedoubbas.library)
IEEEDPcos ()	(mathieeedoubtrans.library)
IEEEDPcosh ()	(mathieeedoubtrans.library)
IEEEDPdiv ()	(mathieeedoubbas.library)
IEEEDPexp ()	(mathieeedoubtrans.library)
IEEEDPfieee ()	(mathieeedoubtrans.library)

---

---

IEEEDPFix ()	(mathieeedoubbas.library)
IEEEDPFloor ()	(mathieeedoubbas.library)
IEEEDPFlt ()	(mathieeedoubbas.library)
IEEEDPLog ()	(mathieeedoubtrans.library)
IEEEDPLog10 ()	(mathieeedoubtrans.library)
IEEEDPMul ()	(mathieeedoubbas.library)
IEEEDPNeg ()	(mathieeedoubbas.library)
IEEEDPPow ()	(mathieeedoubtrans.library)
IEEE DPSin ()	(mathieeedoubtrans.library)
IEEE DPSincos ()	(mathieeedoubtrans.library)
IEEE DPSinh ()	(mathieeedoubtrans.library)
IEEE DPSqrt ()	(mathieeedoubtrans.library)
IEEE DPSub ()	(mathieeedoubbas.library)
IEEE DPTan ()	(mathieeedoubtrans.library)
IEEE DPTanh ()	(mathieeedoubtrans.library)
IEEE DPTieee ()	(mathieeedoubtrans.library)
IEEE DPTst ()	(mathieeedoubbas.library)
IEEE SPAbs ()	(mathieeesingbas.library)
IEEE SPAcos ()	(mathieeesingtrans.library)
IEEE SPAdd ()	(mathieeesingbas.library)
IEEE SPAsin ()	(mathieeesingtrans.library)
IEEE SPAtan ()	(mathieeesingtrans.library)
IEEE SPCeil ()	(mathieeesingbas.library)
IEEE SPCmp ()	(mathieeesingbas.library)
IEEE SPCos ()	(mathieeesingtrans.library)
IEEE SPCosh ()	(mathieeesingtrans.library)
IEEE SPDiv ()	(mathieeesingbas.library)
IEEE SPExp ()	(mathieeesingtrans.library)
IEEE SPFieee ()	(mathieeesingtrans.library)
IEEE SPFix ()	(mathieeesingbas.library)
IEEE SPFloor ()	(mathieeesingbas.library)
IEEE SPFlt ()	(mathieeesingbas.library)
IEEE SPLog ()	(mathieeesingtrans.library)
IEEE SPLog10 ()	(mathieeesingtrans.library)
IEEE SPMul ()	(mathieeesingbas.library)
IEEE SPNeg ()	(mathieeesingbas.library)
IEEE SPPow ()	(mathieeesingtrans.library)
IEEE SPSin ()	(mathieeesingtrans.library)
IEEE SP Sincos ()	(mathieeesingtrans.library)
IEEE SPsinh ()	(mathieeesingtrans.library)
IEEE SPSqrt ()	(mathieeesingtrans.library)
IEEE SPSub ()	(mathieeesingbas.library)
IEEE SPTan ()	(mathieeesingtrans.library)
IEEE SPTanh ()	(mathieeesingtrans.library)
IEEE SPTieee ()	(mathieeesingtrans.library)
IEEE SPTst ()	(mathieeesingbas.library)
IND_ADDHANDLER	(input.device)
IND_REMHANDLER	(input.device)
IND_SETMPORT	(input.device)
IND_SETMTRIG	(input.device)
IND_SETMTYPE	(input.device)
IND_SETPERIOD	(input.device)
IND_SETTHRESH	(input.device)
IND_WRITEEVENT	(input.device)
Info ()	(dos.library)
Inhibit ()	(dos.library)
InitArea ()	(graphics.library)

---

---

InitBitMap ()	(graphics.library)
InitCode ()	(exec.library)
InitGels ()	(graphics.library)
InitGMasks ()	(graphics.library)
InitIFF ()	(iffparse.library)
InitIFFasClip ()	(iffparse.library)
InitIFFasDOS ()	(iffparse.library)
InitLayers ()	(layers.library)
InitMasks ()	(graphics.library)
InitRastPort ()	(graphics.library)
InitRequester ()	(intuition.library)
InitResident ()	(exec.library)
InitSemaphore ()	(exec.library)
InitStruct ()	(exec.library)
InitTmpRas ()	(graphics.library)
InitView ()	(graphics.library)
InitVPort ()	(graphics.library)
Input ()	(dos.library)
Insert ()	(exec.library)
InsertCxObj ()	(commodities.library)
InstallClipRegion ()	(layers.library)
InstallLayerHook ()	(layers.library)
InternalLoadSeg ()	(dos.library)
InternalUnLoadSeg ()	(dos.library)
IntuiTextLength ()	(intuition.library)
InvertKeyMap ()	(commodities.library)
InvertString ()	(amiga_lib.library)
IoErr ()	(dos.library)
IsFileSystem ()	(dos.library)
IsInteractive ()	(dos.library)
IsRexxMsg ()	(rexxsyslib.library)
ItemAddress ()	(intuition.library)
KBD_ADDRESETHANDLER	(keyboard.device)
KBD_READEVENT	(keyboard.device)
KBD_READMATRIX	(keyboard.device)
KBD_REMRESETHANDLER	(keyboard.device)
KBD_RESETHANDLERDONE	(keyboard.device)
KCmpStr ()	(ddebug_lib.library)
KCmpStr ()	(debug_lib.library)
KGetChar ()	(debug_lib.library)
KGetNum ()	(debug_lib.library)
KMayGetChar ()	(debug_lib.library)
KPrintF ()	(debug_lib.library)
KPutChar ()	(debug_lib.library)
KPutStr ()	(debug_lib.library)
LayoutMenuItemsA ()	(gadtools.library)
LayoutMenusA ()	(gadtools.library)
LengthArgstring ()	(rexxsyslib.library)
LoadRGB4 ()	(graphics.library)
LoadSeg ()	(dos.library)
LoadView ()	(graphics.library)
LocalItemData ()	(iffparse.library)
Lock ()	(dos.library)
LockDosList ()	(dos.library)
LockIBase ()	(intuition.library)

---

---

LockLayer ()	(layers.library)
LockLayerInfo ()	(layers.library)
LockLayerRom ()	(graphics.library)
LockLayers ()	(layers.library)
LockPubScreen ()	(intuition.library)
LockPubScreenList ()	(intuition.library)
LockRecord ()	(dos.library)
LockRecords ()	(dos.library)
LockRexxBase ()	(rexxsyslib.library)
MakeClass ()	(intuition.library)
MakeDosEntry ()	(dos.library)
MakeDosNode ()	(expansion.library)
MakeFunctions ()	(exec.library)
MakeLibrary ()	(exec.library)
MakeLink ()	(dos.library)
MakeScreen ()	(intuition.library)
MakeVPort ()	(graphics.library)
MapANSI ()	(keymap.library)
MapRawKey ()	(keymap.library)
MapTags ()	(utility.library)
MatchEnd ()	(dos.library)
MatchFirst ()	(dos.library)
MatchNext ()	(dos.library)
MatchPattern ()	(dos.library)
MatchPatternNoCase ()	(dos.library)
MatchToolValue ()	(icon.library)
MaxCli ()	(dos.library)
ModeNotAvailable ()	(graphics.library)
ModifyIDCMP ()	(intuition.library)
ModifyProp ()	(intuition.library)
Move ()	(graphics.library)
MoveLayer ()	(layers.library)
MoveLayerInFrontOf ()	(layers.library)
MoveScreen ()	(intuition.library)
MoveSizeLayer ()	(layers.library)
MoveSprite ()	(graphics.library)
MoveWindow ()	(intuition.library)
MoveWindowInFrontOf ()	(intuition.library)
MrgCop ()	(graphics.library)
NameFromFH ()	(dos.library)
NameFromLock ()	(dos.library)
NewFontContents ()	(diskfont.library)
NewLayerInfo ()	(layers.library)
NewList ()	(amiga_lib.library)
NewLoadSeg ()	(dos.library)
NewModifyProp ()	(intuition.library)
NewObject ()	(intuition.library)
NewRegion ()	(graphics.library)
NewScaledDiskFont ()	(diskfont.library)
NextDisplayInfo ()	(graphics.library)
NextDosEntry ()	(dos.library)
NextObject ()	(intuition.library)
NextPubScreen ()	(intuition.library)
NextTagItem ()	(utility.library)

---

---

ObtainBattSemaphore ()	(battmem.resource)
ObtainConfigBinding ()	(expansion.library)
ObtainGIRPort ()	(intuition.library)
ObtainSemaphore ()	(exec.library)
ObtainSemaphoreList ()	(exec.library)
ObtainSemaphoreShared ()	(exec.library)
OffGadget ()	(intuition.library)
OffMenu ()	(intuition.library)
OldOpenLibrary ()	(exec.library)
OnGadget ()	(intuition.library)
OnMenu ()	(intuition.library)
Open ()	(dos.library)
OpenClipboard ()	(iffparse.library)
OpenDevice ()	(audio.device)
OpenDevice ()	(console.device)
OpenDevice ()	(exec.library)
OpenDevice ()	(narrator.device)
OpenDevice ()	(parallel.device)
OpenDevice ()	(serial.device)
OpenDiskFont ()	(diskfont.library)
OpenFont ()	(graphics.library)
OpenFromLock ()	(dos.library)
OpenIFF ()	(iffparse.library)
OpenLibrary ()	(exec.library)
OpenMonitor ()	(graphics.library)
OpenResource ()	(exec.library)
OpenScreen ()	(intuition.library)
OpenScreenTagList ()	(intuition.library)
OpenWindow ()	(intuition.library)
OpenWindowTagList ()	(intuition.library)
OpenWorkBench ()	(intuition.library)
OrRectRegion ()	(graphics.library)
OrRegionRegion ()	(graphics.library)
Output ()	(dos.library)
OwnBlitter ()	(graphics.library)
PackBoolTags ()	(utility.library)
ParentChunk ()	(iffparse.library)
ParentDir ()	(dos.library)
ParentOfFH ()	(dos.library)
ParseIFF ()	(iffparse.library)
ParseIX ()	(commodities.library)
ParsePattern ()	(dos.library)
ParsePatternNoCase ()	(dos.library)
PathPart ()	(dos.library)
PDCMD_QUERY	(parallel.device)
PDCMD_SETPARAMS	(parallel.device)
PeekQualifier ()	(input.device)
Permit ()	(exec.library)
PointInImage ()	(intuition.library)
PolyDraw ()	(graphics.library)
PopChunk ()	(iffparse.library)
PRD_DUMPRPORT	(printer.device)
PRD_PRTCOMMAND	(printer.device)
PRD_QUERY	(printer.device)
PRD_RAWWRITE	(printer.device)
printf ()	(amiga_lib.library)

---



---

PrintFault ()	(dos.library)
PrintIText ()	(intuition.library)
Procure ()	(exec.library)
PropChunk ()	(iffparse.library)
PropChunks ()	(iffparse.library)
PubScreenStatus ()	(intuition.library)
PushChunk ()	(iffparse.library)
PutDefDiskObject ()	(icon.library)
PutDiskObject ()	(icon.library)
PutMsg ()	(exec.library)
PutStr ()	(dos.library)
PWrite ()	(printer.device)
QBlit ()	(graphics.library)
QBSBlit ()	(graphics.library)
QueryOverscan ()	(intuition.library)
RangeRand ()	(amiga_lib.library)
RawDoFmt ()	(exec.library)
RawKeyConvert ()	(console.device)
Read ()	(dos.library)
ReadArgs ()	(dos.library)
ReadBattClock ()	(battclock.resource)
ReadBattMem ()	(battmem.resource)
ReadChunkBytes ()	(iffparse.library)
ReadChunkRecords ()	(iffparse.library)
ReadEClock ()	(timer.device)
ReadExpansionByte ()	(expansion.library)
ReadExpansionRom ()	(expansion.library)
ReadItem ()	(dos.library)
ReadLink ()	(dos.library)
ReadPixel ()	(graphics.library)
ReadPixelArray8 ()	(graphics.library)
ReadPixelLine8 ()	(graphics.library)
ReadUnitID ()	(disk.resource)
RectFill ()	(graphics.library)
RefreshGadgets ()	(intuition.library)
RefreshGList ()	(intuition.library)
RefreshTagItemClones ()	(utility.library)
RefreshWindowFrame ()	(intuition.library)
Relabel ()	(dos.library)
ReleaseBattSemaphore ()	(battmem.resource)
ReleaseConfigBinding ()	(expansion.library)
ReleaseGIRPort ()	(intuition.library)
ReleaseSemaphore ()	(exec.library)
ReleaseSemaphoreList ()	(exec.library)
RemakeDisplay ()	(intuition.library)
RemAssignList ()	(dos.library)
RemBob ()	(graphics.library)
RemConfigDev ()	(expansion.library)
RemDevice ()	(exec.library)
RemDosEntry ()	(dos.library)
RemFont ()	(graphics.library)
RemHead ()	(exec.library)
RemIBob ()	(graphics.library)
RemICRVector ()	(cia.resource)
RemIntServer ()	(exec.library)

---

---

RemLibrary ()	(exec.library)
Remove ()	(exec.library)
RemoveAppIcon ()	(wb.library)
RemoveAppMenuItem ()	(wb.library)
RemoveAppWindow ()	(wb.library)
RemoveClass ()	(intuition.library)
RemoveCxObj ()	(commodities.library)
RemoveGadget ()	(intuition.library)
RemoveGList ()	(intuition.library)
RemPort ()	(exec.library)
RemResource ()	(exec.library)
RemSegment ()	(dos.library)
RemSemaphore ()	(exec.library)
RemTail ()	(exec.library)
RemTask ()	(exec.library)
RemTOF ()	(amiga_lib.library)
RemVSprite ()	(graphics.library)
Rename ()	(dos.library)
ReplyMsg ()	(exec.library)
ReplyPkt ()	(dos.library)
ReportMouse ()	(intuition.library)
Request ()	(intuition.library)
RequestFile ()	(asl.library)
ResetBattClock ()	(battclock.resource)
ResetMenuStrip ()	(intuition.library)
RethinkDisplay ()	(intuition.library)
RouteCxMsg ()	(commodities.library)
RunCommand ()	(dos.library)
SameDevice ()	(dos.library)
SameLock ()	(dos.library)
ScalerDiv ()	(graphics.library)
ScreenToBack ()	(intuition.library)
ScreenToFront ()	(intuition.library)
ScrollLayer ()	(layers.library)
ScrollRaster ()	(graphics.library)
ScrollVPort ()	(graphics.library)
SDCMD_BREAK	(serial.device)
SDCMD_QUERY	(serial.device)
SDCMD_SETPARAMS	(serial.device)
SDivMod32 ()	(utility.library)
Seek ()	(dos.library)
SelectInput ()	(dos.library)
SelectOutput ()	(dos.library)
SendIO ()	(exec.library)
SendPkt ()	(dos.library)
SetAPen ()	(graphics.library)
SetArgStr ()	(dos.library)
SetAttrrsA ()	(intuition.library)
SetBPen ()	(graphics.library)
SetCollision ()	(graphics.library)
SetComment ()	(dos.library)
SetConsoleTask ()	(dos.library)
SetCurrentBinding ()	(expansion.library)
SetCurrentDirName ()	(dos.library)
SetCxObjPri ()	(commodities.library)
SetDefaultPubScreen ()	(intuition.library)

---

---

SetDMRequest ()	(intuition.library)
SetDrMd ()	(graphics.library)
SetEditHook ()	(intuition.library)
SetExcept ()	(exec.library)
SetFileDate ()	(dos.library)
SetFileSize ()	(dos.library)
SetFileSysTask ()	(dos.library)
SetFilter ()	(commodities.library)
SetFilterIX ()	(commodities.library)
SetFont ()	(graphics.library)
SetFunction ()	(exec.library)
SetGadgetAttrsA ()	(intuition.library)
SetICR ()	(cia.resource)
SetIntVector ()	(exec.library)
SetIoErr ()	(dos.library)
SetKeyMapDefault ()	(keymap.library)
SetLocalItemPurge ()	(iffparse.library)
SetMenuStrip ()	(intuition.library)
SetMode ()	(dos.library)
SetMouseQueue ()	(intuition.library)
SetOPen ()	(graphics.library)
SetPointer ()	(intuition.library)
SetPrefs ()	(intuition.library)
SetProgramDir ()	(dos.library)
SetProgramName ()	(dos.library)
SetPrompt ()	(dos.library)
SetProtection ()	(dos.library)
SetPubScreenModes ()	(intuition.library)
SetRast ()	(graphics.library)
SetRexxVar ()	(amiga_lib.library)
SetRGB4 ()	(graphics.library)
SetRGB4CM ()	(graphics.library)
SetSignal ()	(exec.library)
SetSoftStyle ()	(graphics.library)
SetSR ()	(exec.library)
SetSuperAttrs ()	(amiga_lib.library)
SetTaskPri ()	(exec.library)
SetTranslate ()	(commodities.library)
SetVar ()	(dos.library)
SetVBuf ()	(dos.library)
SetWindowTitles ()	(intuition.library)
ShowTitle ()	(intuition.library)
Signal ()	(exec.library)
SizeLayer ()	(layers.library)
SizeWindow ()	(intuition.library)
SMult32 ()	(utility.library)
SortGLList ()	(graphics.library)
SPAbs ()	(mathffp.library)
SPAcos ()	(mathtrans.library)
SPAdd ()	(mathffp.library)
SPAsin ()	(mathtrans.library)
SPAtan ()	(mathtrans.library)
SPCeil ()	(mathffp.library)
SPCmp ()	(mathffp.library)
SPCos ()	(mathtrans.library)
SPCosh ()	(mathtrans.library)
SPDiv ()	(mathffp.library)

---

---

SPExp ()	(mathtrans.library)
SPFieee ()	(mathtrans.library)
SPFix ()	(mathffp.library)
SPFloor ()	(mathffp.library)
SPFlt ()	(mathffp.library)
SplitName ()	(dos.library)
SPLog ()	(mathtrans.library)
SPLog10 ()	(mathtrans.library)
SPMul ()	(mathffp.library)
SPNeg ()	(mathffp.library)
SPPow ()	(mathtrans.library)
sprintf ()	(amiga_lib.library)
SPSin ()	(mathtrans.library)
SPSincos ()	(mathtrans.library)
SPSinh ()	(mathtrans.library)
SPSqrt ()	(mathtrans.library)
SPSub ()	(mathffp.library)
SPTan ()	(mathtrans.library)
SPTanh ()	(mathtrans.library)
SPTieee ()	(mathtrans.library)
SPTst ()	(mathffp.library)
StackSwap ()	(exec.library)
StartNotify ()	(dos.library)
stdio ()	(amiga_lib.library)
StopChunk ()	(iffparse.library)
StopChunks ()	(iffparse.library)
StopOnExit ()	(iffparse.library)
StoreItemInContext ()	(iffparse.library)
StoreLocalItem ()	(iffparse.library)
Stricmp ()	(utility.library)
StripFont ()	(graphics.library)
Strnicmp ()	(utility.library)
StrToDate ()	(dos.library)
StrToLong ()	(dos.library)
SubTime ()	(timer.device)
SumKickData ()	(exec.library)
SumLibrary ()	(exec.library)
SuperState ()	(exec.library)
Supervisor ()	(exec.library)
SwapBitsRastPortClipRect ()	(layers.library)
SyncSBitMap ()	(graphics.library)
SysReqHandler ()	(intuition.library)
SystemTagList ()	(dos.library)
TagInArray ()	(utility.library)
TD_ADDCHANGEINT	(trackdisk.device)
TD_CHANGENUM	(trackdisk.device)
TD_CHANGESTATE	(trackdisk.device)
TD_EJECT	(trackdisk.device)
TD_FORMAT	(trackdisk.device)
TD_GETDRIVETYPE	(trackdisk.device)
TD_GETGEOMETRY	(trackdisk.device)
TD_GETNUMTRACKS	(trackdisk.device)
TD_MOTOR	(trackdisk.device)
TD_PROTSTATUS	(trackdisk.device)
TD_RAWREAD	(trackdisk.device)
TD_RAWWRITE	(trackdisk.device)

---

---

TD_REMCHANGEINT	(trackdisk.device)
TD_SEEK	(trackdisk.device)
Text ()	(graphics.library)
TextExtent ()	(graphics.library)
TextFit ()	(graphics.library)
TextLength ()	(graphics.library)
ThinLayerInfo ()	(layers.library)
TimeDelay ()	(amiga_lib.library)
ToLower ()	(utility.library)
ToUpper ()	(utility.library)
Translate ()	(translator.library)
TR_ADDREQUEST	(timer.device)
TR_GETSYSTIME	(timer.device)
TR_SETSYSTIME	(timer.device)
TypeOfMem ()	(exec.library)
UDivMod32 ()	(utility.library)
UMult32 ()	(utility.library)
UnGetC ()	(dos.library)
UnLoadSeg ()	(dos.library)
UnLock ()	(dos.library)
UnLockDosList ()	(dos.library)
UnLockIBase ()	(intuition.library)
UnLockLayer ()	(layers.library)
UnLockLayerInfo ()	(layers.library)
UnLockLayerRom ()	(graphics.library)
UnLockLayers ()	(layers.library)
UnLockPubScreen ()	(intuition.library)
UnLockPubScreenList ()	(intuition.library)
UnLockRecord ()	(dos.library)
UnLockRecords ()	(dos.library)
UnLockRexxBase ()	(rexxsyslib.library)
UpfrontLayer ()	(layers.library)
UserState ()	(exec.library)
Vacate ()	(exec.library)
VBeamPos ()	(graphics.library)
VFPrintf ()	(dos.library)
VFWritef ()	(dos.library)
VideoControl ()	(graphics.library)
ViewAddress ()	(intuition.library)
ViewPortAddress ()	(intuition.library)
VPrintf ()	(dos.library)
Wait ()	(exec.library)
WaitBlit ()	(graphics.library)
WaitBOVP ()	(graphics.library)
WaitForChar ()	(dos.library)
WaitIO ()	(exec.library)
WaitPkt ()	(dos.library)
WaitPort ()	(exec.library)
WaitTOF ()	(graphics.library)
WBenchToBack ()	(intuition.library)
WBenchToFront ()	(intuition.library)
WeighTAMatch ()	(graphics.library)
WhichLayer ()	(layers.library)
WindowLimits ()	(intuition.library)

---

---

WindowToBack()	(intuition.library)
WindowToFront()	(intuition.library)
Write()	(dos.library)
WriteBattClock()	(battclock.resource)
WriteBattMem()	(battmem.resource)
WriteChars()	(dos.library)
WriteChunkBytes()	(iffparse.library)
WriteChunkRecords()	(iffparse.library)
WriteExpansionByte()	(expansion.library)
WritePixel()	(graphics.library)
WritePixelArray8()	(graphics.library)
WritePixelLine8()	(graphics.library)
WritePotgo()	(potgo.resource)
XorRectRegion()	(graphics.library)
XorRegionRegion()	(graphics.library)
ZipWindow()	(intuition.library)

---