# **Applications**

**Interactive Authoring** 

#### **3D Realtime Models**

Amy Bayers Marketing Manager Paradigm Simulation, Inc. 14900 Landmark Boulevard Suite 400 Dallas, TX 75240 USA 972-960-2301 972-960-2303 (fax) amy@paradigmsim.com http://www.paradigmsim. com Paradigm maintains an extensive library of high-performance 3-D models which have been built for use in interactive visual simulation and virtual reality applications. The model list includes aircraft, weapons, missiles, autos, trucks, trains, buildings, factories, and cultural detail. These models are available with or without photo-texturing. Custom modeling services are also available. All models are generated in MultiGen Flight® format.

IRIX version compatibility:

#### Alias | Wavefront PROcreator™

Marketing Administrator Alias Wavefront 110 Richmond Street East Toronto, ON M5C 1P1 Canada 416-362-9181 416-362-0630 (fax) 800-447-2542 (tollfree) http://www.aw.sgi.com/ Alias | Wavefront PROcreator<sup>TM</sup> is a set of specialized software tools for video game and interactive multimedia developers. These tools are used to create imagery and geometry that are optimized for the specific characteristics of target games consoles. Alias | Wavefront PROcreator includes tools such as: interactive color quantizer, NURBS to polygon conversion, polygon editor, sprite editor, sprite renderer, distributed renderer, sound sync and hidden line rendering. When combined with other powerful Alias | Wavefront features like Digital OptiF/X<sup>TM</sup>, NURBS-based modeling and animation tools and Alias | Wavefront MotionSampler<sup>TM</sup> for performance animation, it enables game developers to achieve a new level of realism in their games.

IRIX version compatibility:

#### **AlphaMation Motion Simulation Systems**

Alan Madsen Chairman AlphaMation, Inc. 180 North 2400 West Suite 300 Salt Lake City, UT 84116 USA **801-942-6100 801-322-0172 (fax)**  Fully Interactive cab-based motion simulation systems for entertainment and training. Flight, equipment and specialized training capabilities.

IRIX version compatibility: 5.3

#### AudioWorks 2<sup>™</sup>

Amy Bayers Marketing Manager Paradigm Simulation, Inc. 14900 Landmark Boulevard Suite 400 Dallas, TX 75240 USA 972-960-2301 972-960-2303 (fax) amy@paradigmsim.com http://www.paradigmsim. com AudioWorks 2<sup>TM</sup> Interactive, real-time, 3-D sound adds a whole new dimension to simulation and virtual reality applications. AudioWorks 2 makes it easy to add continuous, realtime 3-D processing of multiple independent moving sounds. Real-time sound waveform processing in the Sound Engine<sup>TM</sup> includes Doppler shift, distance/time delay, low-pass filtering, looping, pitchbend, and more. The AudioWorks 2 software development system includes an ANSI C callable library of routines for easy program development. AudoWorks 2 is integrated with the new Vega system and provides extended functionality, higher performance, and greater flexibility. AWLynX, a Vega-based X-Motif graphical user interface, is part of the new AudioWorks 2 system.

IRIX version compatibility: 5.3, 6.2 Certified, 6.3 Certified

## **CDR Publisher**

Paul Ling President Creative Digital Research 7291 Coronado Drive San Jose, CA 95129 USA **408-255-0999 408-255-1011 (fax)** paul@cdr1.com CDR Publisher is a cross-platform desktop CD-ROM recording software which organizes data from the user's computer system and generates HyCD<sup>TM</sup> CDrROMs. These CD-ROMs can then be read by CD-ROM readers on all major computers. CDR PUBLISHER HyCD<sup>TM</sup> is cross-platform; supporting PC (ISO 9660), UNIX (ISO 9660 with Rock Ridge Extension) and Macintosh (HFS) formats integrated on a single CD-ROM. The CDR PUBLISHER HyCD<sup>TM</sup> Multimedia version supports both audio and video formats. This cross-platform and multi-platform capability makes it a natural choice for business and software or multimedia developers for internal and external distribution of information, multimedia title development, and archival purposes. all versions of CDR Publisher can create compliant CD-ROMs for PC, Macintosh, and UNIX comp his cross-platform and multi-platform capability makes it a natural choice for business and software or multimedia developers for internal and external distribution of information, multimedia title development, and archival purposes.

IRIX version compatibility: 5.2, 5.3

## DynaText™

Yvonne Dahl VP, North American Sales Electronic Book Technologies, Inc. One Richmond Square Providence, RI 02906 USA 401-421-9550 401-421-9551 (fax) info@ebt.com http://www.ebt.com/

## DynaWeb™

Yvonne Dahl VP, North American Sales Electronic Book Technologies, Inc. One Richmond Square Providence, RI 02906 USA 401-421-9550 401-421-9551 (fax) info@ebt.com http://www.ebt.com/ DynaText<sup>TM</sup> is the leading SGML-based electronic book publishing system. SGI's IRIS Insight is based upon DynaText. DynaText accepts any valid SGML document and builds a dynamic electronic book that can include hyperlinks, tables, equations, graphics, audio and video. Users can write notes, create cross-references, print selectively, and cut-andpaste into other applications. End-users view a dynamic table of contents that enables them to easily navigate to desired information. Full-text searches can be conducted for individual books and for collections of DynaText books. DynaText books can be viewed on client/server networks or standalone workstations. DynaText runs on Windows<sup>TM</sup>, Macintosh®, and major UNIX platforms, including IRIX 5.2.

IRIX version compatibility: 5.3

DynaWeb<sup>TM</sup> is EBT's high-function SGML World-Wide Web server software. DynaWeb enables publishers to distribute information products on the Internet using the same tools and process currently used for CD-ROM and LAN publishing, while preserving corporate information assets in a single, standards-based, vendor-neutral format--SGML. DynaWeb is designed to fully exploit the SGML structures already in place in publishers' Dyna-Text<sup>TM</sup> electronic books. DynaWeb connects DynaText electronic books to the Internet, adds powerful search and navigation functionality to the multitude of Web client browsers, and does so in a manner that is efficient and sustainable. DynaWeb runs on all major UNIX platforms, including IRIX 5.2.

IRIX version compatibility: 5.3

## Ez3d RenderWorld

Lee Seiler	Raytracing at the touch of a button!
CEO	* Import and export models and scenes in a wide variety of 3-D formats
Radiance Software	* Produce photo-realistic ray-traced images complete with real shadows, reflections, envi-
International 1726 Francisco Street	ronment, fog, bump maps, anti-aliasing, and a host of other photo-realistic effects.
Berkeley, CA 94703	* Background rendering: Ez3d lets you render in the background and graphically monitor
USA	the status of the rendering.
510-848-7621	* Remote rendering: Render on a remote system on your network
510-848-7613 (fax)	
lee@radiance.com http://www.radiance.com/	IRIX version compatibility: 5.2, 5.3
http://www.radiance.com/	

### FlashWare<sup>™</sup> SDK

Janet Spinks Marcom Manager Precept Software, Inc. 1072 Arastradero Road Palo Alto, CA 94304 USA 415-845-5200 415-845-5235 (fax) jspinks@precept.com

#### GAMEWARE™

Marketing Administrator Alias Wavefront 110 Richmond Street East Toronto, ON M5C 1P1 Canada 416-362-9181 416-362-0630 (fax) 800-447-2542 (tollfree) http://www.aw.sgi.com/

#### Gain Momentum™

Marshall Leisten SGI Business Development Sybase, Inc. Emerging Markets Group 1870 Embarcadero Road Palo Alto, CA 94303 USA 415-813-8328 415-813-8333 (fax) marshall.leisten@sybase. com http://eventsource.com/ sybase/ The FlashWare Development Kit (SDK) provides a C++ interface to an RTP (Real-time Transport Protocol) stack. RTP, and its companion RTCP (Real-time Transport Control Protocol) allow real-time audo/video streams to be sent over existing IP LANs, WANs and the Internet. RTP and RTCP form a real-time networking foundation for solutions such as CBT, telemedicine, video conferencing, and process monitoring.

IRIX version compatibility: 6.2

GAMEWARE<sup>TM</sup> is the only high-end computer graphics software created specifically as an authoring tool for game development. GAMEWARE allows developers to create games with realistic 3-D objects and terrain, synthetic actors with natural motion and stunning special effects. GAMEWARE and its family of Hyper-Plug-Ins is the first Silicon Graphics based software to provide a complete end-to-end solution for 2-D and 3-D asset creation in the games environment. The GAMEWARE family consists of GAMEWARE, offered at minimal cost and GAMEWARE PRO which includes additional advanced image authoring tools.

IRIX version compatibility:

Gain Momentum<sup>TM</sup> is the only industrial-strength multimedia application development environment targeted at large, commercial application projects. It is an object-based, hypermedia application development and delivery system. Gain Momentum applications may combine a wide range of sensory-rich data types and corporate data from SQL databases and is designed to support multiple users across distributed, heterogeneous computer networks.

IRIX version compatibility:

### Gebel Barkal: Temple 3700

Donald Sanders	Gebel Barkal: Temple 3700 is a digitally reconstructed virtual world representing the
President	ancient Nubian temple and its enumons around G50 BCE. The virtual ancient world pre-
Learning Sites, Inc.	sents highly detailed views of the temple architecture, hieroglyphics, and inscriptions as well as aspects of the site around the temple. Interactive information panels are linked to
151 Bridges Road	objects throughout the world. At earthlink, the data (text and images) is ordered hierarchi-
Williamstown, MA 01267	cally to facilitate browsing. The virtual is thus enhanced for users as an instructional and
USA	research tool; Learning Sites is devoted to public education and the promotion of digitized archeology.
413-458-2828	
413-458-2828 (fax)	
dsanders@berkshire.net	IRIX version compatibility:

#### **INSIDETRAK® Motion Tracker**

E.W. Costello VP, Marketing & Sales Polhemus, Inc. One Hercules Drive P.O. Box 560 Colchester, VT 05446 USA **802-655-3159 802-655-1439** (fax) **800-357-4777** (tollfree) e\_costello@polhemus.com http://www.polhemus.com/ trackers/

#### **ISOTRAK® II**

E.W. Costello VP, Marketing & Sales Polhemus, Inc. One Hercules Drive P.O. Box 560 Colchester, VT 05446 USA **802-655-3159 802-655-1439** (fax) **800-357-4777** (tollfree) e\_costello@polhemus.com http://www.polhemus.com/ trackers/ The first six degree-of-freedom tracker for under \$1,000, INSIDETRAK is an ISA insertable version of the award winning FASTRAK, with slightly reduced specifications. The INSIDETRAK master board can handle an optional second receiver. If more receivers are required, slave boards can be added. Each slave board can accomodate uo to 2 receivers. The ultimate number of receivers is limited only by the number of ISA slots available.

IRIX version compatibility:

A low cost six d-o-f tracking system, it is the next generation version of the time proven ISOTRAK with improved specifications. ISOTRAK® II can now support up to 2 receivers with a single transmitter and has an accuracy of .10" RMS. It may also be used as a low cost digitizer, with the optional stylus.

IRIX version compatibility:

### IconAuthor® for Unix

Joe Gabriel Marketing Programs Manage Aimtech Corporation 20 Trafalgar Square Suite 300 Nashua, NH 03063 USA 800-289-2884 603-883-5582 (fax) joe@aimtech.com http://www.aimtech.com/

#### Laser Blast 150

David Hooper President Vision Quest 24257 Del Amo Road Ramona, CA 92065 USA **619-788-1560 619-788-1524 (fax)** 

#### **OBJ Loader v.2**

Heedong Ko Principal Research Scientist Korea Institute of Science And Technology Sungbuk Ku, Hawalkok Dong 39-1 Seoul, 136-791 South Korea 82-2-958-5646 82-2-958-5646 82-2-958-5639 (fax) ko@kistmail.kist.re.kr http://www.kist.re.kr

## Ski Dude

Diane Kjellberg Director of Marketing KSA Technology 705 Commerce Street Euless, TX 76040 USA **817-355-1629**  IconAuthor® is a powerful and flexible cross-platform authoring system for developing interactive multimedia applications in an enterprise-wide, client/server environment. By seamlessly combining multimedia content (text, graphics, animation, digital video and audio), users can build comprehensive, sophisticated applications - all without scripting or programming.

With IconAuthor 6.0, aimTech now provides common IconAuthor file formats across leading development platforms, including Unix, Windows, and OS/2. Users of these platforms can run and edit interactive multimedia applications developed and stored on a Unix system. This enables IconAuthor developers to create on one platform and play on another, without converting files.

IRIX version compatibility:

Fantasy racing game for location-based entertainment centers. Supports six vehicles with a driver and gunner per vehicle.

IRIX version compatibility:

OBJ Loader v.2 enables importing and converting Wavefront OBJ format data into a scene graph for IRIS Performer database. OBJ Loader v.2 not only imports geometry and graphics state in an OBJ file but also provides a functionality to reorganize the imported objects into a node hierarchy of IRIS Performer and to access and control in the application for real-time performance optimization.

IRIX version compatibility: 5.3

Ski Dude is the first commercially available virtual reality skiing experience. This game allows the players to become the snowman skiing down the slopes as snow sprays off the back of their ski's. The course is complete with hair-raising runs, a ski jump, moguls and snow covered conifers to ski around. The player controls the real-time motion through Polhemus sensors which are connected to a ski jacket and ski poles. The game can be viewed from a large screen monitor or through head mounted displays.

IRIX version compatibility:

#### SoftQuad Author/Editor™ 3.1

Sales Department SoftQuad, Inc.	Author/Editor <sup>™</sup> 3.1 allows users to easily create SGML documents using built-in tem- plates and full, context-sensitive assistance in mark-up.
56 Aberfoyle Crescent Suite 810	Author/Editor also provides support for external graphic and other formats, customizable macros, and easy to use SGML capabilities.
Toronto, On M8X 2W4 Canada 416-239-4801 416-239-7105 (fax) info@sq.com http://www.sq.com	This SGML authoring tool is for anyone who writes, edits, manages or produces SGML documents. SoftQuad Author/Editor 3.1 is available on Windows (min. 80386 with 8MB), Macintosh (min. 68030 with 8MB), Sun/SPARC (SunOS 4.1.3 and Solaris 2), DEC Alpha (OSF/1), Silicon Graphics (IRIX), Sun4/SPARC (OPENLOOK), IBM RS6000 (AIX), and HP9000/700 (HP-UX).
	IRIX version compatibility:

#### SoftQuad Explorer<sup>™</sup> 1.0

Sales Department SoftQuad, Inc. 56 Aberfoyle Crescent Suite 810 Toronto, On M8X 2W4 Canada 416-239-4801 416-239-7105 (fax) info@sq.com http://www.sq.com SoftQuad Explorer<sup>™</sup> delivers SGML documents to your users or customers electronically, and is optimal for delivery via CD-ROM. Explorer incorporates cross-document hyper-text capabilities for electronic delivery on-the-fly filing, and hierarchical document organization tools. Explorer's personal reference webs - complete with annotations and bookmarks - allow for improved personal information management while its multiple-document indexing feature provides users with fast, effective searching.

This product is equally useful to electronic content deliverers as it is to creators of SGML documents who need a useful mechanism for managing their information. SoftQuad Explorer <sup>TM</sup> 1.0 is available on Microsoft Windows.

IRIX version compatibility: 5.2, 5.3

#### SoftQuad HoTMetaL Pro

Sales Department SoftQuad, Inc. 56 Aberfoyle Crescent Suite 810 Toronto, On M8X 2W4 Canada 416-239-4801 416-239-7105 (fax) info@sq.com http://www.sq.com HoTMetaL Pro makes it easy to create HTML documents that can be published on the Internet and read by millions using Mosaic, Netscape or any other WWW browser. HoT-MetaL Pro comes with such standard word processing features as a spell checker, thesaurus, dictionary, and full search and replace capabilities. HoTMetaL Pro also provides simple dialogs for building links, a browser previewing capability, easy-to-use markup tools, rules checking and validation capabilities and flexible import functionality.

HoTMetaL Pro is available for MS-Windows, Apple Macintosh, Sun/SPARC (SunOS 4.1. 3 and Solaris 2), DEC Alpha (OSF/1), IBM RS6000 (AIX), Silicon Graphics (IRIX) and HP9000/70 (HP-UX).

IRIX version compatibility: 5.2, 5.3

#### SoftQuad SGML Enabler for QuarkXPress<sup>™</sup> 1.0

Sales Department SoftQuad, Inc. 56 Aberfoyle Crescent Suite 810 Toronto, On M8X 2W4 Canada 416-239-4801 416-239-7105 (fax) info@sq.com http://www.sq.com SoftQuad SGML Enabler is a QuarkXTension<sup>™</sup> that allows you to import your SGML documents directly into QuarkXPress where you can take advantage of its superior page layout and typesetting capabilites.

SGML Enabler is smart software that knows both SGML and QuarkXPress, and maps SGML elements to styles for automated formatting.

It will be available for Apple Macintosh.

IRIX version compatibility: 5.2, 5.3

### TIE<sup>™</sup> Computer based Training Authoring & Delivery

Daniel Lorenc Vice President Global Information Systems Technology, Inc. Trade Centre South Suite 301 100 Trade Centre Drive Champaign, IL 61820 USA 217-352-1165 217-352-9307 (fax) TIE<sup>TM</sup> is a training authoring system that makes the creation of computer-based training easier. Courseware developers can create interactive multimedia presentations by selecting and arranging small graphics symbols called icons. This authoring system is so easy to use, it allows even beginning programmers the power and flexibility of a programming language interface with the icon system. Training materials are deliverable on DOS, Dos/Windows, or UNIX X.11 Window systems.

IRIX version compatibility:

### True3D<sup>™</sup> Game Development System

Sinjin Bain President PyroTechnix 30 Garfield Place Suite 600 Cincinnati, OH 45202 USA 513-929-4200 513-929-4240 (fax) sbain@pyrotechnix.com True3D<sup>™</sup> - Game Development System is a Windows95 real-time game development system for the consumer entertainment industry with support for SGI application software from Alias, MultiGen, and others. The rendering engine is full 3-D capable with 6 degree freedom of movement and includes: support for Microsoft's Game SDK DirectX API's, multiple proprietary rendering technologies, 2-D and 3-D sprite animated objects, collision detection, automatic BSP tree and visibility list generation, sound rendering for real-time sound processing and mixing to achieve realistic sound (echoes in big room, etc.), import support for Alias, GameGen, and 3DS files. The technologies included in True3D are entirely proprietary to PyroTechnix and are all written in platform portable 32-bit C code.

IRIX version compatibility:

## Video CD 2.0 Authoring System "Scenarist"

Takashi Honma Daikin Industries Ltd. Shinjuku Sumitomo Building 30F 2-6-1, Nishi Shinjuku Shinjuku-ku Tokyo, 163-02 Japan **81-3-3344-8147 81-3-3344-8113 (fax)** 

## X/TeleScreen©

Prashant Parekh President VisualTek Solutions 46750 Fremont Boulevard Suite 207 Fremont, CA 94538 USA 510-353-0952 510-353-0954 (fax) prashant@visualtek.com http://www.visualtek.com Scenarist is a Video CD 2.0 Authoring system for professional production. It provides rich authoring function, easy operation and efficient environment. Scenarist supports full specification of Video CD 2.0 from Play Back Control to Closed Caption and Extended Directory. Encoded ISO stream files. VCD files, high-resolution and normal-resolution files can be used with Scenarist. Once registered in the database, users can manipulate all data with simple menu selection. Users also can draw complex scenario of PBC easily with simple mouse operation. Simulation function of Scenarist saves the cost of write-once disks. Programming knowledge is not necessary for using Scenarist.

IRIX version compatibility: 5.2, 5.3

X/TeleScreen© is an advanced software which allows most off-the-shelf, X Window based applications to be shared simultaneously by any number of X displays, terminals and workstations. It is used for group training sessions, help desk response, remote customer support, sharing of documents, drawings and spreadsheets, and much more. Product is currently at version 1.09. X/TeleScreen© does not require any additional hardware and it does not require any prerequisite software.

IRIX version compatibility: 5.3

#### dVISE™

Mike Harrison VP, Sales & Marketing Division, Inc. 1400 Fashion Island Boulevard Suite 510 San Mateo, CA 94404 USA 415-312-8200 415-812-0300 (fax) mike@division.com http://www.division.com

#### dVS™

Mike Harrison VP, Sales & Marketing Division, Inc. 1400 Fashion Island Boulevard Suite 510 San Mateo, CA 94404 USA 415-312-8200 415-812-0300 (fax) mike@division.com http://www.division.com dVISE<sup>™</sup> is a virtual world authoring and simulation software tool. It allows the non-programmer to easily develop virtual worlds, animate them with intelligent and realistic properties, and experience them in partially or fully immersive modes. dVISE requires Division's dVS<sup>™</sup> runtime environment and runs on any Silicon Graphics system from Indy to ONYX, with or wihtout virtual reality peripherals. It accepts three-dimensional models from various sources, including AutoCAD, 3D Studio, Alias/Wavefront, Multi-Gen, CADDS 4 & 5X, CATIA, Intergraph EMS & Microstation, IGES, and any system producing standard .DXF files.

IRIX version compatibility: 5.3, 6.2

dVS <sup>™</sup> is a platform-independent software environment for virtual applications. Based on a distributed, multi-user architecture, dVS provides a natural model for virtual environment simulation and rapid application development. It consists of both a runtime module providing all services necessary for complete VR, and a C developer's library and tools for accessing the runtime module.

dVS supports fully-immersive or flat-screen VR on all SGI platforms from Indy to ONYX and all graphics options from Indy to RealityEngine2. It takes advantage of multiple-processor and multiple-channel systems for maximum performance. It supports a wide variety of VR peripherals.

IRIX version compatibility: 5.3, 6.2