

Sheet1

*---A macro to @ROUND all values in a 3-D or 2-D range
*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the
range names in this column (starts with the \Z macro name)
*---Hold the <MACRO> key and press <Z> to activate the macro

!

THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE
IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3.1/3.1+/123W

!

!

\Z

@ROUND RG

!

!

cont435

!

!

!

counter1435

counter1a435

labels1435

!

here435

!

labels1a435

!

!

rnd435

!

PLACES435

!

counterb435

hereabs435

!

rel435

```
{BREAKON}
{windowsoff}{paneloff}/rncwhich range ?~/rndwhich range ?~/RNC{windowson}{panelon}Which range ?~{bs}{bs}{?}~{WINDO
{let hereabs435,@cellpointer("address")}~{LET counter1435,0}
{getlabel "How many places: ",places435}~
{FOR counter1435,0,@cols(Which range ?)-1,1,labels1435}
{let rel435,@INFO("RELEASE")}~{IF @LEFT(REL435,1)<>"@"}{goto}{hereabs435}~{let counterb435,counterb435+1}~{if cou
{goto}which range ?~/rwwhich range ?~/rndWhich range ?~
```

```
{RIGHT}{LET here435,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR counter1a435,0,@ROWS(WHICH RANGE ?)-1,1,labels
```

\$C\$1

```
{IF @CELLPOINTER("TYPE")="v"}{rnd435}
{DOWN}
```

```
{IF @CELLPOINTER("TYPE")="v"}{edit}{home}@round(@value({end}},{PLACES435})
```

2

\$A\$1

