

Sheet1

\*---A macro to TRANSPOSE a 3-D or 2-D range that includes formulas,  
numbers and labels without changing the address references.  
\*---Use the /Range Name Label Right {End} {Down} <ENTER> to define the  
range names in this column (starts with the \Z macro name)  
\*---Hold the <ALT> key and press <Z> to activate the macro

!  
    THIS MACRO AUTOMATICALLY DETECTS THE LOTUS 1-2-3 RELEASE  
    IT WILL WORK IN LOTUS 2/2.01/2.2/2.3/3/3.1/3.1+/123W

!

\Z

TRANSPOS

!

!

!

!

!

!

!

label051

cont051

!

!

!

!

counter1051

counter1a051

labels1051

!

here1051

!

labels1a051

!

!

number051

cont1051

!

!

!

!

counter2051

counter3051

numbers3051

!

here2051

!

numbers1051

!

!

numbena051

cont1a051  
!  
!  
!  
counter3a051  
counter2a051  
!  
numbers3a051  
!  
here3051  
!  
numbers1a051  
!  
counterb051  
hereabs051  
!  
rel051

```
{BREAKON}
{WINDOWSOFF}{PANELOFF}/RNCWHICH RANGE ?~/RNDWHICH RANGE ?~/RNC{PANELON}Which range ?~{WINDOWSOFF}{PANELOFF}/RNCWHERE TO ?~/RNDWHERE TO ?~/RNC{PANELON}Where to ?~{bs}{bs}{WINDOWSOFF}/rtwhich range ?~Where to ?~
{goto}where to ?~/RNCwhere to ?~{bs}{bs}
.{DOWN @COLS(Which range ?)-1}
.{right @rows(Which range ?)-1}~
{numbera051}{number051}
```

```
{GOTO}Which range ?~{LET COUNTERB051,0}~
{LET counter1051,0}{LET HEREABS051,@CELLPOINTER("ADDRESS")}~
{FOR counter1051,0,@COLS(Which range ?)-1,1,labels1051}~
{let rel051,@INFO("RELEASE")}~{IF @LEFT(REL051,1)<>"@"}{goto}{hereabs051}~{let counterb051,counterb051+1}~{if counterb051>=100}{return}
```

```
{RIGHT}{LET here1051,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR counter1a051,0,@ROWS(WHICH RANGE ?)-1,1,labels1051}
```

\$C\$1

```
{IF @CELLPOINTER("type")<>"b"}{EDIT}{HOME}'
{DOWN}
```

```
{GOTO}Which range ?~{LET COUNTERB051,0}~
{LET counter2051,0}{LET HEREABS051,@CELLPOINTER("ADDRESS")}~
{FOR counter2051,0,@COLS(WHICH RANGE ?)-1,1,numbers3051}~
{let rel051,@INFO("RELEASE")}~{IF @LEFT(REL051,1)<>"@"}{goto}{hereabs051}~{let counterb051,counterb051+1}~{if counterb051>=100}{goto}which range ?~/rndWhich range ?~/rndwhere to ?~
```

```
{RIGHT}{LET here2051,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR counter3051,0,@ROWS(WHICH RANGE ?)-1,1,numbers3051}
```

\$C\$1

```
{IF @CELLPOINTER("type")<>"b"}{EDIT}{HOME}{DEL}
{DOWN}
```

```
{GOTO}Where to ?~{LET COUNTERB051,0}~
```

Sheet1

```
{LET counter2a051,0}{LET HEREABS051,@CELLPOINTER("ADDRESS")}~  
{FOR counter2a051,0,@COLS(Where to ?)-1,1,numbers3a051}~  
{let rel051,@INFO("RELEASE")}~{IF @LEFT(REL051,1)<>"@"}{goto}{hereabs051}~{let counterb051,counterb051+1}~{if cou
```

```
{RIGHT}{LET here3051,@CELLPOINTER("ADDRESS")}~{LEFT}{FOR counter3051,0,@ROWS(Where TO ?)-1,1,numbers1
```

\$Q\$1

{EDIT}{HOME}{DEL}{DOWN}

\$A\$1

