

Sheet1

\*--A MACRO MANAGER to activate any \*.MLB library macro in the default directory  
\*--Use the /Range Name Label Right {End} {Down} <ENTER> to define the range names in this column (starts with the \Y name)  
\*--Place the cell pointer at upper left cell of the range to be processed  
\*--Hold the <ALT> key and press <Y> to activate the macro  
\*\*\* See the README.PRN file for details \*\*\*  
\*\*\* FOR VERSION 2.2/2.3/2.4 \*\*\*

!  
\Y  
SMALLMLB  
!  
TRASH@248  
!  
ERRA@248  
!  
ERRB@248  
!  
REMOVE@248  
!  
!  
RNGNAM1@248  
!  
!  
!  
SMALLNGR@248  
!  
BACK#248  
BACK#1248  
!  
!  
RANGERASE@248  
!  
!  
MENU#1248  
!  
!  
!  
ERR#1248  
!  
WARNING@248  
!  
FILENAME@248  
!  
DESCRIC@248  
!

RUNKEY#1248  
!  
!  
!  
HHH#1248  
!  
ROUTIN#1248  
!  
KEYW@248  
!  
VIEW1@248  
!  
!  
!  
MACRORUNE@248  
!  
!  
!  
MACRORUN@248  
!  
AGA@248  
!  
NUM@248  
!  
BRNCH@248  
!  
REMOVE1@248  
REMOVEA@248  
!  
!  
EXECUTE3@248  
!

```
{BREAKON}  
{RESTART}{BRANCH SMALLNGR@248}
```

```
{onerror ERRB@248}
```

```
{beep}INVALID MACRO NAME! PRESS ANY KEY TO CONTINUE ...{GET KEYW@248}{ESC}{BACK#248}{BRANCH \Y}}
```

```
{IF @CELLPOINTER("TYPE")="b"}{GOTO}Y~{left}{UP 10}/RND\Y~/RNDTRASH@248~/RNDERRA@248~/RNDERRB@248  
{windowson}{IF @CELLPOINTER("CONTENTS")="!"}{DOWN}{branch REMOVE@248}  
{LET RNGNAM1@248,@CELLPOINTER("CONTENTS")}~/rnd  
EXECUTE3@248  
~{DOWN}  
{IF @CELLPOINTER("TYPE")="B"}{GOTO}Y~{left}{UP 10}/RND\Y~/RNDTRASH@248~/RNDERRA@248~/RNDERRB@248  
{branch REMOVE@248}
```

```
{WINDOWSOFF}{PANELOFF}{LET BACK#1248,@CELLPOINTER("ADDRESS")}~{RANGERASE@248}{MENUBRANCH MENU#1248}
```

```
{GOTO}  
$A$11  
~
```

```
{WINDOWSOFF}{PANELOFF}{GOTO}EXECUTE3@248~{LEFT}{DOWN 2}{IF @CELLPOINTER("TYPE")<>"B"}{WINDOWSON}  
{BACK#248}
```

Default-dir

Set the default directory to the directory where the macros are.

```
{WINDOWSON}{PANELON}/wgdd{?}~{WINDOWSOFF}{PANELOFF}{esc 6}  
{menubrand MENU#1248}
```

```
{ONERROR WARNING@248}
```

```
{BEEP}{GETLABEL "MISSING FILE or FILE ALREADY IN MEMORY , Press <ENTER> to continue",TRASH@248}~{branch
```

```
dddd
```

```
z1
```

Sheet1

```
{ERRA@248}{let BACK#1248,@cellpointer("address")}~{WINDOWSOFF}{PANELOFF}{goto}{name}{WINDOWSON}{name}{  
{if KEYW@248="-~"}{branch HHH#1248}  
{KEYW@248}{?}~{branch HHH#1248}
```

```
~{let ROUTIN#1248,@cellpointer("address")}~{BACK#248}{dispatch ROUTIN#1248}~
```

\$B\$29

E

```
Use ARROWS to move or <E>execute or Press <RETURN> to finish {get KEYW@248}{ESC}  
{if KEYW@248="{right}"#or#KEYW@248="{left}"#or#KEYW@248="{up}"#or#KEYW@248="{down}"#or#KEYW@248="{pgdn}"  
{if @UPPER(KEYW@248)="E"}{MACRORUNE@248}{ONERROR REMOVE1@248}/FCCE@##@##~{restart}{branch \y}  
{RANGERASE@248}{BACK#248}{windowson}{branch \y}
```

```
{windowsoff}{ERR#1248}{GOTO}EXECUTE3@248~{L}{D 12}/C~NUM@248~/C~REMOVEA@248~{RANGERASE@248}{BA  
{ONERROR AGA@248}{ERR#1248}  
{BRANCH AGA@248}
```

```
{windowsoff}{ERR#1248}{GOTO}NUM@248~/FCC{windowson}{panelon}NA11..A11~{NAME}{?}~{PANELOFF}/C~REMOVEA  
{ONERROR AGA@248}  
{if @ISAPP("MACROMGR.ADM")=0}/AAMACROMGR~~Q  
{onerror WARNING@248}/ADMACROMGR~AMACROMGR~~IMACROMGR~L  
NEGATIVE  
~{ESC 3}Q{ESC}
```

```
{PANELOFF}/AIMACROMGR~R  
NEGATIVE  
~{PANELON}{BRANCH \Y}
```

Macro\_run

Short cut to run a macro. Make sure the macros are in the default directory

```
{MACRORUN@248}{ONERROR REMOVE1@248}/FCCE@#@@#~  
{RESTART}{BRANCH \Y}
```

Runkey  
Execute any routine in the current worksheet (Point and Shoot)  
{RUNKEY#1248}  
{menubranh MENU#1248}

View

View the macro and operating instruction

{goto}EXECUTE3@248~{left}{down 2}/fcce{windowson}{panelon}{name}{?}~{windowsoff}{pgdn}{up 20}{windowson}{VIEW1@

List

Display names of all files in current directory to verify macro existence

```
/FLO{WINDOWSON}{PANELON}{NAME}{NAME}{?}{ESC 8}~  
{menubranh MENU#1248}
```



Erase_mgr	Quit
Remove the macro manager from the spraedsheet	Quit the macro manager
{goto}SMALLNGR@248~{left}{branch REMOVE@248}	{Quit}