

SunWindow

COLLABORATORS

	<i>TITLE :</i> SunWindow		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		January 9, 2023	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	SunWindow	1
1.1	SunWindow.guide	1
1.2	SunWindow.guide/Copying	2
1.3	SunWindow.guide/Introduction	2
1.4	SunWindow.guide/Concept	3
1.5	SunWindow.guide/System Requirements	5
1.6	SunWindow.guide/Installation	5
1.7	SunWindow.guide/Features	7
1.8	SunWindow.guide/Usage	7
1.9	SunWindow.guide/Window	8
1.10	SunWindow.guide/Screen	9
1.11	SunWindow.guide/Display	9
1.12	SunWindow.guide/Hotkeys	11
1.13	SunWindow.guide/Window Hotkeys	12
1.14	SunWindow.guide/Screen Hotkeys	13
1.15	SunWindow.guide/Misc Hotkeys	13
1.16	SunWindow.guide/HowTo?	14
1.17	SunWindow.guide/Miscellaneous	16
1.18	SunWindow.guide/SWPrefs	17
1.19	SunWindow.guide/Other Topics	19
1.20	SunWindow.guide/Registration	19
1.21	SunWindow.guide/Updates	21
1.22	SunWindow.guide/Support	21
1.23	SunWindow.guide/Thanks	22
1.24	SunWindow.guide/Future	23
1.25	SunWindow.guide/Questions	23
1.26	SunWindow.guide/Distribution Package	25
1.27	SunWindow.guide/Package	25
1.28	SunWindow.guide/History	26
1.29	SunWindow.guide/Distribution	27
1.30	SunWindow.guide/Warranty	27
1.31	SunWindow.guide/Index	28

Chapter 1

SunWindow

1.1 SunWindow.guide

SunWindow

SunWindow is a commodity tool for the Commodore Amiga with at least an OS-Version of 2.0 or higher. It allows the user to control the graphical user environment (GUI) in a more intuitive way as usual. In short, SunWindow simplifies the usage of windows and screens, by adding keyboard shortcuts for most of the window operations, usually only accessible via the mouse. It is also capable of controlling big autoscrolling screens with a new method on the Amiga platforms.

This is Edition 2 of the SunWindow documentation, for SunWindow Version 2.

The main topics...

Copying

Your rights.

Introduction

SunWindow in brief.

Features

How to use SunWindow and its features

SWPrefs

How to use the preference program.

Other topics

The rest you want to know.

Distribution package

What you want to know on this distribution.

Index

You are searching for...

WARNING: The information described in this manual may contain errors or bugs, and may not function as described. All information is subject to enhancement or upgrade for any reason including to fix bugs, add features, or change performance. As with all software upgrades, full compatibility, although a goal, cannot be guaranteed, and is in fact unlikely.

Amiga is a registered trademark of Commodore-Amiga, Inc. Amiga 1000, AmigaDOS, Amiga Workbench, Amiga Kickstart, AmigaGuide are trademarks of Commodore. Commodore is a registered trademark of Commodore Electronics Limited.

1.2 SunWindow.guide/Copying

SunWindow Copying Conditions

SunWindow is copyrighted by Bernhard Scholz. The program currently distributed includes portions of the ReqTools package (C) by Nico Francois. For more informations on the ReqTools package, please read the 'REQTOOLS.readme' file on the distribution disk.

SunWindow is distributed under the concepts of "SHAREWARE". This means: If you are using SunWindow frequently (I understand a period of time, not longer than four weeks), you have to be registered as a user of SunWindow by Bernhard Scholz.

Permission is granted to make verbatim copies of SunWindow of the whole package, and process it with any packer.

Permission is granted to distribute SunWindow in a non commercial (this includes other "SHAREWARE" products) way provided the copyright notice and this permission notice are preserved in all copies under the conditions of verbatim copying.

Permission is granted to distribute SunWindow on public electronic networks, on public mailboxes or disk based PD-series, without profit for the distributor, and the conditions of verbatim copying providing the copyright notice and this permission notice are preserved.

1.3 SunWindow.guide/Introduction

Introduction To SunWindow

In this chapter the concept of SunWindow is described in brief. You find informations about whether you can use the program or not, what are the benefits and other useful things, you might want to know, to get a fast impression of what SunWindow is capable to do.

Concept

The concept behind SunWindow.

System Requirements

What you need to use SunWindow.

Installation

How to install SunWindow.

1.4 SunWindow.guide/Concept

The Concept Of SunWindow

=====

The user interface the Amiga offers to an user is very nice and was something revolutionary when the Amiga started its career. The "Workbench" is the main working area, and Intuition -- a part of the operating system -- serves for the graphical-user-interface (GUI).

Many years have gone now, since the first release of the Amiga's GUI, but only since release V2.0 of the OS some great enhancements to the GUI were added, but most of them refer to the lookout of the graphics. Also new features were added: the public screens (screens, where any programm can open its windows) and autoscrolling screens (screens, which are bigger than the visible size will scroll with the mouse to make other parts of such a big screen visible). Although these two features are really great, they are not used very often. To make the use a little bit easier and intuitive to the user, and nearby enhance the control over the GUI, SunWindow was born.

SunWindow offers several things to make the life easier with your daily work. Some of these features are now described:

- * SunWindow offers several *hotkeys* for controlling windows and screens, therefore it serves as a kind of replacement for FKey (by Commodore). Windows can be moved, sized, zipped and closed by hotkeys. Sizing has been enhanced in a way which makes it now possible to size a window in any direction. Screens can be moved and shuffled, as you would do it with the mouse.
- * *Public screens* are automatically under SunWindow's control (and they are the *only* kind of screens on which all of SunWindow's screen and window operations will take affect). If such a screen is bigger than the displayable area of your monitor, SunWindow offers you the possibility to display the whole screen as a thumbnail display in a seperate small window. On this display all

of the screen's windows are redisplayed, and you can perform several actions on these windows, like bringing a window to front, making a selected window visible or just moving the windows around to get the screen cleaned up.

- * SunWindow offers you a *SunMouse* feature. This means, if your mouse stops over a part of a window, the window will become the active window, could be made visible or just brought to front.
- * SunWindow offers you also the unique possibility to *remember* up to ten different positions of your mouse (also on different screens). With just a fingertip on a hotkey you can jump back to any or these remembered positions, without looking through different screens and searching around a big screen to find the desired window/position.
- * On big public screens new windows may not be visible, when they are opened. This can be controlled by SunWindow, so that the user will notice every new window, by just centering the display around every new window (this means making the window visible). In addition, if the last active window becomes the active one after a window is closed, the former window can be made visible by SunWindow.

Again, to offer you a example of the SunWindow's thumbnail display option of a big public screen, here's a small graphic:

```

< ---- visible area of the ----> < -- only reachable with -- >
           public screen                autoscroll feature

-----
|=== Tool-                               :                               | /\
|| | manager                             :                               | v
|| | window                             : ===== | i
|| |                                     : |           | | s
|| |                                     : |   Workbench | | i
|| |                                     : |           | | b
|---                                     : |   Window   | | l
|                                         : |           | | e
|                                         : |           | |
|                                         : |           | | a
|                                         : |           | | r
|           Sun- |$   ##| |           | | e
|           Window|   ##| |           | | a
|                                         : |           | | | | |
|           |%%%   | |           | |
|-----|-----|-----|-----|-----| |
|.....|-----|-----|-----|-----| | \
|                                           | /\
|                                           | r
|                                           | e
|                                           | s
|                                           | t
|=====|-----|-----|-----|-----| |
| |           | |           | |           | | o
| |           | |           | |           | | f
| |           | |           | |           | |

```

```

| |                               | |                               | s
| -----                         | |                               | c
|                                 | |                               | r
|                                 | |                               | e
|                                 | |                               | e
|                                 | |                               | n
|                                 | |                               | \
-----

```

In this example SunWindow opens you a small display window in the right bottom of the displayed area of the screen. Now you can control the whole screen via this small display by just clicking on a window or the background to go to the desired window or screen area. Also the windows can be moved, brought to front or made visible.

1.5 SunWindow.guide/System Requirements

System Requirements

=====

SunWindow uses some new features introduced by version 2 of the Amiga's OS. Therefore of course Kickstart 2.0 or higher are required. User of Kickstart 3.0 will notice some small enhancements in the preference program of SunWindow.

If you are using the **opaque movement** feature of SunWindow, a fast processor and graphic display are recommended.

SunWindow and the preference programm will take advantage of the 'reqtools.library' (C) by Nico Francois. Please read the supplied document on this library in the distribution package.

1.6 SunWindow.guide/Installation

How To Install SunWindow

=====

Before you run SunWindow for the first time, you should consider the following things:

- * You need the 'reqtools.library' in your 'LIBS:' drawer (V37 or higher).
- * You need a valid preference file in your 'ENV:' drawer. The preference file usually resides in your 'ENVARC:' drawer and is called 'SunWindow.prefs'. If the preference file is placed in the 'ENVARC:' drawer, it'll be automatically copied to the 'ENV:' drawer during booting.
- * The SunWindow's preference program should have been run, and the

options should have been saved once before the first use of SunWindow. This ensures that the path of the preference program is valid and therefore the preference program is accessible via a hotkey.

- * And of course you should have read the manual!

If you are familiar to your Amiga, I am sure you will know how to setup your system correctly for the first use. If not, follow these steps:

- * Enter a shell by double clicking the shell's icon at your 'Tools' drawer on the Workbench disk which comes with your Amiga.
- * Insert the SunWindow distribution disk in diskdrive *df0:*. (This is normally the internal drive.)
- * Now type the following lines in your shell, and press "RETURN" after each line:

```
cd DF0:
copy SunWindow#? SYS:Utilities
copy SWPrefs#? SYS:Prefs
copy LIBS/reqtools.library LIBS:
copy ENV/#? ENVARC:
```

The first line switches to the disk drive. The following lines copy the files you need to run SunWindow. Therefore these lines will copy SunWindow to the 'Utilities' drawer of your SYS: drive (usually the disk with which you booted, or the harddisk partition which includes the Workbench). You may want to alter this line to place SunWindow into the 'WBStartup' drawer, to have SunWindow available each time you startup your system. Just replace 'Utilities' with 'WBStartup'. Also the preference program 'SWPrefs' is copied to the 'Prefs' drawer of your SYS: drive. Of course this path may also be changed, to your preferred destination drawer. Be sure to copy the ENV: drawer. If you won't do so, you might have to do a *lot* of initializations in the preference program.

- * If you are using Kickstart 3.0 or higher, you perhaps like the only documentation available. If so, just add the following line: 'copy LANGUAGE/SunWindow.guide HELP: LANGUAGE' where LANGUAGE is a replacement for the language you prefer actually only 'English' and 'Deutsch' are available). Please read the chapter about MULTIVIEW in your system documentation for further informations.
 - * Now close the shell, it's no longer needed.
 - * Enter your 'Prefs' drawer, or the drawer where you copied the preference program, and start the preference program of SunWindow, called 'SWPrefs'.
 - * Apply some changes to the options you want to alter or just do nothing. Leave the program by pressing the "SAVE" button. This saves the options in both, the 'ENVARC:' and 'ENV:' drawer. Also it ensures, that the path for the preference program is setup
-

correctly and usable for a quick startup of the preference program via a hotkey.

- * Now you are ready to run SunWindow. Just double click on its icon in the drawer where you have copied it. (Usually the 'Utilities' drawer, as shown above, or the 'WBStartup' drawer.)

1.7 SunWindow.guide/Features

The Features And Usage Of SunWindow

This chapter covers the usage and features of SunWindow. First, the usage is discussed and then all the features are explained. Because there are so many different features, the chapter is divided into several sections. The options are all set by the preference program 'SWPrefs'. Read the chapter about 'SWPrefs', to learn more about its usage.

Usage

How to use SunWindow

Window

Options, concerning windows.

Screen

Options, concerning screens.

Display

Options, concerning the thumbnails display.

Hotkeys

Hotkey definitions SunWindow offers you.

Miscellaneous

Other stuff, which is nice to know about.

1.8 SunWindow.guide/Usage

The Usage Of SunWindow

=====

SunWindow is very easy to use. To start SunWindow, just do a double click on its icon. If you are a Shell/CLI fan you can also start SunWindow via a Shell/CLI. Note that SunWindow won't start a background

task, if started from a Shell/CLI. All general tooltype values are accepted as well as by a start from Workbench or CLI. Read your system manual for more information about general tooltypes. Normally no tooltype values are required, because every option is set by the preference program. Anyway, tooltype values have a higher priority over the values set by SWPrefs. If you want to run SunWindow at system startup, please place SunWindow in your 'WBStartup' drawer and add a "DONOTWAIT" tooltype to the tooltypes of SunWindow's icon.

There are several ways of quitting SunWindow. The easiest way is to press the middle mousebutton of a three button mouse, while the thumbnail display is the active window. Of course not many user own a three button mouse and therefore there are three other possibilities of quitting SunWindow. First you can use the 'Exchange' program supplied by Commodore to quit SunWindow, second, you can send a CTRL-C signal, by pressing CTRL-C, if you started SunWindow via a Shell/CLI and third, you can rerun SunWindow. All quitting methods will popup a requester where you should confirm.

Mostly you don't want SunWindow to quit, but just stop working. Use the hotkey for disabling SunWindow or the previously named 'Exchange' program. Because SunWindow is a commodity, all of the standard commodity functions can be controlled with 'Exchange'. Another circumstance of commodities in general is that if you close its window, the commodity is *not* quitted, instead it's only disabled. Read your system documentation, to learn more about the internal functionality of commodities.

All other functions of SunWindow can be controlled by hotkeys or the preference program of SunWindow: SWPrefs. Go on reading the next sections, to learn more about these functions.

1.9 SunWindow.guide/Window

SunWindow and windows

=====

With SunWindow you get a greater control over windows. The following options can be set in the preference program, to get the desired behaviour of SunWindow. All of the "window" options are located in the "screen actions" group of the preference program, because of their connection to a plain usage of SunWindow (this means, running SunWindow, without the thumbnail display).

- * *<center activated>* This option tells SunWindow to make the active window visible on a screen by centering the display around this window. Therefore every time a window becomes active, it will be automatically made visible.
- * *<center opened>* This option tells SunWindow to center a newly opened window. Every time a window opens on the screen, which SunWindow is just controlling (normally this is the active/frontmost screen), it will be centered.

- * `<center closed>`* This option tells SunWindow, that if a window is closed and the last active window becomes active, it will be centered. Of course setting this option is needless if you have just selected the `<center activated>`* option.
- * `<active to front>`* Setting this option causes every active window to become the topmost window.

1.10 SunWindow.guide/Screen

Screen features

=====

SunWindow only controls public screens. This means, that you can't use any feature of SunWindow on a non public screen. This is not because it might be a programming problem, but it is a problem of other software integraty. If a program opens a non public screen, it just doesn't want any other software's windows or other software's control on its screen. Therefore SunWindow was considered not to control these screens.

But how operates SunWindow with screens? Actually nearly not. Most of SunWindow's screen control features can be reached via hotkeys, described in the second next section. There is only to mention, that SunWindow automatically "jumps" to and from screens to reach the topmost screen. Using SunWindow always causes the topmost screen to become the active screen, by activating the last active window of this screen! This is normally *not* handled by Intuition! Take care that this circumstance is different to the normal behaviour of your GUI.

1.11 SunWindow.guide/Display

The thumbnail display

=====

As explained in the introduction, SunWindow is able to display the whole screen in a little window. This window is called the thumbnail display. In the thumbnail display all windows are displayed as they are positioned on the screen. With this thumbnail display you can nearly do everything to windows, as you would do it on the real screen. Therefore the thumbnail display acts as a kind of remote control for you.

If you want a specific window made visible, just click on the window in the thumbnail display. If you want the window moved to somewhere else, just click and move the window. These are only some examples, how you could use this thumbnail display. More complex actions can be performed by selecting one or more of the following options.

Several options may be set to the behaviour of this thumbnail display. But always keep in mind that all the actions you perform on

the thumbnail display are also performed on the screen (of course) and therefore the options which you chose to work on windows will also affect the action! The options which you might choose for the display are listed in the preference program in the "Display actions" group and they are:

- * *<activate window>* Every time you click on a window this window will become the active window with this option set.
- * *<window to front>* A window you selected by clicking on it will automatically be brought to front.
- * *<center window>* This might be the most useful option. Just click on a window and this window will be immediately made visible for you and centered on your monitor display.
- * *<opaque movement>* You might want to set this option, if you have a fast processor paired with a fast graphics display! This option causes all window movements to be processed in realtime, this means that you will immediately see, where the window is moved to.
- * *<handle backdrops>* Normally there is no difference between backdrop windows and non backdrop windows. Backdrop windows are a special feature of the OS. If you set this option, you can't make backdrop windows visible by clicking on them. Instead the area around the mousepointer is made visible! This is very useful by using the "Workbench" window as a backdrop window.
- * *<display titles>* When this option is set the titles of the windows are also displayed in the thumbnail display. Unfortunately sometimes the titles can't be displayed because of a space problem, then simply nothing happens.

The following options and settings affect the lookout of the thumbnail display and are therefore located in the "Display settings" group of the preference program.

- * *<3D-Look>* With this option set, the windows are displayed as buttons. Normally they are displayed as plain coloured boxes.
 - * *<View border>* Set this option if you want a dotted line being drawn in the thumbnail display, to indicate you the actual displayed clip.
 - * *<Close gadget>* With this option set, a close gadget is attached to the thumbnail display window. The close gadget doesn't cause SunWindow to end (SunWindow is a commodity!), it just causes the display to be closed! Of course, also a dragbar is added, but you can't move the display with it.
 - * *<drag bar>* Set this option if you want a dragbar attached to the thumbnail display. Now you can move the window anywhere you like, and it will stay at this relative position, everytime you move the screen, instead of the default position.
 - * *<keep aspect>* Normally you can specify the width and height of the thumbnail display in pixels. If you set this option, you can
-

only specify the width of the display, the height is calculated, to give you the best impression of the real proportions of the screen, SunWindow is just controlling.

- * *<X-Coord>* This value specifies the relative x-coordinate of the left top edge of the thumbnail display.
- * *<Y-Coord>* This value specifies the relative y-coordinate of the left top edge of the thumbnail display.
- * *<width>* This value specifies the width of the thumbnail display.
- * *<height>* This value specifies the height of the thumbnail display.
- * *<Placement>* Choose the default location of the thumbnail display. Setting "Individual" will take the values of *<X-coord>* and *<Y-coord>* to take affect. Setting one of the four corners will cause SunWindow to open the thumbnail 1 pixel away of the selected corner, so you can reach a possible hidden gadget. (Mostly the size, screen cycle or close gadget).

1.12 SunWindow.guide/Hotkeys

Hotkey features

=====

Hotkeys? What is a hotkey? A hotkey is a keyboard shortcut for a specific function. This means, that if you are using a hotkey for a function you can choose, which key presses of your keyboard will act for/start this function. Therefore a hotkey is a shortcut for operations or functions which are normally only hard to get or sometimes impossible to get.

With the hotkey feature of SunWindow you get a kind of control over screens and windows you might have dreamed of. Because there are so many hotkeys available, they are again described in several subsections.

These subsections are:

Window Hotkeys

Hotkeys for window manipulations.

Screen Hotkeys

Hotkeys for screen manipulations.

Misc Hotkeys

Hotkeys for other stuff.

If you don't know how to specify a hotkey read this:

HowTo?

How to install a hotkey!

1.13 SunWindow.guide/Window Hotkeys

Hotkeys For Window Operations.

Below is a list of all the hotkeys of SunWindow which allow you to manipulate your windows in a way (or even better) which is normally only possible with a mouse. The first expression after an item bullet is the name of the hotkey as it would appear in the hotkey list of the preference program.

- * *<recenter window>* Imagine this: you have just activated a Shell/CLI and want to type something in it. Now you have looked up some information in a window you can't see, because it's somewhere else on the screen. You only looked up this information, but didn't activate the informative window, so you only moved the screen. O.k., now you know your information, but where is the shell? Just use this hotkey to make the active window visible again, if you moved the screen.
 - * *<window cycle forward>* With this hotkey you can cycle through all the windows of the active (topmost) screen in "forward" direction. If you selected some other features of SunWindow, this window might be made visible, brought to front or/and made activated.
 - * *<window cycle backwards>* The hotkey with the same functionality as *<window cycle forward>*, but of course in reverse direction.
 - * *<enlarge window...>* There are eight hotkeys for enlarging a window. With the hotkeys of SunWindow a window can be enlarged in every direction. The direction is always written in brackets. For example the hotkey for enlarging a window to its left bottom is labeled *<enlarge window (left bottom)>* in the hotkeys list.
 - * *<reduce window...>* Again eight hotkeys for the reverse action of enlarging a window. See hotkey description for: *<enlarge window...>*
 - * *<move window...>* And again eight hotkeys for just moving a window around the screen. See also the hotkey description for: *<enlarge window...>*
 - * *<toggle zip state of window>* This hotkey has the same functionality as pressing the zip gadget of a window. Of course, if there is no zip gadget, you can't toggle the zip state of a window.
 - * *<maximize window>* By pressing this hotkey you enlarge the window to its maximum dimensions. Notice, that this dimension is
-

controlled by the program, which opened the window, and not by SunWindow.

- * `<minimize window>`* This is the reverse action to `<maximize window>`.*
- * `<window to front>`* Just press this hotkey to bring a hidden, active window to front.
- * `<window to back>`* Again a reverse action. See `<window to front>`.*
- * `<close window>`* This hotkey has the same affect as pressing the close gadget of a window. Of course: if there is no close gadget, you can't close the window! Notice that a window is only closed, if the program controlling the window allows the window to be closed!

1.14 SunWindow.guide/Screen Hotkeys

Hotkeys For Screen Operations.

Below is a list of all the hotkeys of SunWindow which allow you to manipulate your screen in a way (or even better) which is normally only possible with a mouse. The first expression after an item bullet is the name of the hotkey as it would appear in the hotkey list of the preference program.

- * `<move screen...>`* There are eight hotkeys for moving a screen. With the hotkeys of SunWindow a screen can be moved in every direction. The direction is always followed after the `<move screen>`* keyword. For example the hotkey for moving a screen left down is labeled `<move screen left down>`* in the hotkeys list.
- * `<cycle screens backward>`* With this hotkey you can switch a screen to the back. The new topmost screen will become the active screen by activating its last active window.
- * `<cycle screens forward>`* The reverse action to `<cycle screens backward>`.*

1.15 SunWindow.guide/Misc Hotkeys

Hotkeys For Miscellaneous Operations.

Below is a list of all the hotkeys of SunWindow which offer you a greater power for your system -- or are just standard hotkeys. The first expression after an item bullet is the name of the hotkey as it would appear in the hotkey list of the preference program.

- * *<call preferences>* This hotkey allows you to start the preference program of SunWindow with a simple keypress.
- * *<show/close view>* This hotkey opens or closes the thumbnail display of the screen. This is useful if you only want to use the hotkey features, or some other features of SunWindow, which don't rely on this display.
- * *<enable/disbale>* This hotkey enables or disables all of SunWindow's functions. This is always needed, if you want to change the screen mode of a screen! It is not enough, to only close the thumbnail display!
- * *<remember position xx>* There are ten hotkeys for remembering a specific position of the mouse on a screen with the active window! The *xx* indicates the number (1-10) of the position you want to remember.
- * *<jump to position xx>* These are the ten hotkeys for jumping to a previously remembered position with the *<remember position xx>* hotkeys. The *xx* indicates a number (1-10). The remembered screen is brought to front, the mouse is repositioned to the remembered position and the remember window is activated. If the screen is gone, nothing happens, if the window is gone, only the mouse is repositioned.

1.16 SunWindow.guide/HowTo?

Installation Of Hotkeys.

Hokeys are installed very easily with the preference program of SunWindow. Just select the hotkey which you want to install and specify a keyboard shortcut for it. After exiting the preference program, the hotkey should be ready for usage. If the keyboard shortcut definition is wrong, a requester will popup, where you can correct the hotkey or simply alter its definition. But this requester is just a short solution! Don't forget to correct/alter your definition in the preference program, too!

NOTE: a requester will also popup with a *correct* definition, if another hotkey with the same definition is already in use!

But how is the syntax for defining a hotkey? It's very easy and intuitive:

- * first decide, wether you want a hotkey connected with a keyboard shortcut or with the mouse. If you choose the keyboard go on reading the next item, else write done "rawmouse" as the first item in the definition string.
- * now chose one or more qualifiers for your shortcut. A qualifier is one of the following items:

- *lshift* for the left shift key on the keyboard.
- *rshift* for the right shift key on the keyboard.
- *capslock* for the "Caps Lock" key.
- *control* for the control key labeled "Ctrl"
- *lalt* for the left "Alt" key on the keyboard.
- *ralt* for the right "Alt" key on the keyboard.
- *lcommand* for the amiga key labeled "A", left to the space bar.
- *rcommand* for the amiga key labeled "A", right to the space bar.
- *numericpad* for a key on the numericpad (if accessible).
- *repeat* for key repeat (if you hold down a key long enough).
- *lbutton* for the left mouse button.
- *rbutton* for the right mouse button.
- *midbutton* for the middle mouse button, if available.

You can also just specify a group of qualifiers:

- *shift* for any shift key.
- *alt* for any "Alt" key.
- *command* for any Amiga key (next to the space bar).

Now write down this qualifier(s) in your hotkey definition string. Add a minus before those qualifiers you want to be ignored when pressed.

- * Now choose whether you want upstrokes or not or both. Just add "upstroke" to your definition string, if you want only upstrokes. Leave it, if you want only downstrokes. Add it with a preceding minus if you want both. Adding "upstroke" is optional.
 - * Add a highmap keycode, or an ANSI-Code to your definition string. This is also optional. A highmap keycode is one of the following items:
 - *space* for the space bar.
 - *backspace* for the backspace key. ("<-")
 - *f1 ... f10* for one of the "F-Keys".
 - *esc* for the key labeled "Esc".
 - *tab* for the tabulator key. (above the "Ctrl" key).
-

- *enter* for the key labeled "Enter".
- *return* for the return key.
- *del* for the key labeled "Del".
- *help* for the key labeled "Help".
- *up, down, left, right* for one of the direction keys.

An ANSI-Code is just the character you get by pressing a "normal" key. (e.g. "a").

Now you did everything which is needed, for a complete hotkey definition. Here some examples, which might explain it a little bit better:

- * *lshift alt f2*: press the left shift key with any "Alt" key and the "F2" key simultaneously.
- * *-shift control a*: press the control key and the key which "produces" the "a" simultaneously. If you want you can also press any shift key.

NOTICE: There is a bug in Kickstart 2, which prevents you using the mousebuttons. In version 3 of the Kickstart, this bug is fixed.

1.17 SunWindow.guide/Miscellaneous

Miscellaneous Features

=====

There are some features left, which didn't fit into one of the previous sections. They are therefore placed in the "Miscellaneous" group of the SunWindow preference program (except for the *<SunMouse>* options, which are placed in the "Screen actions" group, because they take only affect screens.)

The features are:

- * *<startup window>* This option causes the preference program to be run at startup of SunWindow, where you can do quick changes.
- * *<T:>* This is a shortcut for the task priority of SunWindow. Normally different programs are run at task priority level 0. Workbench runs at level 1 (so it get's more CPU-time in very busy situations). Background tasks may want to run at level -1, which causes them to loose the CPU in busy situations. Choose the priority you prefer.
- * *<C:>* This is a shortcut for the commodity priority. Commodities use the same information data stream. Usually the commodity with the highest priority will get the information first. A commodity with low priority later. This may cause some lost of informations,

because commodities are allowed to strip informations from the information stream. The default priority should be 0.

- * *<U:>* This is a shortcut for the update time of SunWindow in 1/10 of a second. This will only affect the time, how fast SunWindow will react to changes on the screen, and this value may be strongly influenced by the task priority of SunWindow. A value of 3 is a nice try to start.
- * *<SunMouse feature>* This option enables the SunMouse feature of SunWindow, if set. SunMouse feature means, that always the window under the mouse will be activated.
- * *<SunMouse delayed>* If this option is set, the window will only be activated, if the mouse stopped over a window, for a specified amount of time. You may only set this option if you have already enabled the *<SunMouse feature>* option.
- * *<SunMouse reaction...>* This is the time value for the *<SunMouse delayed>* option in 1/10 of a second. A value of 4 is a good delay time.

1.18 SunWindow.guide/SWPrefs

The Preference Program: SWPrefs

When you correctly installed SunWindow, you'll find a program called "SWPrefs" in the "Prefs" drawer of your startup disk/hardisk partition. This is the preference program for SunWindow. With this program you can set all the options SunWindow offers you. When you start SWPrefs you find a lot of options divided into four groups, concerning their functionality. There is a "Display actions", a "Screen actions", a "Display settings" and a "Miscellaneous" group (from top left to right bottom), additionally to the most right is a control panel attached. Each group is now explained:

The "Display actions" group contains all those options which concern the thumbnail display of SunWindow. The different options are described in the "Usage" chapter, section "Display".

The "Screen actions" group contains all those options which concern the screen directly, this means that this options can be used without the thumbnail display. The different options are described in the chapter "Usage", section "Window", "Screen" and "Miscellaneous".

The "Display settings" group contains, of course, the settings for the thumbnail display. The different settings are described in the "Usage" chapter, section "Display".

The "Miscellaneous" group contains some settings which contain the internal functionality of SunWindow, here you can set priorities, etc. There is also a button labeled "Keys..." which takes you to the hotkey definition window. The different options in this group are described in

the "Usage" chapter, section "Miscellaneous". The hotkey definition window is described below.

The control panel on the right of the display has seven buttons. They are now explained from top to down:

- * *About*: This button opens a little window with information of this version of SunWindow. The version number, revision number and registered user is displayed here, as well as a copyright notice.
- * *Load*: This button reloads the last saved settings from the ENVARC: drawer.
- * *Load as ...*: This button let's you choose a differnt settings file, previously saved with the *Save as ...* button.
- * *Save*: This button saves the settings in the ENVARC: drawer as well as in the ENV: drawer. SunWindow will get notified about the new settings. SWPrefs ends after saving the settings.
- * *Save as ...*: This button let's you save the settings to a different place of your choice. SunWindow won't get notified about this settings, until they are placed in the ENV: drawer. SWPrefs ends after saving the settings.
- * *OK*: This button saves the settings only in the ENV: drawer. This means, no permanent changes are done to the settings file saved on disk in the ENVARC: drawer. SWPrefs ends after saving the settings.
- * *CANCEL*: This button quits SWPrefs and leaves all settings untouched.

NOTICE: Closing the preference's window has the same effect as pressing the *OK* button. It saves the settings in the ENV: drawer and quit's SWPrefs.

By pressing the "Keys..." button in the "Miscellaneous" group, another window opens with a big list view, containing all the hotkeys SunWindow offers you. Below this list view is a string gadget, where the actual defintion of a hotkey is displayed and can be edited. Two buttons labeled "OK" and "Cancel" are attached to the bottom of the window. If you want to change a hotkey just select it from the list view, by either using the mouse or the h key (unshifted scrolls down, shifted scrolls up). The definition is then displayed in the string gadget. Activate the string gadget with the mouse or by pressing e and edit the defintion. Press RETURN when finished. Go on with all the other hotkeys you want to change. When finished, press the "OK" button to overtake the new definitions (or just close the window), press "CANCEL" if you think you were doing something wrong.

NOTICE: The hotkeys' definitions are *not* checked, wether they are correct or not. Only if you save the settings, SunWindow will check them, and popup a requester for the wrong definitions. Please correct them in the requester *and* with SWPrefs!

NOTICE: If you want to disable a hotkey, just enter nothing, or clear the actual definition.

1.19 SunWindow.guide/Other Topics

Other Things You Want To Know

This chapter is divided into several sections with additional informations.

These sections are:

Registration

How to register for SunWindow.

Updates

How to get updates.

Support

What kind of support does exist.

Thanks

The author wants to thank.

Future

Further development plans.

Questions

commonly questions and their answers.

1.20 SunWindow.guide/Registration

How to register

=====

SunWindow was now developed over one year during my study on University. Because I had to invest a lot of time, and can't just work for fun, SunWindow was decided to be SHAREWARE. This means, that you can test SunWindow for a period of time (I understand up to four weeks) and if you like it you are recommended to register, to get access to the fully working version.

A registered user will receive a keyfile. This keyfile is placed in the DEVS: drawer. With this keyfile you can use this version of SunWindow and any other version/revisions becoming available.

To register for SunWindow just fill in the following registration form, and send it to the supplied address. Your registration will be handled within a week, outside Germany registrations may take a longer time.

REGISTRATION FORM

I want to register for SunWindow. I am currently usin Version ____
Revision ____ . I received this version by/from _____
The registration fee is US\$ 20 (outside Germany) or DM 20 (inside
Germany).

My address:

E-Mail: _____

Please register me as a group. Ich want to use additional ____
copies of SunWindow in my group. I will therefore receive these
copies for the special group price of 5 US\$ / 5DM for each
additional copy (*)

I already registered. Please send me the latest version
of SunWindow. I will wait up to ____ weeks, if a new version
or revision is just under development. The sharing of expenses
is US\$ 5 (outside Germany) / DM 5 (Germany only). There is
NO fee for updates sent to you via e-mail.

I want to receive my copy as fast as possible. Please send it
to me by e-mail. (about 290kB. lha-File uuencoded)

This mail includes US\$/DM _____ in the form of

plain money EuroCheck

*** SPECIAL COUNTRY CHECKS ARE NOT ACCEPTED! ***

I am using an Amiga: _____ Processor: 680__0

Kickstart: 1.2 1.3 2.0 3.0 ____

RAM: ____ MB Fast, ____ MB Chip

graphic card: _____

additional special hardware: _____

Additional informations, comments and enhancement ideas:

(*) please add the adress/name of the group.

Date: _____ Signature: _____

Please send this registration form to:

Bernhard Scholz
Steinbruchstr. 9
82398 Polling

Germany

1.21 SunWindow.guide/Updates

How To Receive Updates

=====

As a registered user you will receive a copy of the latest version of SunWindow, including a keyfile. With this keyfile you get independent from direct sendings of the author, instead you can use the actual distributed version on the aminet, or some PD-series.

If you don't have access to the aminet or PD-series, of course you will get updates directly from the author on request. For the first time an update is available, every registered user will get an information about it. If you don't take advantage of this new version, no further informations are sent. Of course every new version will be released on several PD-Series, and most revisions will be released in electronic form on the aminet, therefore users will get notified about the further development of SunWindow.

If you want to get an update directly from the author, there are two possible ways:

- * Write to the author and include 5 US\$ if you are living outside Germany, or DM 5 if you are living in Germany. The latest version will be sent to you as fast as possible.
- * Write an electronic mail to the author, if you want to get the latest update via e-mail (lha-file uuencoded). This is the fastest way to receive an update.

The addresses for reaching the author are:

Bernhard Scholz or: (e-mail)
Steinbruchstr. 9
82398 Polling scholz@informatik.tu-muenchen.de

Germany

1.22 SunWindow.guide/Support

The Support You Get.

=====

There is simply NO support for *unregistered* users, except that

they will get notified of new version by looking on several PD-series or the aminet, because every major enhanced release will be distributed there.

Registered users may send questions, comments and wishes to the author, and they are surely considered for the next release and their questions will be answered. Please note that only those questions can be answered, by normal mail, if there is an amount of money included in your letter, to send you the answer back! E-mail will of course be the most convinient way to contact the author and to get answer.

1.23 SunWindow.guide/Thanks

Thanks To The People Who Helped.

=====

During the development of SunWindow several problems occurred, and I needed people for testing my software, or just commenting it. These people helped me most:

- * *Martin Korndörfer*. For nearly every programming problem, he knowed a trick or solution. Also his "MagicMenu" is a great product! Take a look on it!
 - * *Thomas Feistle*. For correcting the documentation, and his enhancements to it. Really much work, which I hate.
 - * *Antje Karrasch*. For re-reading the docs.
 - * *Christian Rattei*. For testing SunWindow on his A3000 and finding always a bug, when I just thought every bug was fixed. He is also the guy, who makes testing with the EGS System possible. Also take a look at his fantastic disk utility "FileFairy" which will soon be released!
 - * *Christian Scholz*. He always had problems with SunWindow. This is useful for developing even better versions. He is also the guy, who painted the 8 colored icons.
 - * *Bernhard Möllemann*. For his testing, and bugreports on the good old "original" Amiga A1000.
 - * *Henning Schmiedehausen*. He sent most comments to the first version of SunWindow and tested it intensively. He also sent most Enforcer and Mungwall hits, just when I thought there are no more hits!
 - * *Manfred Fichtl*. For testing SunWindow on his A4000 and giving me some ideas, how to enhance it.
 - * *Peter Kunath and Frank Riffel*. Thanks also for testing and commenting. You should also register for their great work, the "DeliTracker", the best sound module player ever written for the Amiga.
-

- * *Matthias Scheler*. For managing #amigager on the IRC system.

1.24 SunWindow.guide/Future

The Future Of SunWindow

=====

With your registration you'll make a further development of SunWindow possible. SunWindow in the present state fits my personal needs and will therefore be only slightly enhanced. I will only go on developing SunWindow, if there are enough registrations and enhancement ideas. I thank all the people who will (and have already) register(ed) and support(ed) this project. Remember: SHAREWARE products depend on your support!

Some ideas for the future, which might be included in the next revisions:

- * Window iconifying.
- * Screen icons in a separate window, so screens can be selected fast.
- * special mousepointers (animated) for windows which don't have their own special mousepointer design.
- * Annotator tool, for different actions.
- * sticky windows option

1.25 SunWindow.guide/Questions

Questions and Answers

=====

Because SunWindow is a tool, which offers you a new feeling for you computer, not everything might be common to the usual behaviour. But if you have worked a while with SunWindow and got used to it's features, I'm sure you won't want to miss them again! Also due to the programming difficulties with the system of the Amiga, some problems might occur. These Problem are now discussed:

- * *I just opened a new public screen but SunWindow's thumbnail display still runs on the old one.*

Try to close the thumbnail display with the hotkey and reopen it. If the thumbnail display is still on the other screen, then your public screen is private!

- * *I want to change the ScreenMode, but something is still locking the screen!*

SunWindow has a safety lock on the public screen it is controlling, therefore you have to disable SunWindow first. Only closing the thumbnail display isn't enough.

- * *If the thumbnail display is in front of another window, I just can't click this window to back!*

This is normal, due to the internal operations of Intuition. Use the hotkey for bringing a window to back instead, or close the thumbnail display.

- * *In conjunction with MAGICMENU the systems seems to hang up sometimes.*

There is no real solution, yet. But the system doesn't hang up. Intuition just locks the menu system, after a view seconds the system is usable again.

- * *I set the update time to 0, but sometimes SunWindow needs a long time reacting to changes on the screen.*

You are running another task with a high task priority or a task which needs a lot of CPU-power. Try setting the task priority of SunWindow to 1, or simply wait until the busy task has ended.

- * *I am using a patch, which causes all requesters to become ReqTools requesters, but now all the requesters are automatically centered, even if I didn't specify this!*

You have set the option for centering windows. Because all requesters are based on windows, this is a normal circumstance.

- * *I am using Directory Opus, but if I want to quit, Directory Opus pops up a requester telling to close all foreign windows?!*

Directory Opus belongs to those kind of programs, which don't count on programming guidelines in some circumstances. Disable SunWindow, or put it to sleep, to get Directory Opus ending.

- * *I want to change the screen mode, but sometimes the system crashes!*

Take care on specifying the new screen mode dimensions; it might be possible that SunWindow can't open it's display with this new (extrem) values!

- * *I am using a graphics card with the EGS system. Unfortunately SunWindow doesn't work perfectly!*

The EGS system in it's present state isn't 100% systemcompatibel. Take care that also other programs can't work together with EGS, because EGS isn't error free! SunWindow was tested with EGS, but there might be still some problems not known to the author. Most Problems belong to the EGS system and *not* to SunWindow. Please tell the author your problems, so they can be fixed. (Only known problem: Running SunWindow without a valid SUNWINDOW.PREFS file

will cause an window opening error; under EGS the system will simply crash your computer!)

1.26 SunWindow.guide/Distribution Package

The Distribution Package.

In this chapter you will find everything about the distribution package of SunWindow. Also information is included about redistribution, and distribution with other software.

Package	What's in the distribution package
History	Latest changes to this version of SunWindow
Distribution	How SunWindow may be distributed
Warranty	Warranty? There is NO warranty!

1.27 SunWindow.guide/Package

What's In The Distribution Package

=====

In the distribution package of SunWindow V2.0 the following files are included. Please check whether you got all this files. Please inform the author if you didn't get all of these files. The files are:

ENV (dir)	
SunWindow.prefs	
OtherIcons (dir)	
SunWindow.info	SWPrefs.info
English (dir)	
ReadMeFirst.doc	ReadMeFirst.doc.info
Registration.doc	Registration.doc.info
ReqTools.doc	ReqTools.doc.info
SunWindow.doc	SunWindow.doc.info
SunWindow.dvi	SunWindow.dvi.info
SunWindow.guide	SunWindow.guide.info
Deutsch (dir)	
ReadMeFirst.dok	ReadMeFirst.dok.info
Registrierung.dok	Registrierung.dok.info

```

ReqTools.dok                      ReqTools.dok.info
SunWindow.dok                    SunWindow.dok.info
SunWindow.dvi                    SunWindow.dvi.info
SunWindow.guide                  SunWindow.guide.info
ReqTools (dir)
  libs13 (dir)
    reqtools.library
  libs20 (dir)
    reqtools.library
  Prefs (dir)
    ReqTools                      ReqTools.doc
    ReqTools.doc.info            ReqTools.info
  Install (dir)
    Workbench_2.1+ (dir)
      Install ReqTools
      Installer.README           Installer.README
      Installer.README.info     Install_1.3
      Workbench_1.2-1.3        Workbench_1.2-1.3.info
      Workbench_2.0.info       Workbench_2.1+.info
    Install.info                Prefs.info
Deutsch.info                    English.info
LISTING                        OtherIcons.info
ReqTools.info                  SunWindow
SunWindow.info                 SunWindow.small
SunWindow.small.info           SWPrefs
SWPrefs.info

```

The special file 'LISTING' contains the dumped directory with file sizes, etc. 'SunWindow.small' is a short version of SunWindow, without error messages and default settings!

1.28 SunWindow.guide/History

The History Of SunWindow V2.0

=====

Actually there is no history for SunWindow V2.0. This is the first release.

But for those who updated from SunWindow V1.16 or higher, here the major changes to SunWindow V2.0:

- * Preference program to control all the features, instead of a menu.
 - * Hotkeys added for window and screen control.
 - * Hotkeys added to remember positions and quickly jump back to them.
 - * SunMouse feature added.
 - * Thumbnail display enhanced, to display window titles as well.
 - * Greater control over the thumbnail display with dragbar, and closegadget.
-

- * Automatic sizing of the thumbnail display, to show the screen with the right proportions.
- * several internal routines completely rewritten.

1.29 SunWindow.guide/Distribution

The Distribution Of SunWindow

=====

SunWindow may be distributed with other software under the following circumstances:

- * the copyright belongs to me.
- * the documentation must not be changed.
- * I get a fully functional version of the software, if needed with registration.
- * the distribution package of SunWindow is not changed.
- * additional for commercial software, including SHAREWARE:
 - the producer has to register.
 - you have asked me for permission and got a licence, which is included in your Software package

With this writing, Fred Fish and Martin Schulze get the written permission, to include SunWindow in their PD-series (AmigaLibDisk and SaarAG-PD)

1.30 SunWindow.guide/Warranty

Warranty

=====

With the use of this software, you accept the following disclaimer:

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDER AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

1.31 SunWindow.guide/Index

Index

Concepts of SunWindow
 Concept

Conditions for copying SunWindow
 Copying

Configuration
 SWPrefs

Contents
 Package

Control, Misc
 Misc Hotkeys

Control, Screen
 Screen Hotkeys

Control, Screens
 Screen

Control, Window
 Window Hotkeys

Control, autoscroll screens
 Display

Control, big screens
 Display

Control, windows
 Window

Controlling SunWindow
 SWPrefs

Copying	Distribution
Copying conditions	Copying
Development	Future
Disclaimer	Warranty
Display	Display
Distribution	Distribution
Distribution, Package	Package
Distribution, Package	Distribution Package
Features	Features
First Usage	Installation
Future	Future
History	History
Hotkeys	Misc Hotkeys
Hotkeys	HowTo?
Hotkeys, Install	HowTo?
Hotkeys, Misc	Misc Hotkeys
Hotkeys, Screen	Screen Hotkeys
Hotkeys, Syntax	HowTo?
Hotkeys, Window	Window Hotkeys

Installation	Installation
Introduction to SunWindow	Introduction
Miscellaneous	Miscellaneous
Options	Features
Overview of SunWindow	Introduction
Package	Distribution Package
Package	Package
People	Thanks
Plans	Future
Preferences	SWPrefs
Problems	Questions
Problems	Other Topics
Questions	Other Topics
Questions	Questions
Quitting	Usage
Redistribution	Distribution
Registration	Registration
Registration	Other Topics
Requirements	System Requirements

Restrictions	System Requirements
Running	Usage
SWPrefs	SWPrefs
Screen	Screen Hotkeys
Screen, Control	Screen Hotkeys
Screen, Hotkeys	Screen Hotkeys
Screens	Screen
Settings	SWPrefs
Start	Usage
Starting	Installation
SunWindow in brief	Introduction
SunWindow, Control	SWPrefs
SunWindow, the concept	Concept
SunWindow, the features of	Features
Support	Support
Support	Other Topics
Thanks	Other Topics
Thanks	Thanks
Thumbnail, Display	Display

Updates

Updates

Updates

Other Topics

Usage

Usage

Usage

Features

Warranty

Warranty

Window

Window Hotkeys

Window, Control

Window Hotkeys

Window, Hotkeys

Window Hotkeys

Windows

Window
