

LhADir.dopus

Edmund Vermeulen

Copyright © Copyright 1993-1996 EAV Productions International

COLLABORATORS

	<i>TITLE :</i> LhADir.dopus		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Edmund Vermeulen	May 31, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	LhADir.dopus	1
1.1	Contents	1
1.2	description	2
1.3	installation	3
1.4	commands	4
1.5	tips	6
1.6	problems	7
1.7	oldhistory	7
1.8	history	12
1.9	future	12
1.10	copyrights	12

Chapter 1

LhADir.dopus

1.1 Contents

Contents

Description

What is LhADir.dopus?

Installation

How to install it on your system.

Supported commands

What can it do?

~

Some tips

For speeding up and memory shortage.

~

Known problems

Nothing's perfect.

~

Revision history

What has been changed?

The future

What's up?

Copyrights

Legal credits.

This is the AmigaGuide® documentation for:

LhADir.dopus 1.12

Copyright © 1993–1996 EAV Productions International.

Placed in the public domain. No restrictions on distribution or usage.

Author: Edmund Vermeulen
Primulastraat 2
3202 RN Spijkenisse
The Netherlands
Tel. 0181-613925

Fidonet: 2:286/407.48
Internet: edmundv@grafix.xs4all.nl

Please report all bugs, problems and suggestions to one of the addresses above.

1.2 description

Description

LhADir.dopus is an ARexx script for Directory Opus 4 that allows you to show the contents of LhA archives in a DOpus window and operate on the files and directories inside the archive as if it is a normal directory.

With LhADir.dopus you can:

- Browse through the directory structure of an archive file.
- Read/play/show/etc. files from an archive.
- Delete files and directories with the Delete button.
- Extract/add files and directories with the Copy or Move button.

Requirements

LhADir.dopus has been tested with
Directory Opus 4.12
and
LhA 1.50r
. You
also need to be using Release 2 (or higher) of the Amiga Operating System.

Other features

These are the features that set it apart from other DOpus LhA interfaces.

- Speedy directory listings through the use of an external program.
 - Directory sizes are automatically calculated and shown.
 - Needs only one extra user interface button (GetDir/Browse).
 - Only one script; the function it performs is specified by an argument.
 - Works with more than one copy of Directory Opus running.
-

- View an archive in an archive by extracting it from it's mother archive to 'T:' or the current destination directory.
- Show a file's internal version string in the title bar.
- Deletes strange filenames like '#?' without a problem.
- Create new (empty) LhA archives with the MakeDir button.
- Copy/move between two archives (via 'T:').
- Date stamps, attributes and comments are listed and preserved correctly.
- Unpack DMS files to disk with progress indication, error report and the ability to break.

1.3 installation

Installation

1. Copy the file 'LhADir.dopus' to your 'REXX:' directory.

Please make sure that the script bit of 'LhADir.dopus' is set, otherwise double clicking on LhA archives won't work.

2. Copy the file 'LhADirList' to your 'C:' directory.

This program is used by LhADir.dopus to get those speedy directory listings.

3. Make sure ARexx is activated.

You can activate ARexx by double clicking the 'RexxMast' icon in the 'System' drawer. If you would like ARexx activated every time you boot, you can place the 'RexxMast' icon in the 'WBStartup' drawer or add the line 'RexxMast >NIL:' to your 'S:User-Startup' file with a text editor.

4. Change the config in Directory Opus 4 to call LhADir.dopus for the functions where you wish LhADir support.

Before changing your own DOpus config you may first try out LhADir.dopus by using the supplied example config. You can open the example config 'LhADir.CFG' by choosing 'Open' from the menu on the Configuration main screen in Directory Opus.

When changing your own config you may examine the Buttons, Filetypes and Menus parts of the supplied example config.

In short, this is how to call LhADir.dopus:

- For Buttons and Menus set the cycle gadget to 'ARexx' and choose 'LhADir.dopus' from the file requester. Add one of the supported commands

as an argument to the command line. E.g. 'LhADir.dopus Copy' ↔
for the Copy

button.

- In Filetypes set the cycle gadget to 'AmigaDOS' and enter 'REXX:LhADir.dopus GetDir {p} {o}' for double-click. For click-m-click the 'GetDir' command should be replaced by 'Browse'. In the flags area you must switch on 'Run asynchronously'. All other flags should be switched off.

1.4 commands

Supported commands

LhADir.dopus supports the following commands:

GETDIR, BROWSE, PARENT, ROOT, DELETE, COPY, MOVE, MAKEDIR,
READ, ANSIREAD, HEXREAD,
SHOW, PLAY, LOOPPLAY, PRINT, ICONINFO, RUN,
VERSION, UNDMS, CFX,
MULTIVIEW, AMIGAGUIDE, VIEWTEK, RETINADISPLAY, FASTVIEW.

When calling LhADir.dopus one of these commands must be passed along as an argument. The commands are not case sensitive.

Note that all of LhADir.dopus' functions work equally well on listed archives as on normal directory listings. This means that you don't have to define two buttons for one function. Instead, you can change the existing buttons to call LhADir.dopus.

GETDIR

Lists the contents of the selected directory or LhA archive file in the same window.

If nothing is selected, the current directory or archive will be relisted. The default keyboard shortcut for GETDIR is RAmiga-G.

Note that within a listed archive you cannot double click a directory to list it. If you do so by mistake, use the GETDIR button to list the directory anyway.

BROWSE

Works identical to the GETDIR command, but instead uses the opposite window for listing the files and directories. The default keyboard shortcut for BROWSE is RAmiga-B.

PARENT

Lists the contents of the parent directory.

Within a subdir of a listed archive you cannot use the window's border as a parent button. If you do so by mistake, use the GETDIR button to list the directory anyway.

ROOT

Lists the contents of the root directory.
With a listed archive this function will show the root directory within the archive. If you are already in the archive's root directory then the root directory of the archive's path is listed.

DELETE

Deletes all selected files and directories.
Please note that when deleting from an archive there is no way to get the deleted files back, so be careful! LhADir.dopus will honour the config setting about asking before commencing deletion.

COPY

Copies all selected files and directories to the destination specified in the opposite window. Both source and destination window can be either a normal directory or a listed archive.
Note that when copying between two archives the 'T:' directory will be used as an intermediate. This means that there must be enough memory available. Also note that when copying files to a subdir within an archive all files will also be placed in the 'T:' directory first before they can be added. Further note that when extracting directories within a subdirectory, all selected entries are first extracted to a special directory named 'LhADirX' and afterwards moved to the correct destination. So don't be alarmed when you see the move operations in the title bar.

MOVE

Identical to COPY, except that the selected files and directories are deleted after they have been copied successfully.

MAKEDIR

Creates an empty directory.
With MAKEDIR it's also possible to create a new (empty) LhA archive file. Just enter the archive's name (ending in '.lha').

READ, ANSIREAD, HEXREAD

These are asynchronous internal Directory Opus commands.
If the active window is a listed archive then the first selected file will be temporarily extracted to 'T:' and viewed.

SHOW, PLAY, LOOPPLAY, PRINT, ICONINFO, RUN

These are normal internal Directory Opus commands.
When the active window is a listed archive then the selected files will be extracted one by one to 'T:' so that they can be showed, played or whatever. After viewing a file it is removed from 'T:' immediately. Note that when working on multiple files it's always possible to abort by pressing both mouse buttons in the DOpus window.

VERSION

Searches the first selected file for it's internal version string, which is

then shown on the top line.

It accomplishes this by calling the AmigaDOS 'Version' command.

When the active window is a listed archive, the file will be extracted to 'T:' first and removed afterwards. If nothing is selected the version in the file 'REXX:LhADir.dopus' is searched.

UNDMS

Unpacks the selected DMS files to disk.

For this command to work you will need the DMS utility. The user can select either 'DF0:' or 'RAD:' as the destination drive before each file.

Unpacking will start immediately, so be sure that there is a disk present.

If you choose 'RAD:' and the RAD disk is currently not mounted, it will be mounted automatically for you. The RAD disk must have a 'HIGHCYL' of 79 to be able to undms to it. When the DMS file is inside an LhA archive, the file will be extracted to 'T:' first and removed afterwards. The tracks are displayed on the top line as they are unpacked. If an error occurs, the display is beeped; all errors will be displayed in a requester afterwards. It's possible to break the DMS process by shortly pressing both mouse buttons in the DOpus window. It may take a while before DMS reacts though. Note that when using DMS 2.04 you must use the English version for the UNDMS command to work.

CFX

Examines the first selected file using the Crunched File Examiner and then shows the file information on the top line.

This command has been tested with version 5.540 of CFX.

When the active window is a listed archive, the file will be extracted to 'T:' first and removed afterwards.

MULTIVIEW, AMIGAGUIDE, VIEWTEK, RETINADISPLAY, FASTVIEW

These are all external programs that are called from within LhADir.dopus. All selected files will be passed along to the external program one by one. With listed archives the files are extracted as needed. Note that when working on multiple files it's always possible to abort by pressing both mouse buttons in the DOpus window.

If you haven't got these external programs or keep them in a different directory path than I do, these commands won't work. You may edit the path yourself if you wish. You can also add support for other external programs by editing the ARexx script yourself. This isn't very difficult to do. Note that Multiview and AmigaGuide will try to open their window on the same public screen Directory Opus is running on.

1.5 tips

Tips for speeding up

- Make LhA resident by executing the command 'Resident C:LhA'.
- Make LhADirList resident by executing the command 'Resident C:LhADirList'.
- You may still compile LhADir.dopus with the
Rexx Plus Compiler

if you wish, but because of the external LhADirList program this is not really necessary any more. You won't get faster directory listings like you used to...

When using the compiled version of LhADir.dopus you should have the 'rexxplslib.library' in your 'LIBS:' directory and you should also have the 'RPStart' program activated (e.g. from your 'User-Startup').

You could also try the following measure to help speed up the operation of LhADir.dopus and stop disk access when using one of it's functions:

- Copy 'LhADir.dopus' to 'RAM:' and make a multiple assignment for 'REXX:' with 'RAM:' as the first one. For example: 'Assign REXX: RAM: S:' for the standard setup. This way the Ram Disk is searched first but the rest of your ARexx scripts are still accessible.

Tips for memory shortage

LhADir.dopus uses the 'T:' directory for temporary stuff. Like when copying to a subdir within an archive, copying between two archives or viewing files from an archive. Normally 'T:' is assigned to the Ram Disk, so when there is a memory shortage, these operations will fail. The solution is to assign 'T:' somewhere else, for instance to your hard disk. Simply go to the Workbench and choose 'Execute Command' from the menu and enter something like 'Assign T: Work:Trashcan'.

1.6 problems

Known problems

LhADir.dopus fools Directory Opus into thinking listed archives are regular directories. This has several advantages, but also some disadvantages:

- Double clicking on files or directories won't work.
- Using the window's border as a parent button within a subdir won't work.
- The config setting 'Re-read changed buffers' must be switched off, otherwise DOpus will try to re-read listed archive windows; which it can't.
- Using the normal 'Arc Ext' button by mistake with a listed archive in the destination window results in all the files being extracted to Directory Opus' current directory. Quite a mess!

1.7 oldhistory

Older revision history

Version 1.0 released 21-Jul-1993

- First public release.

Version 1.1 released 16-Aug-1993

- Fixed several problems regarding filenames containing wildcard characters like '[] () # ~ % | * ' . For example it was not possible to read such a file.
- Delete stopped when it ran into a file containing spaces. (I forgot the quotation marks.)
- Added ICONINFO and RETINADISPLAY commands.
- Fixed problem with internal deletes on delete protected files.
- It's now possible to copy over existing files in an archive.
- Doesn't re-list the archive's contents anymore after deleting from it.
- Cleaned up code. Size is now smaller!

Version 1.2 released 30-Sep-1993

- Added AMIGAGUIDE command (external program) for pre KS3.0 users.
- Added GETSIZES command and removed the automatic dir size calculation. Listing archives with lots of files in dirs is now up to 40% faster.
- Both internal and external commands will now work on all selected files instead of just the first selected.
- It's not possible anymore to compile LhADir.dopus with the Rexx Plus Compiler due to the use of the interpret command. If anybody cares about this please contact me for a change.
- Documentation is now in AmigaGuide format.
- Example config is now in Directory Opus 4.1 format.

Version 1.3 released 25-Nov-1993

- Asynchronous internal DOpus commands (READ, ANSIREAD and HEXREAD) now only act on the first selected file.
 - Added the possibility to abort when viewing/playing/etc multiple files by pressing both mouse buttons in the DOpus window.
 - MultiView now opens it's window on the DOpus public screen.
 - Fixed problems with file and dir names with leading blanks. Reported by Andrew the Jong.
 - MakeDir didn't work with dir names containing spaces. (I forgot the quotation marks again.) Reported by Andrew de Jong.
-

- Fixed problem with strange date fields (missing month) in some .lzh files. Reported by Andrew de Jong.

Version 1.4 released 06-Jan-1994

- Fixed all problems with filenames containing pattern matching tokens like '#?!%()[]*~'. It is now safe to delete files with names like '#?' or '*'.
- Now generates an error when trying to read/play/etc. directories from a listed archive.
- An archive in an archive can now alternatively be extracted to the current destination window instead of 'T:'. Just select 'Cancel' the first time.
- Doesn't leave icons lying about anymore when only the setting 'Create icon with directories' is active.
- Cleaned up code. Size is now smaller than ever.

Version 1.5 released 18-Jan-1994

- Cleaned up code. Smaller again.
- MakeDir in archives now handles all names containing pattern matching tokens.
- Fixed problems with file and directory names containing '"' character. Reported by Jan Lieben.

Version 1.6 released 07-Apr-1994

- File and dir names containing a '"' character are now skipped altogether. They were causing problems because it's not possible to 'addfile' them with Directory Opus.
- Now handles file comments that contain linefeeds. Before, execution would halt with a syntax error. Such comments are only shown up to the first linefeed.
- VERSION will now always show the file's version string, even when a different version of that file is already in memory. This was particularly a problem with libraries.
- With Directory Opus 4.12 MultiView and AmigaGuide will open their windows on the correct screen when DOpus is not running on it's own screen but on another public screen like Workbench.
- Deselecting in listed archives now reflects how the files and directories are actually processed: all at once. It's also faster this way.
- Removed progress indicator when copying/moving internal.
- Improved error handling.
- Added MOVE command. It's identical to COPY, except that the selected
-

files and directories are deleted after they have been copied successfully. Requested by Andrew the Jong.

- Added RUN command (as an internal DOpus command) for directly running executable files from archives. Requested by Andrew the Jong.

Version 1.7 released 06-May-1994

- Made work-around for bug in Directory Opus 4.12 'GetSelected...' functions. This bug was causing strange effects on the config; like switching the help function on.
- Fixed problem with ViewTek 2.1. The file requester popped up instead of showing the picture. Reported by Peter Horsmeyer.

Version 1.8 released 24-Jul-1994

- After extracting from an archive the destination directory isn't rescanned anymore. Instead the new files and dirs are simply added to the window. This is especially quicker for long directories listings.
- Changed okay button for 'Commence deleting' requester into 'Delete' to be the same as in DOpus itself.
- It's now possible to break (abort) a move operation before it starts deleting by pressing both mouse buttons.
- Doesn't relist the archive from disk anymore after double clicking a directory or using the window border parent gadget by mistake. LhADir.dopus should have been doing this all along.
- Now automatically uses the old -lhl- compression method for .lzh files so they can still be extracted by LZ.
- Changed behaviour of ROOT command. Within a listed archive you are now always returned to the directory where the archive is in. This is much more useful.
- Added UNDMS command for unpacking DMS files to disk. Progress is show on the top line, aborting is possible and all errors are displayed in a requester afterwards. Requested by Andrew the Jong.
- Fixed problem with files with an apostrophe (') in their name when using internal DOpus commands (like READ). Reported by Andrew de Jong.
- Fixed problem with deleting and extracting some files with an apostrophe in their name. The downside of this fix is that, because of a bug in LhA, it isn't possible anymore to add such files to an archive. Reported by Andrew de Jong.
- Fixed problems with filenames starting with '@'. Reported by Andrew de Jong.
- Fixed problems with files larger than 10 Mb. LhADir.dopus used to hang when an archive totalled to more than 10 Mb. Reported by Andrew de Jong.

Version 1.9 released 02-Sep-1994

- Fixed problems with filenames with '*' in them. Because of this bug (that was introduced in 1.8) deleting a file with the name '*' would result in a loss of all files in the archive. This cannot happen anymore now. My appologies to anyone who has lost anything because of this bug.
- Fixed problems with apostrophe (') characters in LhA file and path names. Argh, not again! Reported by Edwin Rusche.
- MultiView now uses the same font that is used by the DOpus text viewer.
- Won't ask to confirm replacements anymore when moving internal.

Version 1.10 released 27-Oct-1994

- LhADir.dopus can now be compiled with the Rexx Plus Compiler. This will give you a speed increase of more than a factor three when listing archives!
- Fixed problem with strange date fields (day is 00) in some .lzh files. Reported by Andrew de Jong.
- Fixed problem with filenames that contained both wildcard tokens and started with a '@' symbol.
- Fixed problem with wildcard tokens in LhA filenames. Arghhh...
- Changed behaviour of ROOT command back again. Requested by Ernest Otte.
- Fixed problem with adding files with an apostrophe in their file and/or path name.
- Added FASTVIEW command to call John Hendrikx's FastView, the best IFF/GIF viewer for any Amiga (AGA/non AGA).
- Removed directory path for VIEWTEK command. Requested by Peter Horsmeyer.
- Fixed problems with slash character (/) in file comments. Reported by Martin Zuidervliet.
- Empty LhA archives created with the MAKEDIR command now have the right protection bits (----RW-D).

Version 1.11 released 12-Jan-1995

- Better documentation on compiling LhADir.dopus with the Rexx Plus Compiler. See
 'tips'
 .
 - Compiled version will now also contain a version string.
 - Fixed problems with directories like '//'.
 .
 - Added safety check against moving an archive into itself. (It happened to me more than once!)
-

1.8 history

Revision history

Version 1.0 - 1.11

Version 1.12 released 8-Feb-1996

- Added CFX command for using Crunched File Examiner to show file information on the top line. Thanks to Dave Clarke.
- Brought UNDMs part up to date to my UnDMS script for Opus 5. It now detects a write protected disk and will automatically mount the RAD disk if you choose it.
- Listing dirs is now done by an external program called LhADirList, that I wrote for LhADir.dopus5 2.0. I saw no reason why people still using the old Opus couldn't profit from it too. If you want to enjoy double-clicking in LhADir listings and drag and drop to and from LhA archives you will have to upgrade to Opus 5 though...
- Removed GETSIZES routine for archive listings. This is not needed any more now because, as an added bonus, the LhADirList program will automatically calculate dir sizes and dir dates according to the size of the files in a directory and the newest file it contains. This also means that you may remove the call to LhADir.dopus from your GetSizes button.
- The name of the listed LhA archive is now displayed in the title.

1.9 future

The future

I don't use LhADir.dopus myself any more. I am now an avid Directory Opus 5 user and my LhADir.dopus5 script is much nicer as well. It is much more integrated in the whole system and I still continually develop it. In my opinion Opus 5, with it's multi-windowing and internal multitasking, is a much nicer program than Opus 4.

This doesn't mean that I won't update LhADir.dopus any more though. If you have any suggestions or found any bugs, I will try and do something about it.

1.10 copyrights

Copyrights

Directory Opus is Copyright © 1993 Jonathan Potter/INOVATronics.

LhA is Copyright © 1991,92 Stefan Boberg.

ARexx is Copyright © 1987 William S. Hawes.

Rexx Plus Compiler is Copyright © 1988-91 Dineen Edwards Group.

AmigaGuide is Copyright © 1991-93 Commodore-Amiga, Inc.
