

PdaLink

Richard Körber

Copyright © 1998-2000 Richard Körber - all rights reserved

COLLABORATORS

	<i>TITLE :</i> PdaLink		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Richard Körber	July 16, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1 PdaLink	1
1.1 Table Of Contents	1
1.2 Introduction	1
1.3 Requirements	2
1.4 Copyright	3
1.5 Installation	5
1.6 Usage	6
1.7 Env Variables	7
1.8 MailingList	8
1.9 Address	8
1.10 FAQ	10
1.11 History	10
1.12 Credits	12

Once upon a time, a close friend of mine showed me his new Palm Pilot Personal. I was impressed of this cute little thing. The only drawback was the missing IR interface, so I decided not to buy one yet, and finally I forgot it again.

Then, in the March issue of a major German computer magazine, I read about 3Com's announcement of the Palm III. The Palm III has an IR interface built in, so it was the stuff dreams are made of. :-)

I got more and more curious about the Palm Pilot series, the existing large software pool, its hardware and its operating system. I found out that the Palm is a kind of 'Amiga lite'. It has an 68000 core.

Even more, the Palm outperforms a native Amiga 500 due to its 16MHz clock. The PalmOS is lean and has preemptive multitasking. I still wonder why there are only a few Amiga users who know about it. It is an "Amiga" that you can put in your pocket and have it around you wherever you are. ;-)

Of course, the Amiga is not supported by 3Com. The only chance we had until now was to buy the MacPack and run it on ShapeShifter, or to use all the free Un*x sources on NetBSD. Both solutions are not very satisfying.

So I had a very close look at the freely available pilot-link source by Kenneth Albanowski (thank you very much, Kenneth). Anyhow, I disliked to do just another Un*x port. They are slow, memory consuming and require the ixemul.library. In other words: they suck a big deal, compared to native Amiga applications. (Of course, they are still better than nothing. ;-)

So PdaLink is not just a Un*x port. I wrote it from the scratch new, with a new (and partially unconventional) concept and use of AmigaOS features.

I hope you will enjoy it as much as I do!

Richard Körber

1.3 Requirements

REQUIREMENTS

PdaLink requires:

- AmigaOS 2.04 or higher, and at least 1MB of RAM. If you have
-

large files on your Palm, then you must also have more RAM on your Amiga, since all files are cached in RAM. I also suggest to use a harddisk.

- 68020 or higher (no FPU or MMU). Special 68000 library included.
- A 3Com Palm III, Palm IIIx, Palm V, or compatible, with PalmOS 2.0 or higher.

PalmOS 1.0 is not supported. The required workarounds would be implemented rather quickly, but there are more important things.

- The Palm cradle. Currently, simple serial cables without HotSync button are not supported. Also, do not modify your cradle to save battery power! PdaLink won't work then.
- A serial interface the Palm cradle is connected with. The serial port must be able to use 8N1 at 9600 baud. It may also support higher rates up to 115200. If you use the internal port, I suggest to use the 8n1.device for better performance. BaudBandit.device should work as well, but this is untested.

1.4 Copyright

COPYRIGHT

Please read the following parts carefully.

If you do not agree to these Copyright notes, you must delete this archive and all related files.

COPYRIGHT

=====

NOTE: You accept the following terms by starting the software, even for a test drive only.

PdaLink is Copyright © 1998-2000 Richard Körber. All rights reserved.

You only have the right to use the software, but no rights on the software itself. Disassembling, resourcing and all other ways of reverse engineering is forbidden.

For the example source codes the GNU General Public Licence applies.

A copy of the GPL should be part of this packet. Note that the GNU General Public Licence only applies where explicitly mentioned. All other files (as e.g. the library itself, or this documentation) are NOT under GPL!

FREEMWARE

PdaLink is FreeWare. You are allowed to use the packet without paying a fee or similar to the author.

DEVELOPERS

Public Domain and FreeWare developers are allowed to use PdaLink for free.

Commercial Developers (including ShareWare developers) must send me a free copy of the software that uses PdaLink, as well as all updates and upgrades that uses PdaLink. The software must be registered to me and must be fully functional.

To mention it once again: ShareWare is also considered as commercial! You are allowed to put the pdalink.library to your software packet, as long as you state in your documentation that you are using PdaLink by Richard Körber, and that updates can be found at this URL:

<http://shredzone.home.pages.de>

COPYING

You can copy the packet as long as it remains entire and unchanged. You are allowed to compress the packet using a customary compression software (as lha, lzh, lzx, dms). You must not compress single files of the packet (e.g. PowerPacker or Imploder).

DISTRIBUTION

You must not exceed an usual price on the market for your working and material. This means a maximum of 5 DM (or the equivalent amount in other currencies) for disks and 35 DM for CD-ROMs containing a PD software collection.

I explicitly permit the distribution via AmiNet, Meeting Pearls and other well-known PD series.

I explicitly forbid 3Com to advertise with the existence of this software.

LIABILITY

You are using the program as it is, with all flaws, and on your own risk! I grant no warranty for the software meeting a special purpose. This software may cause financial damage or harm people. This software could also:

- change, delete or invalidate data on your Palm
- destroy the Palm, the cradle or the Amiga
- void the warranty of the Palm

Please consider this anytime. If you have important data on your Palm, make sure to backup it using original 3Com software.

LIMITATIONS

You are not allowed to use this software and its results

- for fascist or military purposes, including the transfer of appropriate software and data
- if your Palm contains critical data, or if people's life or property relies on the Palm
- if you do not agree to the copyright note

In this case you must delete the software and all related, transferred, received and generated files immediately!

COPYRIGHTS AND TRADEMARKS

Palm, Palm III and HotSync are Trademarks or Registered Trademarks of Palm Inc. respectively

Amiga is a trademark of it's current owner. ;->

All other copyrights and trademarks are held by their owners.

1.5 Installation

INSTALLATION

The document is not completed here. Just a quick guide:

-> libs To your system's LIBS:

Choose between the 68020 version and the 68000 version (pdalink.library_000)

-> arexx Some ARexx examples, not required

-> developer A developer should know where to place them

-> examples Only interesting for developers

-> PdaLink.guide To where you collect good documentations ;^)

-> PdaTransfer To C: or any other directory within Shell path

-> PdaTime To C: or any other directory within Shell path

1.6 Usage

U S A G E

The document is not completed here. Just a quick guide:

PdaTime

Shows the Palm time

SHOW/S Shows the Palm time

DEVICE/K Serial device to use (def. serial.device)

UNIT/K/N Unit of this device (def. 0)

MAXBAUD/K/N Maximum baud rate to use (def. 28800)

PdaTransfer

Makes backups of your Palm databases, or installs new software

BACKUP/S Backup the database (DIR)

If a database entry was not changed compared

to the backup, it will not be read. If a

database has been deleted from the Palm,

its file will be deleted as well.

RESTORE/S Restore a backup (DIR)

Put all database files back to the Palm.

Also, see [FAQ](#) .

INSTALL/S Install a file (FILE)

Installs a .prc or .pdb file. If the database

does already exist, it will be deleted.

MERGE/S Merge a file (FILE)

Installs a .prc or .pdb file. If the database

does already exist, it will be merged.

FETCH/S Fetch a database (NAME)

Read a database to a .prc or .pdb file.

DELETE/S Delete a database (NAME)

Deletes a database from the Palm

LIST/S List all databases

A list of all databases in RAM and ROM

PURGE/S Purge deleted records

Remove all deleted records from Palm RAM

DIR/K Backup directory (if required)

(DIR): The directory for the backup files

FILE/K Filename (if required)

(FILE): Name of a .prc or .pdb file

NAME/K Database name (if required)

(NAME): Name of a database entry of the Palm (case sensitive!)

DEVICE/K Serial device ("serial.device")

UNIT/K/N Serial unit (0)

MAXBAUD/K/N Maximum baud (57600)

Examples:

Backup Palm data using 8n1.device

PdaTransfer BACKUP DIR Work:PalmArchive SD=8n1.device

Restore the backup on duart.device unit 1 and 115200 bps

PdaTransfer RESTORE DIR Work:PalmArchive SD=duart.device SU=1 SB=115200

Install a new program

PdaTransfer INSTALL FILE Work:PalmSoftware/demosoft.prc

Delete a database entry

PdaTransfer DELETE NAME "ExampleDB"

List all database entries

PdaTransfer LIST

1.7 Env Variables

ENVVARIABLES

Since V2.0, PdaLink supports these env variables:

PDALINK_DEVICE The device to be used by default. If not given, "serial.device" will be used.

PDALINK_UNIT Serial unit to be used by default. If not given, "0" will be used.

PDALINK_RATE Default baud rate to be used. If not given, "57600" will be used.

Example: add these commands into your user-startup, to use your MFC board, serial slot 1, at 115200 baud:

```
setenv PDALINK_DEVICE duart.device
```

```
setenv PDALINK_UNIT 1
```

```
setenv PDALINK_RATE 115200
```

This are only default settings, which can be overridden as usual (e.g. by the PdaTransfer's SD, SU and SB parameters).

1.8 MailingList

MAILINGLIST

You are invited to join the Amiga-PDA mailing list. This mailing list is made for anyone who owns a Palm and an Amiga.

Just send a mail to amiga-pda-subscribe@yahoogroups.com .

You don't need to write anything into the subject line or into the body.

After you have joined, you can post to this list by sending a mail to amiga-pda@yahoogroups.com . Please note that you must join the list and you must use the address you have subscribed with, if you want to contribute. This is necessary to keep the list spam free.

You can unsubscribe anytime, just send another mail to amiga-pda-unsubscribe@yahoogroups.com .

BTW: EGroups will not sell your E-Mail address, neither will I. Please inform yourself about the privacy policy at <http://www.egroups.com> .

1.9 Address

ADDRESS

You can reach me through one of the following ways:

E MAIL

Use e-mails if ever possible. My address is:

shred@shredzone.de

If, for some reasons, you should have trouble to contact me under this address, you can also write to:

rkoerber@gmx.de

shred@web.de

Please do not send mails larger than 40KB without prior permission.

If you should have serious trouble reaching me, check my web page for other e-mail addresses.

SNAIL MAIL

If you do not have an e-mail account, you may also write a snail mail.

Include a preformatted floppy disk and sufficient stamps if you want to

get an update this way!

Richard Körber

Überm Rost 13

51465 Bergisch Gladbach

Germany

WORLD WIDE WEB

Updates are available through my web page. URL:

<http://www.shredzone.de>

Also, have a look at Amiga-PDA. It is a place where Amiga Palm users can come together:

<http://amigapda.shredzone.de>

SUPPORT BBS

My support BBS Eratosthenes went offline on January 3rd, 2000.

There is no other official support BBS.

PRETTY GOOD PRIVACY

If you feel that way, you may also use PGP (note that the use of PGP is restricted in some countries). My PGP public key is attached below.

Type Bits/KeyID Date User ID

pub 1024/3D5D331D 1997/01/08 Richard Koerber <shred@chessy.aworld.de>

-----BEGIN PGP PUBLIC KEY BLOCK-----

Version: 2.6.3i

mQCNAjLTMucAAAEAAOMY/3jzWBFV2Annpc6/VPhZQqF81btsqjyRR670uOELH+iO
PXkrXX7IEo1vtNbKAc/MKDkcn2p4g5159yK2OoZkoqFsCs1JXzFLVfAM41tvaNG0
RTibFJAYCZ03umli5q4EtCj1DCMMeZGzmyAO9mpfuyIC+k6qu/NEvrU9XTMdaAUR
tChSaWNoYXJkIETvZXJiZXIgaPHNocmVkaGNoZXNzeS5hd29ybGQuZGU+iQCVAwUQ
M0R4IfNEvrU9XTMdaAQGe5gQAizTK/KmKyMt5GtQQL1PW7m7tmZYBqglwtbSf7RBF
fnntdkyeTQvRlbfjSAKjMYD0ZV34JtjMPJrRifIF6J6abSMQ1xT8IrEpyV8JrRcW
Tjb4YEz+qEqo0Pj+l/87fgez1vUpTz19C5R5KNqHBk7/icCBGKuoLGtAmR6oifj4

PKc=

=GI6y

-----END PGP PUBLIC KEY BLOCK-----

1.10 FAQ

F A Q

I always get a 'bad baud rate' error. What can I do?

Your serial device is not able to generate the baud rate that was suggested by the Palm. Try to lower the maximum baud rate that is used by PalmLink. A maximum baud rate of 9600 should work in any case.

My Palm always falls back to 57600, though I set 115200 bps.

115200 bps is only supported with PalmOS 3.2 or higher.

I have modified my cradle to save the battery power.

By this modification, the DSR line is cut. The DSR line is used by the PdaLink library, because there is NO way on the Amiga to do CTS/RTS handshaking without checking the DSR line as well. This is an AmigaOS restriction. You must fix this line if you want to use PdaLink!

I have some problems with installing Palm files or restoring backups. BlitzBlank seems to be the troublemaker. Remove it from your WBstartup or startup-sequence. This is advisable, anyhow, since the BlitzBlank startup code is rather buggy. :(

On restore, some files fail with error code 9

This means that the file does already exist and is not replaceable.

Just ignore this error. It is harmless.

1.11 History

H I S T O R Y

V2.0 (17. 7.2001)

- PalmLink is violating Palm Inc. trademarks. I have renamed the library to pdalink, and corrected all ARexx function names and ENV variables. I am sorry for this inconveniences.

V2.0 (7. 1.2000)

- Millennium release :-)
- PLTAG_SerialTimeout can now be set to 0. In this case, no timeout checking will occur.

- Added env variables PALMLINK_DEVICE, PALMLINK_UNIT and PALMLINK_RATE to set the default connection parameters
- Raised default baud rate to 57600. Most Amiga should support this.
- Added 115200 baud to the internal list of Palm rates. (Since PalmOS 3.2, this rate is supported! :)
- Added PL_GetBaudRate(), to read the baud rate negotiated with the Palm. Bumped to V2 because of this new method. [Ralph Torchia]
- Added PALM_GetBaudRate ARexx command
- Bugfix: PALM_LastError required three parameters instead of one.
- Forgot to document PLTAG_AbortMask, sorry
- Reviewed the whole developer documentation, since a lot of people complained about inconsistencies.

V1.2 (24. 4.1999)

- Bugfix: A wierd, magic number was written into .prc and .pdb files if there was no backup time available. Now, 0 is written as it should. PalmLink will correct bad files while reading. I suggest to make an entire backup of your Palm, and restore the backup.

V1.1 (28. 2.1999)

- Added ARexx port and basic functionalities
- Some minor bug fixes
- Removed bugs in pragma file
- 68000 library included

V1.0 (25. 9.1998)

- Fixed the maxbaud recognition, now BSC MultiFace cards are working as well [a lot of people complained]
- PalmTransfer can be aborted with CTRL-C. Anyhow, you have to press it twice in some situations... ;-)

V0.7beta (1. 7.1998)

- Fixed an Enforcer hit in PalmTransfer. It was quite serious, but the backups are all right. [Jens Gelhar]
- Added Assembler include files
- Added Amiga-E include files [Dominique Dutoit]

V0.6beta (21. 6.1998)

- First release
 - Still beta, please be careful! Before you use PalmLink, try to make a backup of all Palm data using an original 3Com software, or be prepared to lose all your data.
-

1.12 Credits

CREDITS

I wish to thank all those people (in no special order) :

I also want to credit:

Dominique Dutoit for the AmigaE include files

Kenneth Albanowski for pilot-link (a packet for Un*x). It helped me a LOT, though my library was written from the scratch new.

EGroups for providing free mailing lists

Frank Wille for PhxAss, the best FreeWare assembler available

Dietmar Eilert for his great Editor GoldED

And of course, I want to thank all my beta testers, everyone on the amiga-pda mailing list, and all the people who sent me a mail! Keep on! :-)

//

\\// -- Amiga - Cow inside --

\\X/
