

in

Stefan Sommerfeld

COLLABORATORS

	<i>TITLE :</i> in		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Stefan Sommerfeld	October 9, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	in	1
1.1	Scalos V1.2a	1
1.2	Authors	2
1.3	Developers	3
1.4	Distribution	3
1.5	Installation	3
1.6	Introduction	4
1.7	LIABILITY	4
1.8	MUI Info	5
1.9	Registration	5
1.10	Requirements	5
1.11	New Scalos Versions	6
1.12	Support Programs	6
1.13	Thanks	6
1.14	Usage	7
1.15	Features	7
1.16	ToolTypes	7
1.17	Default Icon Path	7
1.18	AppChange	8
1.19	Emulation mode	8
1.20	PlugIns and Modules	8
1.21	Supported Software	8
1.22	PatternPrefs	9
1.23	PalettePrefs	10
1.24	MenuPrefs	10
1.25	ScalosPrefs	10
1.26	Icons	11
1.27	Bobs	11
1.28	Title	12
1.29	Text Mode	12

- 1.30 Paths 12
- 1.31 Default Sizes 12
- 1.32 PlugIns 13
- 1.33 Miscellaneous 13
- 1.34 NewIcons 13
- 1.35 FAQ 14
- 1.36 ATO 15

Chapter 1

in

1.1 Scalos V1.2a

```

.....
::
_____ : _____ :
_\\_ (:) _ | _ | _ // _ ) _ _ / _ ) _ // _ :
_ _ | _ _ ; \\ Y Y \\ _ / Y / | _ : _ _
\\_ || \\_ ! _ | _ _ _ | _ | _ / || _ //
| _ _ ) : ( _ _ _ | ( _ _ _ | / _ _ _ | :
_ _ _ : _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ :
_ _ | _ ( _ ) _ _ / _ _ \\ _ ( _ | _ _ // _ _ \\ _ ( _ ) _ _ // _
| _ _ // Y \\ _ / Y \ _ Y Y \ _ Y / |
| \ _ _ | _ | _ _ _ | _ | | _ _ / |
| _ _ _ ) ÷ f ! ÷ ( _ _ _ | ( _ _ _ | c S ! ( _ _ _ | / _ _ _ |

```

```

::
: ... presents .oO Scalos v1.2 Oo. ... :
::
: ... The Workbench Replacement ... :
::
:.....:

```

© Copyright 1996 - 1998 by ALIENDESIGN

Last Update : April 26th 1999

Introduction What is Scalos?

Installation Installation - no problem!

Requirements What do you need to run Scalos?

Usage IMPORTANT - Please read!

Registration What Should I do?

Distribution Who! What! Where!

Liability for nothing!

Features What does Scalos?

Emulation Mode Scalos as Workbench Replacement.

FAQ Tips, Tricks and more

About MUI For the Preferences Program.

Support Programs OpenLocation, OpenDrawer, FreePens ...

PlugIns and Modules All what you got.

Supported Software What should I have?

New Versions Updates ... where?

Developers If you want to support Scalos.

Authors How to get in contact ...

Thanks Who did help.

1.2 Authors

AUTHORS:

Main-Author: -----

Stefan Sommerfeld

Kaulbachstr. 3

14612 Falkensee

Germany

Phone : +49-[0]3322-202452

E-Mail: zerocom@aliendesign.net / zerocom@cs.tu-berlin.de

WWW: <http://www.aliendesign.net>

Modules Authors: -----

MUI-Modules: Torsten Bach

lsi@aliendesign.net

ClassAct-Modules: Eric Sauvageau

merlin@thule.no

GadTools-Modules: Sebastian Bauer

sebauer@t-online.de

xtwindows.plugin and filetype.plugin : David Rydh

dary@lindesign.se

MUI Information.module (WBInfo) : Eric & Ulrich Hambuch

eric@tro.net / pixar@gmx.net

For any questiones, suggestions and bugreports for Scalos please join the mailinglist. Send a mail to majordomo@aliendesign.net with the following body text:

subscribe scalos <your-email-address>

1.3 Developers

DEVELOPERS:

Scalos has a huge API. If you are interested in programming for Scalos or to support in any way, please request the developer documentation from the [Author](#).

1.4 Distribution

DISTRIBUTION:

Scalos is Shareware. The archive may be copied and distributed at the condition to let it complete and unmodified in all its parts.

You may charge only a nominal fee for the redistribution of Scalos, equivalent to the cost of a floppy disk, (SDM in Germany) without permission of the [Author](#).

1.5 Installation

INSTALLATION:

Automatic Method:

The easiest way is to install Scalos using the included installation script. The script will not overwrite any existing file! If the registered version is to be installed you have the option to use Scalos as a complete Workbench replacement. In this case the original "LoadWB" command will be renamed in "LoadWB.orig" and replaced by the "LoadWB.Scalos" command, copied in C: as "LoadWB".

The LoadWB.Scalos command is completely compatible with the original one. It will start Scalos in the Emulation Mode. If something should go wrong, the original Workbench will be started instead.

*** OR ***

Manual Method:

Copy the directories Classes, Libs and Devs from the Scalos directory to the corresponding SYS: directories.

Copy the MUI-Class (libs/mui/mcpframe.mcc) in the MUI:Libs/MUI directory.

Copy the contents of the Locale directory in Locale:.

Create a new directory named Scalos.

Copy all remaining files in the Scalos directory.

To tell Scalos where is located its home path, you have to specify it in [Path Preferences](#).

Registered Users:

Copy the Scalos Keyfile in S:.

If you want to use Scalos as Workbench replacement you have to rename the "LoadWB" command in c: to "LoadWB.orig" and copy there the "LoadWB.Scalos" command as "LoadWB".

Unregistered Users:

Please don't try to use Scalos as Workbench replacement. If Scalos doesn't find the keyfile, the emulation mode will be simply ignored and the programm won't work properly.

1.6 Introduction

INTRODUCTION:

The Workbench is getting rather old and many missing features can't be implemented just using patches. It's time to start over from the scratch. Scalos fulfils the greatest needs (no multitasking, bad configurability), with the best compatibility and similarity.

Features of Scalos:

- 99.9% Workbench replacement.
 - complete Multitasking, each window has its own Task
 - Icon-Datatypes System with NewIcon Support
 - CybergraphX and 24bit Datatypes Support
 - each window may have its own background-Pattern
 - automatic windows contents refresh
 - editable menus (with ToolsDaemon and Parm Import)
 - new Palette and Pattern Preferences programs
 - optimized pattern-routine with Scaling
 - configurable Popup-Menus
 - big API and PlugIn System
- and much more ...

1.7 LIABILITY

Liability:

If you use Scalos you accept the following:

THERE IS NO LIABILITY TO THIS PROGRAM-PACKAGE, IN REFERENCE TO THE ASSERTED LAWS. THE COPYRIGHT OWNERS, AND/OR A THIRD PARTY, PLACE THIS PROGRAM PACKAGE AT YOUR DISPOSAL "AS IS" (EXCEPT WHERE THIS IS FIXED ANYWHERE ELSE IN A WRITTEN WAY) WITHOUT ANY GUARANTEE IN ANY FORM (INDIRECT OR DIRECT FORM). THE FULL RISK OF QUALITY AND FUNCTIONALITY OF THIS PROGRAM IS AT YOUR OWN. IF THE PROGRAM HAS A BUG, YOU HAVE TO PAY ALL COSTS OF THE NECESSARY SERVICE-WORKS AND REPAIRS FOR YOURSELF.

UNDER NO CIRCUMSTANCES, THE COPYRIGHT OWNERS OR A THIRD PARTY DISTRIBUTING THIS PROGRAM PACKAGE, AS ALLOWED, JUST BEFORE, CAN NOT BE HELD RESPONSIBLE FOR ANY DAMAGE CAUSED IN ANY USUAL, SPECIAL, OR ACCIDENTAL WAY OR BY THE PROGRAM PACKAGE (SURROUNDING BUT NOT RESTRICTED ARE THE LOSS OF DATA OR NOTCORRECTLY DISPLAYED DATA OR LOSSES CAUSED BY YOU OR A THIRD PARTY OR BY A FAULTY WORK OF THIS PROGRAM PACKAGE WITH OTHER PROGRAMS), ALSO IF THE OWNER OR A THIRD PARTY HAS BEEN POINTED AT SUCH POSSIBILITIES OF DAMAGE.

1.8 MUI Info

MUI:

The Scalos preferences programs and some of its modules use MUI - MagicUserInterface

(c) Copyright 1993-97 by Stefan Stuntz

MUI is a graphic User Interfaces creation and support system. Using a preferences-program the user of a MUI-Application is enabled to change the appearance of programs according to his personal taste.

MUI is distributed as Shareware. To obtain a complete program-package, including many examples and more information about registering, you should search in local Bulletin Boards or in Public Domain Disks for a file named muiXXusr.lha (XX stands for the latest version number).

You can register also directly, sending 30.- DM or 20.- US\$ to the following address:

Stefan Stuntz

Eduard-Spranger-Straße 7

80935 München

GERMANY

Phone: +49-89-313-1248

E-Mail: stuntz@sasg.com

WWW: www.sasg.com

NOTE

The "Scalos" main program needs no MUI, only the preferences programs need MUI 3.6 or better.

1.9 Registration

REGISTRATION:{ub}

To have fully access to all features in Scalos you should register. The following limitations exist in the unregistered version:

Limitations:

- The **Emulation mode** is not available, for i. Scalos will simply ignore the activation of the Emulation mode and switches it off.
- The "About..."-window will open just after the strat. This is a "stress-requester".

The Registration fee is 30DM or 20 US\$). You will receive a Keyfile for Scalos. All minor updates are free. In the case of grater updates there will be an upgrade-fee for a new keyfile. The next grater udate will be Scalos2, but by now there are still no plans about it.

For more information about the registration start the RegTool which is in the Scalos archive or go to <http://www.vapor.com>.

In poland it's possible to register with AIRI.

1.10 Requirements

SYSTEM REQUIREMENTS:

- Kickstart Version 3.0 or better
- MC68020 CPU or better
- **MUI** (Magic User Interface) V3.6 or better (for the configuration programs)

Not absolutely necessary:

- NewIcons V3 (V4 recommended): for the NewIcons support
- popupmenu.library for the PopupMenus
- guigfx.library and render.library for extended functions with Background Pictures

More Informations at: [Supported Software](#)

1.11 New Scalos Versions

- Where can I get Scalos?

The most updated Versions is present in our WWW-Page: <http://www.aliendesign.net>

or:

Uphold The Law

(ALiENDESiGN wHQ)

Sysop : Ramses && Paso

Nodes 1,2: +49-(0)30-44730311 (USR V34+ Modem, Node1: X2)

Nodes 3,4: +49-(0)30-44730312 (Euro ISDN)

Username: update

Password: update

Of course the current Version is present in Aminet and in the Aminet-CDs.

1.12 Support Programs

- Additional programs:

OpenLocation: With this Program you can open the window of a particular directory.

OpenDrawer: Like OpenLocation, but without GUI. To be used only from the Shell.

FreePens: This program shows the free pens for the present Screen.

1.13 Thanks

Thanks:

"Thanks" to the following people:

- Vincent Schoettke for the quick english translation of the guide
sorry, I include the ATO one.
 - Torsten Bach, Sebastian Bauer and Eric Sauvageau for the Modules
 - David Rydh for the plugins
 - Eric & Ulrich Hambuch for the information.module
 - ATO for the translations
 - all Betatesters for their Bugreports
 - Joachim Thomas for the english and italian docs translation
 - Stefan Stuntz for his MUI
-

- all registered User for the support
- T.F.A for the super ASM-One V1.29 and Genetics for the coolest ASM-One update ever made! (ASM-Pro rules!)
- Commodore for the Amiga, one of the best Computer ever built
- Amiga International for the rebirth of Amiga.

This guide was translated with the help of the [Amiga Translators Organization](#) .

1.14 Usage

IMPORTANT NOTES FOR SCALOS:

To use Scalos as Workbenchemulation please refer to the indications in chapter [Installation](#) .

Scalos works with all known Commodities and Hacks, except Programs and Functions that directly modify the Workbench. (for i. Tools-Daemon)

Owners of registriered Versios of Scalos are not allowed to distribute the Keyfile for any reason. In this case the Author will take legal proceedings!

1.15 Features

Scalos in general works lke the old Workbench. If problems should arise, you should look up the Workbench Manuals. Thanks to its Multitasking design Scalos is able to perform new actions while prior ones are still working. Many preference programs have been changed with the aim of adding better functionality to Scalos.

Preference Programs:

[Pattern](#)

[Menu](#)

[Palette](#)

[Scalos](#)

Moreover Scalos offers many additional Functions:

[ToolTypes](#)

[Default Icon Path](#)

[AppChange](#)

1.16 ToolTypes

When Scalos opens an Icon, its ToolTypes are tested, trying to recognize them.

SCALOS_PATTERNNO=<number> : The window owned by the Icon with this Tooltype, will be opened with a background image matching the number. (About Pictures and Numbers please see {"Pattern Preferences" link "pattern" 0})

SCALOS_NOTEXT : The Icon will be drawn without Text.

SCALOS_NODRAG : The Icon will not be draggable. Its position will be fixed.

1.17 Default Icon Path

If Scalos is unable to load a Disk Icon, the icon that has been selected in the default icon path in [Path Preferences](#) will automatically be loaded. the Name of the Disk will be used. The best aexample is the RAM Icon. To obtain this you have only to copy the icon in the Icon Path as "RAM.info" or "Ram Disk.info". All functions will automatically be performed on this Icon (for i. Fix).

1.18 AppChange

This function is well known by MCP users. Since this function does no more work due to the chain of Patches (besides its not 100% compatibility), it has been rewritten from the scratch for Scalos.

AppChange, before displaying an AppIcon (for i. iconifying a program), tests the existence of an Icon with this name in the Icon Path (see [Path Preferences](#)) or in "ENV:Sys/", replacing it.

1.19 Emulation mode

Emulation Mode:

Scalos works also as a Workbench replacement. In this case the 'emulation mode' has to be set. See [Installation](#) for more info.

Changes if 'Emulation mode' is on:

- Scalos uses the Workbench Screen for its windows instead opening a new one.
- AppIcon, AppMenuItem, AppWindow functions are redirected to Scalos
- all Programs placed in "WBStartup" will be started
- The Screen will be reopened in case of changes in ScreenMode and Palette settings

NOTE: Emulation Mode is only possible if you own a registered version of Scalos!

1.20 PlugIns and Modules

PlugIns and Modules

In the Scalos Archive you can find also some Modules and PlugIns.

Modules: (all modules are present in both MUI and ClassAct versions)

Execute_Command, Rename, NewDrawer, Delete, Empty_Trashcan : All will be loaded automatically by Scalos when needed. The modules are equivalent to the original Workbench functions.

PlugIns :

Menu-PlugIns : (To be set in [Menu Configuration](#))

sorted_cleanup : This is a replacement for the "Clean Up" function. All icons will be sorted by Name, drawers on top.

OOP-PlugIns : (To use them you have to list them in [Plugin Preferences](#))

title_freepens : Adds the "%wp" option to the Screen Title, indicating the still free color pens.

xtwindows : with this Plugin activated, holding the "ALT" key while doubleclicking an Icon, the icon's window will close. Pressing "SHIFT" while closing a window, its parent window will be opened.

1.21 Supported Software

Scalos supports some Expansion Libraries for additional functions.

NewIcons : For rendering NewIcons in Scalos you need newicon.library:

- Aminet (util/wb/newiconsv4.lha)

PopupMenu Library : Needed for the PopupMenus.

- Aminet (util/libs/pmuser.lha)

GUIGfx Library : Better handling of Background Pictures.

1.22 PatternPrefs

Pattern Configuration:

With this program you can configure background pictures for screens and windows. It consists of two pages: on the first you can set a list of pictures, assigning a sequential number to one or more of them. Using this number you will be able to combine the pictures to specific windows. If more pictures have the same number, one of them will be chosen randomly.

- Patternlist - Page

New/Delete : Add a new picture. After that you should assign a number to it.

Tiled: The picture will be rendered as tiles. (Like original Workbench does)

Fit size: The picture will be resized to the dimension of the new window. You ***MUST*** have set GUIGfx on.

No remap: The picture's colors will not be remapped to the actual Screen colors.

Use GUIGfx: If this option is activated, Scalos uses the math algorithms of the GUIGfx.library. This means fast and high quality remappings to Screen dimensions and colors in all resolutions.

Pen Precision: Indicates the precision to be used by Scalos in assigning the color pens.

- GUIGfx Options:

"Use GUIGfx" has to be enabled to use these options.

AutoDither : If the picture loses to many colors in the remapping process, some colors will be dithered.

Colorweight: How many color pens is the picture allowed to set?

Dithering: Sets the Dithermode.

Ditheramount: sets the weight of the dither. (only for "Random")

- Defaults:

Here you can set the defaults for the background pictures in Scalos.

asynchron layout: Pictures will be loaded and rendered while the windows opens (Like original Workbench). If this function is 'off', pictures will always be loaded before opening the windows.

Use friendbitmap : The picture is present twice in memory for best speed. This option has no effect if V43 picture.datatype or GUIGfx are used.

Always relayout: If "Fit size" is set, the picture will be scaled everytime the window's dimensions change.

Randomize everytime: Usually Pictures with the same number will be randomly selected as soon as the configuration loads. If this option is set, the picture will be selected as soon as a window with the same number assignment is opened.

Asynchron-Task priority: You can set the CPU priority for the Task if "asynchron layout" is set.

Desktop: Number of the Picture for the main window.

Screen: Number of the picture for the Scalos-Screen.

Window: Number of the picture for the Scalos-windows.

TextMode: Number of the picture for the Scalos-windows in Text Mode.

Tooltypes:

The Pattern configuration program supports some tooltypes.

NOPREVIEW: No preview will be displayed on the list page.

AUTOPREVIEW: Clicking on a picture a preview will be displayed automatically, obviously this has effect only if NOPREVIEW is not set.

NOTE: If problems should occur with background pictures, please see [FAQ](#).

1.23 PalettePrefs

Palette configuration program:

With this program the palette used by Scalos can be configured, including the colors for particular color pens. programs like "MagicWB-Daemon" or "PatchPens" are no more necessary.

The list includes all colors that Scalos should set as the Screen opens.

WBColors: In this windows all colors of the current Workbench are displayed. One or more colors can be dragged to the main list.

Pen Adjust: Here specific colors can be assigned to particular pens. Simply drag and drop a color from the main list to the desired pen. The first 9 Pens are usually set by the Workbench Palette.

Halfshine/halfshadow Pens: These are the MagicWB colors lightgrey/darkgrey.

Text outline Pen: Color for Text outline if the Icontext Mode is set on "Outline" or "Shadow". (see [Icon Configuration](#))

Drawer/File text Pens: Colors if Text Mode is set.

Background Detail/Block Pens: No effect by now.

NOTE: Modifying the first 9 color Pens does't work with CyberGraphX V3 and Scalos in Emulation mode, due to an error in the CybergraphX emulation.

1.24 MenuPrefs

Menu Configuration:

Here you configure the menus to be used by Scalos, both main menu and PopUp menus. For the latter Scalos needs the popupmenu.library.

All menus are subdivided in "Menu", "Menu Item" and "Commands". To every Menu Item can be assigned a Command List that will be elaborated sequentially. Moreover to every Menu Item may be assigned a HotKey.

Commands:

Command: Saclos internal Command. Clicking on the magnifier will open a window with all available Commands.

Workbench: The Program will be strated from the Workbench. Moreover you can set if the program should take activated Icons as Arguments. The Stack value is used only if no Icon was found for the program.

AmigaDos: The Program wil be started from the Shell. If "WB Args" is set, wird the Argument "%p" will be replaced by the path of the activated Icons. The Program will startet with the specified Stack value.

IconWindow: Scalos opens the window of the specified path.

Arexx: Starts an Arexx-Script.

PlugIn: Starts a Scalos Menu-PlugIn.

If a Menu Item with empty name is specified, Scalos displays a separator line.

It's possible to Drag&Drop an Icon in the Configuration Window. All values will be set accordingly. Entries may be dragged across the list.

NOTE: To use PopUpmenus, popupmenu.library has to be installed!

1.25 ScalosPrefs

Scalos Configuration Program:

With this program you may change a lot af configurations of scalos. Due to the variety of the settings, many configurations will be effective only after rebooting the system.

Icons

Bobs

Title

Text Mode

Paths

Standard Sizes

PlugIns

Miscellaneous

NewIcons

1.26 Icons

Icon Configuration:

Here has to be configured the appearance of the Icons.

- Icon-Image

Normal/Selected: Clicking here a window appears with all available borders. They can be selected, dragged and dropped to the "Normal" and "Selected" fields.

Left/Right/Top/Bottom: Sets the distance of the Icon Image from the border.

Text Mode:

Normal: The Text below the Icon will be displayed normally as on the old Workbench.

Outline: The Text will be outlined with the color specified in **ScalosPalette**. In the Workbench Font Configuration, "Text+Backgr." has to be set to off.

Shadow: The Text will be provided with a Shadow. The Shadow color is specified in **ScalosPalette**. In the Workbench Font Configuration, "Text+Backgr." has to be set to off.

Image <-> Text Sapce: Space, specified in pixels, between the Icon and its Text.

1.27 Bobs

Bob Configuration:

Bobs (BlitterObjectS) will be created when an Icon is moved.

- Bob Method

Drag :

"Image only": Only the Image of the icon, not the text below, will be moved..

"Image + Text": The icon will be moved as it is displayed on the window.

Bobroutine:

"System" : Scalos uses the functions implemented in AmigaOS for the Bobs.

"Custom" : A custom Routine (faster and flicker free) will be used. "Custom Bobs" will be set automatically for Screens with more than 8Bits, due to the System's limitation to max 8Bit resolution Bobs.

- Bob Look

Scalos can display transparent Bobs.

Look: Sets the transparency mode to be used.

for ex. solid/transparent : always solid, only over the as "transparent/solid over" selected Icon types it will be displayed transparent.

Transparents: The transparency Effect usually is obtained ghosting the Icon. On Screens with resolutions over 8Bit (15/16/24 bit) Scalos is able to draw Bobs transparent without ghosting them.

Real/Transp.: Works only when "Custom Bobs" is set.

- transparent/solid over

Here can be selected where bobs have to be drawn transparent or solid.

NOTE: To use "SuperGELs" in CyberGraphX V3 the "Bobroutine" has to be set on "System". Transparency effects don't work, due to missing functions, with SuperGELs.

1.28 Title

Title Configuration:

Here you can configure the Screen and Window Titles. A title is made up by the text and some Command Codes that will be replaced by Scalos. The Command Codes begin with the "%" character. To obtain a "%" in your text, you have to use two "%".

RootWindow: This is the window that opens after a double-click on a disk Icon.

Refreshrate: The value specifies the waiting time between every update of the title.

Refresh only on memory change: Scalos test if there were changes in the memory before updating the title.

1.29 Text Mode

Text Mode Configuration:

In this page you can find the configurations for the Text Mode.

Font: Font to be used by Scalos in Text Mode. If left empty Scalos uses the topaz Font.

Listcolumns: The columns will be ordered into this sequence. It's possible to toggle the display of single columns doubleclicking on them.

NOTE: Scalos has to be restarted to apply changes in the font selection.

1.30 Paths

Path Configuration:

Here all Scalos' standard paths can be configured.

Default Icons: Path for Scalos Standard Icons. (see [Icon Path](#))

DiskCopy: Scalos needs the Path for the DiskCopy Program when a DiskIcon is dragged on another one.

WBStartup: All Programs in this Path will be started automatically when Scalos is set in [Emulation Mode](#) .

Scalos Home: Needed to load Modules und PlugIns.

1.31 Default Sizes

Default Sizes Configuration:

Default Window size: To be used if no Icon with Size Informations about the window is available.

Cleanup Spaces: Values for the "CleanUp" Function.

1.32 Plugins

PlugIn Configuration:

Here you create a list of plugins to be used by Scalos (In this case only OOP-plugins). Menu-PlugIns can be configured in **Menu Configuration** . If the Plugin has been recognized the name and description will be displayed.

NOTE: To apply changes in the List, the system has to be restarted.

1.33 Miscellaneous

Miscellaneous:

Auto Remove Icons: Icons will be removed from windows as you start moving them.

Hardemulation: Scalos modifies some private functions in workbench.library for providing the original Icon-Informationwindow. This option works only if Scalos is in **Emulation Mode** .

Non-masked click area: If this option is set, an Icon will not be activated if clicked in the transparent area. (for ex. NewIcons)

Menu CurrentDir: If this option is set, the window's directory will be assigned to programs started from the Workbench. Otherwise it will be assigned to its own directory.

MMB move: The window contents may be moved using the middle mouse button.

WindowPopup title only: PopupMenu for windows can be opened only on window's title bars.

FullBench: Screen-Titles removed and Main Window set Full Size.

Default Icons saveable : The icons which Scalos generates if "show all files" is enabled, can now be saved using "snapshot".

load DefDisk first : Try to read the icons first from the DefIcons Path before using disk info.

Mac-like selection : This function activates a multiselection method used on MacOS or Win95. If you've selected multiple icons you don't have to hold down shift to drag them. Clicking on an already activated icon will not deselect all other icons.

Drop start : Now you can drop icons on a tool icon to start the tool. e.g you drop a picture over a picviewer, Scalos will now start the picview and show the picture.

Hide hidden files : If this function is activated all files or directories where the "hide" flag is set will not be shown.

pop screen title : If FullBench is enable the screen title will re-appear if the mouse is on the top screen edge.

Windowtype:

simple refresh: faster and less memory demanding, some more flickering.

smart refresh: in general slower but no flicker.

- Delays:

WBStartup - DOWAIT: if a program, present in the WBStartup doesn't end in the specified time, Scalos ask if it has to ignore it.

DiskIcon Refresh: Scalos tests for new or removed disk after the time specified here.

1.34 NewIcons

NewIcons Configuration:

NewIcons are founded upon the standard Icon format. All Icon informations are stored in the Tooltypes. The advantage of NewIcons in Scalos is the own color palette for every Icon and the fast display, especially in 16 and 24 bit.

Transparent: NewIcons displayed in transparent mode, if set also in NewIcons. Scalos creates the Mask before displaying on the Workbench.

Precision: This precision setting is used by Icons' color pens distribution.

1.35 FAQ

Frequently Asked Questions:

1 General Problems

2 Problems with the unregistered version

3 Problems with the registered version

1 General Problems

1.1 Scalos displays "Couldn't open iconobject.library" when the library exists in the Libs: directory.

Supplied Datatypes may be not correctly installed.

you should test if:

- "amigaiconobject.datatype" and "iconobject.datatype" exist in Classes/Datatypes/ ?
- Classes/Datatypes correctly assigned to Libs:?
- "AmigaIconObject" in Devs: (Multiassigns not accepted!) ?
- mcpgfx.library installed ?

1.2 After installation of Scalos MCP's SysIHack dont'works correctly.

You need a newer version of MCP. The installed mcpgfx.library is not compatible with MCP version V1.30 or less.

Solution: install again old mcpgfx.library or look for newer MCP version.

1.3 No background pictures loaded, though they are correctly selected.

This may be caused by old Datatypes. Try to reinstall the Datatypes from the Workbench disk, or the actual version of V43 picture.datatypes.

1.4 Many of my Icons display more than once on the screen, while on the workbench all seems ok.

The Workbench filters double displayed icons, Scalos does not. Solution: please edit the ".backdrop" file and clear double lines.

1.5 Background images not scaled.

GUIGfx option not set or guigfx.library and/or render.library not installed.

1.6 Standard NewIcons display with borders.

This may be caused by a missing function of the newicon.library in NewIcons V3. You should use at least NewIcons V4.

1.7 Left out icons of programs (AppIcons) aren't transparent.

That's because of conflicts with the newicons patch. You should remove it.

1.8 Working with CD's causes crashes or Scalos doesn't work correctly.

Most Filesystems doesn't support the ExAll function correctly. Disable "Use ExAll" in Scalos prefs.

1.9 Scalos needs much chip ram for every window.

Scalos needs normally more chip ram than the WB, but IPrefs loads it's patterns too. Remove all pictures in WBPattern.

1.10 Problems with CyberGraphX 3 or 4 and BitmapCache.

Sometimes NewIcons will be displayed trashed if the BitmapCache feature is enabled. This bug is fixed in CyberGraphX 4.2.

2 Problems with the unregistered version

2.1 Not all started Programs open on the Scalos-Screen.

Unfortunately this Problem cant't be solved completely. Scalos sets its own Screen as standard Screen. Not all programs will open there.

2.2 Dropping icons in programs (with AppWindow) doesn't work.

This will only work in Emulation mode.

3 Problems with the registered version

3.1 If I try to start Scalos in Emulation Mode it always crashes or the "about..." window does appear.

Your Keyfile may be corrupt or not correctly installed. Please contact immediately the **Author** !

3.2 Scalos doesn't start any program in the WBStartup.

WBStartup Path may be set wrongly or Scalos not started in **Emulation Mode** .

3.3 Scalos crashes while starting all WBStartup programs.

Maybe you've the program "Cyberpatcher" in your WBStartup. Please remove it there and start it in the startup-sequence.

1.36 ATO

This software was translated with the help of ATO, the Amiga Translators Organization. ATO is a non-profit organization that translates for the Amiga community. The following members were involved:

English:

Joachim Thomas and Sönke Tesch

Italian:

Joachim Thomas & Francesco Mancuso

Amiga Translators Organization - <http://ato.vapor.com/ato/>

mail: ato-info@ato.vapor.com
